DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 1 of 20

| AD0484964 | CLASSIFICATION OF NATURAL SOUNDS IN THE UNDERWATER AMBIENT |
|-----------|--|
| AD0484970 | ARCTIC AND ANTARCTIC ACOUSTICS |
| AD0485001 | DETERMINING PARAMETER CORRECTIONS ACCORDING TO SYSTEM PERFORMANCE - A METHOD AND ITS APPLICATION TO REAL-TIME MISSILE TESTING |
| AD0485022 | DEVELOPMENT OF A LONG LIFE O-RING COMPOUND FOR USE IN AIRCRAFT HYDRAULIC SYSTEMS USING MIL-H-5606 FLUIDS AT PRESSURES UP TO 3000 PSI AND TEMPERATURES RANGING FROM -65 F TO +275 F |
| AD0485023 | MECHANISMS OF PROTECTION AND FAILURE IN ALUMINIDE COATED TANTALUM AND TANTALUM BASE ALLOYS |
| AD0485025 | FIREBALL PHENOMENOLOGY AND CODE DEVELOPMENT. VOLUME 4. SPUTTER SUBROUTINES FOR RADIATION TRANSPORT IN PLANES |
| AD0485027 | A STUDY OF THE SHIELDING EFFECTIVENESS OF BUILDING MATERIALS |
| AD0485028 | RELATIVE TRAVEL-TIME ANOMALIES AT LASA AND THE LOCATION OF EPICENTERS USING SHIFT |
| AD0485029 | TWO EXAMPLES OF MAXIMUM-LIKELIHOOD FILTERING OF LASA SEISMOGRAMS |
| AD0485030 | MAXIMUM-LIKELIHOOD FILTERING OF LASA NOISE SEISMOGRAMS |
| AD0485031 | THE CROSSWISE SUM METHOD FOR MAXIMUM-LIKELIHOOD FILTERING OF LASA SEISMOGRAMS |
| AD0485032 | LASA SIGNAL AND NOISE AMPLITUDES FOR THREE TELESEISMIC EVENTS |
| AD0485066 | SIGNAL PROCESSING FOR THE ALOUETTE SATELLITES |
| AD0485067 | DEVELOPMENT OF A DOUBLE-WALLED EXTERNAL PRESSURE VESSEL |
| AD0485076 | BROADBAND X-BAND KLYSTRON |
| AD0485078 | EVALUATION PROCEDURES FOR RELIABILITY, MAINTAINABILITY. AND EFFECTIVENESS OF MICROELECTRONICS |
| AD0485079 | LIQUID ROCKET SYSTEM CONJUGATE STRUCTURE AND TANKAGE PROGRAM. PART II. PHASE I TECHNICAL REPORT |
| AD0485080 | THE EFFECTS OF WEATHER ON THE SIGNAL RECEIVED BY A VELA-SIERRA SYSTEM |
| AD0485082 | MICROWAVE DEVICE TECHNIQUES FOR AEROSPACE SURVEILLANCE |
| AD0485083 | MICROWAVE DEVICE TECHNIQUES FOR AEROSPACE SURVEILLANCE |
| AD0485084 | SURFACE AND SOLID STATE STUDIES BY RADIOACTIVE METHODS |
| AD0485092 | LIQUIDMETAL EMBRITTLEMENT |
| AD0485100 | ADAPTATION OF A FREE PROCESSION MAGNETOMETER TO MEASUREMENTS OF DECLINATION |
| AD0485101 | AN EARTH'S FIELD MAGNETOMETER THAT UTILIZES THE FREE PRECESSION OF PROTONS |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 2 of 20

| AD0485117 | FIREBALL PHENOMENOLOGY AND CODE DEVELOPMENT. VOLUME V. MATERIAL PROPERTIES |
|-----------|--|
| AD0485121 | INVESTIGATION OF CONTAMINATION TOLERANCE LEVEL FOR HYDRAULIC PUMPS |
| AD0485124 | CONTRIBUTIONS TO THE THEORY OF NUMERICAL SIMULATION |
| AD0485126 | GAS-METAL REACTION KINETICS BY PULSED BEAM MASS SPECTROMETRY |
| AD0485127 | AN ITERATIVE PROCEDURE FOR SOLVING THE DISCRETE TERMINAL CONTROL PROBLEM |
| AD0485129 | DISPERSION STRENGTHENED ALPHA TITANIUM ALLOYS |
| AD0485142 | STRENGTH PROPERTIES OF REINFORCED PLASTIC LAMINATES AT ELEVATED TEMPERATURES (NARMCO 534 RESIN AND 181-S994-Z6040 GLASS FABRIC) |
| AD0485149 | PHONON INTERACTIONS IN CRYSTALS |
| AD0485154 | REPORT OF THE COMMITTEE ON TUBING |
| AD0485166 | METEOROLOGICAL SATELLITE TECHNIQUES FOR THE ARMY |
| AD0485168 | SURFACE CHARACTERISTICS - EFFECT ON THERMAL REGIME. PHASE I |
| AD0485170 | AUTOMATIC DETECTION AND DISPLAY EQUIPMENT FOR MOVING TARGET INDICATION (ADDEM) |
| AD0485171 | FREQUENCY TEMPERATURE COMPENSATION TECHNIQUES FOR QUARTZ CRYSTAL OSCILLATORS |
| AD0485172 | HIGH-INFORMATION-DENSITY STORAGE SURFACES |
| AD0485173 | GRIDDED AMPLIFIER TUBES FOR PULSED C-BAND FREQUENCIES |
| AD0485174 | APPROXIMATE LAMINAR SHEAR LAYER PROFILES FORMED BY COMBINATION OF UNIVERSAL FUNCTIONS |
| AD0485182 | FUNDAMENTALS OF COMBUSTION OF SINGLE ALUMINUM AND BERYLLIUM PARTICLES |
| AD0485183 | TIME-RESOLVED SPECTROSCOPY OF SINGLE BURNING METAL PARTICLES |
| AD0485187 | EVALUATION OF OXIDE LASER HOSTS |
| AD0485188 | RESEARCH ON AUTOMATIC CLASSIFICATION, INDEXING AND EXTRACTING |
| AD0485202 | PROPERTIES OF GLASSES AT ELEVATED TEMPERATURES |
| AD0485265 | ELECTRONIC SYSTEMS DIVISION PROGRAMS AND SYSTEMS ENGINEERING MANAGEMENT PROCEDURES, AFSCM 375-6 |
| AD0485272 | MOLECULAR COMPLEXES OF AROMATIC HYDROCARBON AND AZAHYDROCARBON ACCEPTORS |
| AD0485273 | NIKE-APACHE STV (SR-032) (2 JUNE 1966) |
| AD0485274 | AIRCRAFT GROUND-FLOTATION INVESTIGATION. PART IV. DATA REPORT ON TEST SECTION 3 |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 3 of 20

| AD0485275 | OPTIMAL FILTER DESIGN FOR SAMPLED DATA SYSTEMS WITH ILLUSTRATIVE EXAMPLES |
|-----------|---|
| AD0485277 | EVALUATION OF SHORT-DURATION ROCKET ENGINE TECHNIQUE FOR BASE HEAT TESTING WITH EXTERNAL AIRFLOW |
| AD0485279 | AN INVESTIGATION OF VARIOUS TYPES OF DECELERATORS AT MACH NUMBER 2.8 |
| AD0485280 | USE OF A GLIDING UPPER STAGE TO ACHIEVE LARGE OFFSETS DURING ASCENT TO ORBIT |
| AD0485281 | ON THE POWER IN PLASMA-FILLED WAVEGUIDES |
| AD0485282 | A HIGH RESOLUTION, FAR INFRARED DOUBLE-BEAM LAMELLAR GRATING INTERFEROMETER |
| AD0485285 | FIREBALL PHENOMENOLOGY AND CODE DEVELOPMENT. VOLUME VI. EXTENSIONS OF THE PHYSICS |
| AD0485292 | THERMAL STABILITY OF HYDROCARBON FUELS |
| AD0485293 | THE BERKELEY SCANNING ELECTRON MICROSCOPE-I |
| AD0485297 | MACHINING DATA FOR BERYLLIUM METAL |
| AD0485303 | AN EXPERIMENTAL STUDY OF THE DISTRIBUTION OF CONVECTIVE HEAT TRANSFER TO A LARGE-SCALE MODEL OF PARACHUTE CLOTH |
| AD0485304 | SIMULATION IMAGE GENERATION. VOLUME I. STUDY OF TELEVISION CAMERA AND OPTICAL PICKUP FROM SCALE RELIEF MODELS |
| AD0485307 | MATHEMATICAL ANALYSIS OF HEAT CONDUCTION IN A SECTOR OF A HOLLOW CIRCULAR CYLINDER |
| AD0485308 | FLOW AND FRACTURE OF METALS UNDER COMPLEX STRESS |
| AD0485312 | A STUDY OF SYSTEM COUPLED INSTABILITY ANALYSIS TECHNIQUES. PART I |
| AD0485313 | A STUDY OF SYSTEM COUPLED INSTABILITY ANALYSIS TECHNIQUES. PART II |
| AD0485320 | PERSHING WEAPON SYSTEM. MODIFIED WILD T-2 THEODOLITE LIMITED TEST |
| AD0485334 | MINIATURE FLUIDIC DIGITAL DIFFERENTIAL ANALYZER |
| AD0485335 | THE BIOLOGICAL SIGNIFICANCE OF PROTEOLYSIS IN INFLAMMATION, WITH SPECIAL REFERENCE TO THE ROLE OF A SPECIFIC PROTEASE INHIBITOR ISOLATED FROM ANIMAL TISSUE |
| AD0485336 | STRUCTURE AND FUNCTION OF INSECT PHOTORECEPTOR |
| AD0485363 | SERVO-OPERATED MICROBALANCE FOR THE MEASUREMENT OF MAGNETIC SUSCEPTIBILITY |
| AD0485364 | VOR SYSTEM ACCURACY |
| AD0485366 | LITTLE JOHN MISSILE NO. 1075, ROUND NO. 646 AM (3 MAY 1966) |
| AD0485368 | FIREBALL PHENOMENOLOGY AND CODE DEVELOPMENT; VOL 3, SPUTTER SUBROUTINES FOR RADIATION TRANSPORT IN SPHERES |
| AD0485369 | RESISTORS FOR MICROPOWER CIRCUITS |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 4 of 20

| AD0485370 | INVESTIGATION FOR 2000 F POWER WIRE |
|-----------|--|
| AD0485371 | DETERMINATION OF THE SPECIFIC HEAT OF AL2O3 BY A TRANSIENT TECHNIQUE |
| AD0485372 | INITIATION TIMING IN A MODEL FOR PARALLEL COMPUTATION |
| AD0485386 | BONDING OF COMPONENT LEADS AND WIRE CONDUCTORS TO NAFI THIN FILM CIRCUITS USING HAND SOLDERING TECHNIQUES |
| AD0485398 | EXPERIMENTAL INVESTIGATION OF AN INDUCTION COMPRESSOR |
| AD0485401 | VERTICAL MOTION OF HIGH ALTITUDE BALLOONS |
| AD0485403 | MATHEMATICAL MODEL OF ENVIRONMENTAL INFLUENCE OF PLANKTON MOVEMENT |
| AD0485413 | FLIGHT EVALUATION REPORT VEHICLE 303D |
| AD0485455 | PROGRAMMED INSTRUCTION IN MILITARY TRAINING IN THE NATO NATIONS |
| AD0485456 | SUBMILLIMETER WAVES AND ASTROPHYSICS AT QUEEN MARY COLLEGE |
| AD0485457 | NOTES ON NAVAL MEDICINE IN THE NETHERLANDS, BELGIUM AND DENMARK |
| AD0485458 | NUCLEAR PHYSICS IN ISRAEL |
| AD0485459 | A BRIEF SURVEY OF ACADEMIC CHEMISTRY IN ISRAEL AND LEBANON |
| AD0485460 | NOTES ON PSYCHOLOGY AT QUEEN'S COLLEGE, DUNDEE, SCOTLAND |
| AD0485461 | MATHEMATICAL ACTIVITIES IN GREECE |
| AD0485463 | MECHANIZATION EQUATIONS AND ERROR ANALYSIS ROUTINES FOR ALINEMENT AND CALIBRATION OF A LOW-COST INERTIAL NAVIGATOR |
| AD0485466 | RECOMMENDATIONS FOR REDUCING GEMINI B AGE VANS AND EQUIPMENT REQUIREMENTS |
| AD0485467 | MOL VIDEO SPACE-GROUND LINK |
| AD0485468 | STUDY OF FORCE MODEL SIMPLIFICATIONS ON PREDICTION ACCURACY AS APPLIED TO A PARTICULAR AUTONOMOUS NAVIGATION SCHEME FOR MOL |
| AD0485479 | EVALUATION OF TRUCK, FORKLIFT BAKER 4,000-LB CAPACITY, GASOLINE- ENGINE- DRIVEN |
| AD0485491 | IONOSPHERIC DATA: BANGKOK, THAILAND |
| AD0485505 | THE APPLICATION OF STEEP PULSE CURRENTS TO THE ELECTROHYDRAULIC AND MAGNETIC FORMING OF METALS. (ZASTOSOWANIE STROMYCH PRADOW UDAROWYCH DO HYDRODYNAMICZNEGO I MAGNETYCZNEGO FORMOWANIA METALI) |
| AD0485507 | OPERATION OF TWO OBSERVATORIES |
| AD0485510 | THEORY AND STRUCTURE OF THE AFTON CODES |
| AD0485531 | COMMITTEE ON FIRE RESEARCH |
| AD0485534 | RESEARCH ON GAS PLATED REFRACTORY METAL COATINGS FOR LIQUID METAL COMPATIBILITY INVESTIGATION |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 5 of 20

| AD0485535 | MULTICOMPONENT STRAIN SEISMOGRAPH |
|-----------|---|
| AD0485537 | EUROPEAN CONFERENCE (3RD) ON EXPERIMENTAL SOCIAL PSYCHOLOGY ROYAUMONT, FRANCE 1966 |
| AD0485538 | INTERNATIONAL CONGRESS FOR INFECTIOUS DISEASES (4TH), MUNICH, 26-30 APRIL 1966 |
| AD0485539 | INFORMAL MEETING ON ELECTROCHEMISTRY AND ELECTROLYTE SOLUTIONS, 14-15 APRIL 1966 |
| AD0485551 | FLUORESCENT ION INTERACTION |
| AD0485552 | ARCTIC ACOUSTIC TRANSMISSION LOSS AND AMBIENT NOISE |
| AD0485554 | EFFECT OF JP-5 SULFUR CONTENT ON HOT CORROSION OF SUPERALLOYS IN MARINE ENVIRONMENT |
| AD0485555 | ELASTOMERIC SEALS AND MATERIALS AT CRYOGENIC TEMPERATURES. PART 2 |
| AD0485556 | TEMPERATURES AND STRESSES IN THICK-WALLED CYLINDERS AND A COMPARISON WITH WIND TUNNEL EXPERIMENTS |
| AD0485557 | HIGH ENERGY OXIDIZERS |
| AD0485566 | RADC PHOTOGRAMMETRIC RANGE |
| AD0485567 | RADC RADIO FREQUENCY INTERFERENCE PREDICTION PROGRAM |
| AD0485578 | PROGNOSES OF ANTIMALARIAL EFFECTIVENESS FROM STUDIES OF RELATIONSHIPS BETWEEN MOLECULAR CONSTITUTION AND CHEMOTHERAPEUTIC RESPONSE |
| AD0485579 | REALIZATION OF SEQUENTIAL MACHINES WITH THRESHOLD ELEMENTS |
| AD0485585 | CHEMISTRY AT BATTERSEA |
| AD0485602 | NIKE-APACHE SPEEDBALL II (ROUND NR. 55 SN 24) |
| AD0485611 | DEVELOPMENT OF DISPERSION STRENGTHENED TUNGSTEN BASE ALLOYS |
| AD0485614 | PREFERRED CIRCUIT TECHNIQUES FOR REFLECTION-TYPE PARAMETRIC AMPLIFIERS |
| AD0485615 | TACTICAL ORBITAL PROGRAMMER |
| AD0485616 | RE-ENTRY VEHICLE CONTROL SYSTEM DESIGN AND MECHANIZATION |
| AD0485621 | DIODE, MILLIMETER WAVE TYPE MIXER (3.2 MM) |
| AD0485635 | TRACK CHARTS, BATHYMETRY, AND LOCATION OF OBSERVATIONS CHAIN CRUISE NO. 46 NORTH ATLANTIC OCEAN AND CARIBBEAN SEA WITH STUDIES MADE AROUND THE ISLAND OF HISPANIOLA |
| AD0485674 | RESEARCH IN RING TRANSMITTER TECHNIQUES |
| AD0485675 | GEOPHYSICAL FACTORS IN NAVAL AND MARINE OPERATIONS |
| AD0485676 | SPACE ENCOUNTER MODELING STUDY. VOLUME I. MODEL FORMULATION |
| AD0485679 | SCREENING AND EVALUATION OF LOW TEMPERATURE FUEL RESISTANT ELASTOMERS |
| | |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 6 of 20

| AD0485683 | GENERATOR, DIRECT CURRENT, G-54 ()/G (HAND CRANKED) |
|-----------|--|
| AD0485783 | CENTRIFUGAL STRESS IN CONICAL ROTORS AND ROTORS OF ARBITRARY CROSS SECTION |
| AD0485784 | REAL-TIME ESTIMATION AND RANDOM SIGNAL DETECTION |
| AD0485810 | GASEOUS ION LASER RESEARCH |
| AD0485811 | CREATIVE COMPUTATION, REVISITED |
| AD0485812 | EVOLUTION OF FINITE AUTOMATA FOR PREDICTION |
| AD0485823 | NOMINAL 36,000-BTU/HR, CONVENTIONAL, STANDARD WEIGHT, SINGLE- SECTION, 208-VOLT, 3-PHASE, 60-CYCLE (MODEL CE36HBC6-208) AIR- CONDITIONING UNIT |
| AD0485824 | MECHANICAL-PROPERTY EVALUATIONS OF NEWLY DEVELOPED STRUCTURAL MATERIALS |
| AD0485829 | DETECTION PROBABILITIES FOR LOG-NORMALLY DISTRIBUTED SIGNALS |
| AD0485830 | RESEARCH ON RELAXATION PROCESSES IN MAGNETIC MATERIALS |
| AD0485832 | NONLINEARITY, WEATHER PREDICTION, AND CLIMATE DEDUCTION |
| AD0485833 | METHODS FOR DOWNWARD CONTINUATION OF GRAVITY |
| AD0485846 | A RAPID AND SIMPLE PHOSPHOLIPASE A ASSAY |
| AD0485847 | RUBY LASER EFFECTS ON OCULAR STRUCTURES |
| AD0485848 | WIDEBAND ELECTRONICALLY VARIABLE TIME DELAY TECHNIQUES FOR PHASED ARRAYS |
| AD0485850 | PROPERTIES OF VENEZUELAN EQUINE ENCEPHALOMYELITIS VIRUS ACCOMPANYING ATTENUATION IN VITRO |
| AD0485852 | OBSERVATIONS ON BETA-PROPIOLACTONE VAPOR DECONTAMINATION |
| AD0485853 | STIMULATION OF RNA SYNTHESIS, PROTEIN SYNTHESIS, AND ABSCISSION BY ETHYLENE |
| AD0485854 | MECHANICS OF WHEELS ON SOFT SOILS. A METHOD OF ANALYZING TEST RESULTS |
| AD0485857 | EXTENSIONS TO THEORY OF TIME SERIES ANALYSIS |
| AD0485865 | POSTTRAINING PERFORMANCE CRITERION DEVELOPMENT AND APPLICATION. PERSONNEL PSYCHOPHYSICS: OPERATIONAL CORRELATES OF ELECTRONIC CIRCUIT COMPLEXITY |
| AD0485869 | EQUATIONS OF MOTION FOR A MODIFIED POINT MASS TRAJECTORY |
| AD0485872 | PRELIMINARY REPORT ON THE THERMODYNAMIC PROPERTIES OF SELECTED LIGHT-ELEMENT AND SOME RELATED COMPOUNDS |
| AD0485873 | MAINTENANCE-FREE SILVER-CADMIUM BATTERIES FOR AIRCRAFT EMERGENCY APPLICATIONS |
| AD0485874 | CONSOLIDATED TRANSLATION SURVEY NUMBER 101 |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 7 of 20

| AD0485875 | NAVY RADIO ASTRONOMY |
|-----------|--|
| AD0485876 | ENVIRONMENTAL TESTS OF PRE-PROTOTYPE WIDE-RANGE PORTABLE BETA- GAMMA RADIATION SURVEY INSTRUMENT MODEL IM-189/U(XV-1) |
| AD0485877 | A SUMMARY OF EYE-PROTECTION DEVICES AGAINST NUCLEAR EXPLOSIONS |
| AD0485896 | THERMIONIC CONVERTER LIFE AND REPEATABILITY INVESTIGATION |
| AD0485900 | MICROWAVE RESONANT CAVITY MEASUREMENT OF SHOCK PRODUCED ELECTRON PRECURSORS |
| AD0485902 | THE IMPACT OF MICROELECTRONICS ON THE UTILIZATION AND TRAINING OF MAINTENANCE PERSONNEL. VOLUME II. MAINTENANCE BURDEN ANALYSIS |
| AD0485903 | A NONGRAPHICAL APPROACH FOR ESTIMATING PHOTO-INTERPRETER PERFORMANCE |
| AD0485904 | FINAL REPORT |
| AD0486033 | INFLUENCE OF SEX ON THE ANTIPROTEOLYTIC ACTIVITY OF RAT SERUM |
| AD0486036 | MOL PROGRAM GEMINI B AVE/LABORATORY AVE PRELIMINARY INTERFACE SPECIFICATION |
| AD0486037 | MOL CREW SAFETY REVIEW BRIEFING 15 FEBRUARY 1965 |
| AD0486041 | COMPILATION OF BRUSH AND BRUSHLESS TYPE SHAFT POSITION ANALOG-TO- DIGITAL ENCODERS |
| AD0486050 | PROCEEDINGS OF THE ANNUAL AFETR RANGE USER DATA SYMPOSIUM (7TH). VOLUME I |
| AD0486056 | PREPHASE I FOR DESIGN, FABRICATION, AND ORBITAL TESTING OF A SPACE STRUCTURE |
| AD0486068 | TORPEDO MK 48 MOD 0 AND MOBILE TARGET MK 27 MOD 0 EXPLOSIVE DEVICE EVALUATION TEST PROGRAM |
| AD0486069 | MINE DELIVERY MODEL: A COMPUTER SIMULATION |
| AD0486070 | U.S. NAVY WEATHER RESEARCH FACILITY REPORTS AND PUBLICATIONS |
| AD0486073 | ADSORPTION OF LANTHANUM BY NAVY GRAY PAINTED SURFACES |
| AD0486079 | AN INVESTIGATION OF THE FEASIBILITY OF PLACING TIMER MECHANISM SHAFTS PERPENDICULAR TO THEIR AXIS OF SPIN |
| AD0486080 | INERTIAL COMPENSATION OF ENERGY LOSSES IN TIMING MECHANISMS |
| AD0486081 | THE THEORETICAL CHARACTERISTICS OF ONE-LOBED PARAWINGS IN COMBINED PITCH AND SIDESLIP |
| AD0486082 | DYNAMIC INSTABILITY OF CIRCULAR, CYLINDRICAL SHELLS HAVING VISCOELASTIC CORES |
| AD0486100 | THE INTERACTION OF BURIED STRUCTURES WITH GROUND SHOCK OF CONCEPTS OF PRELIMINARY DESIGN OF STRUCTURE PROJECTS FOR UNDERGROUND NUCLEAR DETONATIONS. APPENDIX B |
| AD0486104 | LITTLE JOHN MISSILE NO. 3585, ROUND NO. 647 AP (5 MAY 1966) |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 8 of 20

| AD0486105 | SOSR ROCKET ROUND NO. 8 (17 MAY 1966) |
|-----------|--|
| AD0486106 | HONEST JOHN MISSILE NO. 581, ROUND NO. 522 AML (25 MAY 1966) |
| AD0486107 | 396 LANCE MISSILE NO. 043, ROUND NO. 20 RPL (27 MAY 1966) |
| AD0486108 | NIKE-APACHE PHOTOMETRIC (SR-033) (7 JUNE 1966) |
| AD0486109 | ATHENA FLIGHT NUMBER 046 (23 JUNE 1966) |
| AD0486123 | NIKE-APACHE PHOTOMETRIC (SR-034) (13 JUNE 1966) |
| AD0486130 | A SECOND ORDER SHELL THEORY FOR ORTHOTROPIC, CIRCULAR CYLINDRICAL SHELLS |
| AD0486136 | A TEST OF THE MODE-AVERAGING DIVERSITY COMBINER |
| AD0486138 | THE PHYSICS OF HEMOGLOBIN |
| AD0486261 | SPACE ENCOUNTER MODELING STUDY. VOLUME II. MATHEMATICAL MODELS |
| AD0486263 | A FORTRAN PROGRAM FOR THE PREDICTION OF MEAN ANOMALIES |
| AD0486264 | A FORTRAN PROGRAM FOR THE COMPUTATION OF THE NORMAL GRAVITY AND GRAVITATIONAL FIELD OF THE EARTH |
| AD0486265 | ANALYTIC CONTINUATION OF GRAVITY USING ORTHOGONAL FUNCTIONS |
| AD0486266 | LONG-RANGE SEISMIC MEASUREMENTS CHASE V 24 MAY 66 |
| AD0486267 | LONG RANGE SEISMIC MEASUREMENTS. REX. 24 FEBRUARY 1966 |
| AD0486268 | LONG RANGE SEISMIC MEASUREMENTS DURYEA. 14 APRIL 1966 |
| AD0486269 | PRESSURE SUIT AND EXTRAVEHICULAR PERFORMANCE DATA FOR MOL |
| AD0486274 | PROGRAM ASTEC (ADVANCED SOLAR TURBO ELECTRIC CONCEPT). PART IV. SOLAR COLLECTOR DEVELOPMENT SUPPORT TASKS. VOL. V. GOODYEAR AEROSPACE CORPORATION MATERIAL PROPERTIES TEST PROGRAM |
| AD0486275 | ATMOSPHERIC PHYSICS TOWER INSTRUMENTATION |
| AD0486287 | THE EFFECTS OF INTERMOLECULAR FORCES ON POLYMER RHEOLOGY. III. IONIC FORCES ABOVE TG |
| AD0486290 | EXPERIMENTAL PROGRAM TO DETERMINE THE THERMODYNAMIC PROPERTIES OF SOLUTIONS OF LIQUEFIED LIGHT GASES |
| AD0486291 | SIGNAL PROCESSING STUDIES AND ANALYSIS |
| AD0486292 | APPROXIMATE STRUCTURAL ANALYSIS TECHNIQUES EMPLOYING UNDETERMINED PARAMETERS |
| AD0486295 | MATRIX ANALYSIS METHODS FOR ANISOTROPIC INELASTIC STRUCTURES |
| AD0486297 | A FOLLOW-UP STUDY OF NCO LEADERS SCHOOL GRADUATES |
| AD0486299 | PREDICTING MOTIVATION TO COMPLETE OCS WITH INTEREST INVENTORIES |
| AD0486300 | THE RELATIONSHIP BETWEEN LEADERS' COURSE EVALUATIONS AND OCS EVALUATIONS |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 9 of 20

| AD0486301 | RESEARCH ON MOTIVATION AND ATTRITION PROBLEMS OF THE ARMY OFFICER CANDIDATE SCHOOLS |
|-----------|--|
| AD0486302 | RELATIONSHIPS BETWEEN SCHOOL PREFERENCE AND SUCCESS IN OCS |
| AD0486308 | DATA PROCESSING FOR IMPROVED ANTENNA RESOLUTION |
| AD0486313 | RAT SCAT CROSS SECTION MEASUREMENTS OF THE 006-10 ROADRUNNER TARGET MISSILE |
| AD0486317 | LIGHTWEIGHT NORTH SEEKING GYRO AZIMUTH SURVEYING INSTRUMENT MODEL NO. 11NG531A |
| AD0486326 | SYNTHESIS AND ISOLATION OF TETRAHYDROCANNABINOL ISOMERS |
| AD0486328 | MK 81 AND MK 82 BOMB RELEASE CURVES |
| AD0486331 | GAS-PHASE CHEMISTRY OF REENTRY |
| AD0486332 | A THERMODYNAMIC ANALYSIS OF HIGH ENERGY SYNTHETIC FOODS |
| AD0486333 | ON THE MICROSTRUCTURAL SENSITIVITY OF FRACTURE TOUGHNESS |
| AD0486335 | QUARTERLY RELIABILITY AND QUALITY ASSURANCE REPORT. VOLUME II: QUALITY ASSURANCE |
| AD0486340 | SURFACE AND MICROSTRUCTURAL INFLUENCE ON FLEXURE STRENGTH OF DENSE, POLYCRYSTALLINE MGO |
| AD0486349 | A GENERALIZATION OF THE GABOR-HELSTROM TRANSFORM |
| AD0486353 | ELECTROFLUID HYPERSONIC RESEARCH |
| AD0486363 | THEORETICAL ANALYSIS OF THE HEATED JET PUMP AND DESIGN OF A TEST FACILITY |
| AD0486364 | THE DETERMINATION OF OPTIMUM NOZZLE PROFILES TO DELAY CHEMICALLY FROZEN FLOW IN THE EXPANSION OF HIGH TEMPERATURE GAS MIXTURES |
| AD0486365 | AN INVESTIGATION OF AN AUTOMATIC THROTTLE DEVICE DURING TURNING FLIGHT |
| AD0486366 | A STUDY OF AN AUTOMATIC POWER COMPENSATOR WITH AIRSPEED AND ANGLE OF ATTACK AS CONTROLLING INPUTS |
| AD0486371 | XC-142A VTOL TRANSPORT PROGRAM |
| AD0486375 | EXPERIMENTAL AND DESIGN STUDIES FOR TURBO-RAMJET COMBINATION ENGINE. VOLUME 1 - SPECIFICATIONS AND PERFORMANCE |
| AD0486376 | EXPERIMENTAL AND DESIGN STUDIES FOR TURBO-RAMJET COMBINATION ENGINE. VOLUME II - CALCULATION ANALYSIS |
| AD0486377 | EXPERIMENTAL AND DESIGN STUDIES FOR TURBO-RAMJET COMBINATION ENGINE. VOLUME 3 - DATA |
| AD0486378 | EXPERIMENTAL AND DESIGN STUDIES FOR TURBO-RAMJET COMBINATION ENGINE. VOLUME 4 - CALCULATED RESULTS |
| AD0486382 | FACTORS AFFECTING INFORMATION STORAGE AND RETRIEVAL IN MAN |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 10 of 20

| AD0486395 | AN ULTRA HIGH TEMPERATURE, SINGLE CRYSTAL TEXTURE CAMERA DIFFRACTOMETER |
|-----------|---|
| AD0486400 | REFRIGERATION OF A PIPE PILE BY AIR CIRCULATION |
| AD0486403 | THERMAL ANALYSIS AND METEOROID PROTECTION OF SPACE RADIATORS |
| AD0486405 | THE COHERENCY ANALYSIS OF SEISMIC NOISE |
| AD0486406 | LONG RANGE SEISMIC MEASUREMENTS. PIN STRIPE, 25 APRIL 1966 |
| AD0486409 | TRANSPIRATION AND FILM COOLING OF LIQUID ROCKET NOZZLES |
| AD0486417 | A FORTRAN PROGRAM FOR THE UPWARD CONTINUATION OF GRAVITY ANOMALIES |
| AD0486426 | GRAVITY GRADIENT TORQUES FOR A STELLAR ORIENTED VEHICLE |
| AD0486430 | STUDY OF SUBMARINE CASUALTY CONTROL TRAINING |
| AD0486432 | GRAVITATIONAL STRESSES DETERMINED USING IMMERSION TECHNIQUES |
| AD0486436 | UNSTABLE GROWTH OF UNDUCTED WHISTLERS PROPAGATING AT AN ANGLE TO THE GEOMAGNETIC FIELD |
| AD0486442 | ON THE NUMERICAL SIMULATION OF NONSTATIONARY RANDOM PROCESSES |
| AD0486443 | CREEP BEHAVIOR OF AN ALUMINUM ALLOY UNDER TRANSIENT TEMPERATURES |
| AD0486444 | ON THE MICRO-MECHANISM OF SECOND-ORDER EXTENSION OF ALUMINUM IN REVERSED CYCLIC TORSION |
| AD0486445 | SURFACE AND INTERFACIAL EFFECTS IN RELATION TO BRITTLENESS IN REFRACTORY METALS |
| AD0486447 | HETEROGENEOUS DECOMPOSITION OF HYDROGEN PEROXIDE BY INORGANIC CATALYSTS. A LITERATURE SURVEY |
| AD0486449 | GLOSSARY OF TERMS USED IN GAMING AND SIMULATION. PRODUCED AT THE FOURTH MEETING HELD AT THE U. S. ARMY STRATEGY AND TACTICS ANALYSIS GROUP, BETHESDA, MARYLAND, 23-27 AUGUST 1965 |
| AD0486456 | OXIDIZER MISCIBILITY STUDIES |
| AD0486457 | CHEMICAL KINETICS AND FLUID DYNAMICS OF SURFACE-CATALYZED ATOME AND FREE-RADICAL REACTIONS |
| AD0486459 | EFFECT OF TUNED VISCOELASTIC DAMPERS ON RESPONSE AND DAMPING OF A CLAMPED-CLAMPED BEAM |
| AD0486463 | MILLIMETER AND SUBMILLIMETER DEVICE RESEARCH |
| AD0486466 | RESEARCH-ENGINEERING AND SUPPORT FOR TROPICAL COMMUNICATIONS |
| AD0486471 | RE-ENTRY PHYSICS RESEARCH |
| AD0486475 | POLAR CONSTRUCTION EQUIPMENT - LGP D4 SERIES D SNOW TRACTOR |
| AD0486476 | INHIBITED N2O4 |
| AD0486477 | SPECIAL PARTICULATE ANALYSIS |

© 2025 <u>DoDreport.com</u>. All Rights Reserved.

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 11 of 20

| AD0486478 | COMPARISON OF ENGINEERING PROPERTIES OF SELECTED TEMPERATE AND TROPICAL SURFACE SOILS |
|-----------|---|
| AD0486480 | MEASUREMENTS OF VIBRATION-VIBRATION COUPLING IN GAS MIXTURES |
| AD0486484 | DETAIL SPECIFICATION FOR ATLAS STANDARD LAUNCH VEHICLE SLV-3 GD/C MODEL 69 |
| AD0486487 | PROTON CORRELATION STUDIES |
| AD0486488 | INVESTIGATION OF ROTARY ACTUATION TECHNIQUE |
| AD0486490 | A GRAPHICAL COMPILATION OF DAMPING PROPERTIES OF BOTH METALLIC AND NON- METALLIC MATERIALS |
| AD0486494 | SPACE ENCOUNTER MODELING STUDY. VOLUME IV. COMPUTER PROGRAM |
| AD0486496 | A COMPILATION OF PAPERS PRESENTED AT THE ANNUAL AFETR RANGE USER DATA CONFERENCE (6TH) |
| AD0486499 | TROPICAL PROPAGATION RESEARCH |
| AD0486501 | NEW SWITCHING CONCEPTS |
| AD0486512 | ROLLING-CONTACT FATIGUE CHARACTERISTICS OF AIRCRAFT TURBINE ENGINE LUBRICANTS |
| AD0486531 | SYNTHESIS OF SELECTED OXIDANTS. REACTIONS OF MANGANESE COMPOUNDS WITH DINITROGEN PENTOXIDE |
| AD0486534 | LOGISTIC FEASIBILITY SCHEDULING MODEL; COMPUTER PROGRAM 38-64P |
| AD0486540 | OCONUS DEFOLIATION TEST PROGRAM |
| AD0486543 | A SYSTEMS DESCRIPTION OF THE DODCO RE-ENTRY CONTROL AND DISPLAY LOGIC AS UTILIZED ON THE AFFDL AEROSPACE SIMULATOR |
| AD0486544 | APPROXIMATE CORRELATION FUNCTION AND SPECTRAL DENSITY OF THE RANDOM VIBRATION OF AN OSCILLATOR WITH NON-LINEAR DAMPING |
| AD0486566 | INTEGRATED ENGINEERING - SERVICE TEST OF AIR CONDITIONERS, COMPACT VERTICAL, 60,000 BTU/HR, 60- AND 400-CYCLE |
| AD0486571 | A GENERAL METHOD OF PROBABILITY PREDICTIONS IN SYNOPTIC METEOROLOGY |
| AD0486577 | CONFERENCE ON SCATTERING, NON-LINEAR OPTICS AND ELECTRO- MAGNETO-OPTICS UNIVERSITY OF YORK, 4-7 APRIL 1966 |
| AD0486578 | THE LIFE AND ACTIVITIES OF A PHYSICAL OCEANOGRAPHER (JOHN C. SWALLOW) |
| AD0486579 | SOME ASPECTS OF BIOMEDICAL RESEARCH AND MEDICAL EDUCATION IN ISRAEL |
| AD0486586 | QUARTERLY STATUS REPT. NO. 101. 1 JANUARY THROUGH 31 MARCH 1966 |
| AD0486589 | THE LINEAR PYROLYSIS OF POLYMETHYLMETHACRYLATE |
| AD0486591 | PROJECT MICHELSON STUDIES OF COMMUNIST CHINA: AN EXAMINATION OF THE RELEVANCE OF SELECTED FINDINGS |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 12 of 20

| AD0486592 | REVIEW OF RECENT DEVELOPMENTS. REFRACTORY METALS (CB, TA, MO, W) |
|-----------|--|
| AD0486594 | PROGRAM 624A QUARTERLY RELIABILITY AND QUALITY ASSURANCE REPORT. VOLUME 1. RELIABILITY |
| AD0486595 | CADMIUM OXIDE |
| AD0486617 | HIGH POWER MICROWAVE COMPONENTS IN OVERSIZED WAVEGUIDE |
| AD0486624 | THIN FILMS OF NORMAL AND SUPERCONDUCTING METALS |
| AD0486646 | BERYLLIUM OXIDE CERAMICS - PROCESSES, PROPERTIES AND APPLICATIONS |
| AD0486647 | LATTICE DEFORMATION FEASIBILITY STUDY |
| AD0486648 | LIGHT BY AN ELECTRON BEAM |
| AD0486653 | THE LOCALIZATION OF INHALED PARTICULATE MATERIAL |
| AD0486656 | HIGH TEMPERATURE POLYMERS FROM 1,3-DIPOLAR ADDITION REACTIONS |
| AD0486660 | STABLE FERRITES FOR R.F. APPLICATIONS |
| AD0486662 | ARMY TRAINING COSTS: PHASE I AN EXAMINATION OF COSTS AND RECORDING PRACTICES AT CONARC SERVICE SCHOOLS |
| AD0486667 | ELECTRICAL AND THERMAL TRANSPORT MODELS FOR ANALYSIS OF REINFORCED COMPOSITES |
| AD0486668 | RADIATION EFFECTS ON DIELECTRIC MATERIALS |
| AD0486669 | MICROWAVE TRANSISTORS |
| AD0486674 | AN ANALYSIS OF THE FORCES AND MOMENTS ON RE-ENTRANT VEE-STEP PLANING SURFACES |
| AD0486675 | ON THE ANALYTICAL AND EXPERIMENTAL INVESTIGATION OF A HYDROSTATIC AXISYMMETRIC COMPLIANT-SURFACE THRUST BEARING |
| AD0486677 | FARADAY ROTATION DATA: BANGKOK, THAILAND. REPORTING PERIOD: JULY - DECEMBER 1965 |
| AD0486679 | A CONCEPT FOR AN AIRMOBILE PARTS SUPPLY SYSTEM |
| AD0486680 | THE DEVELOPMENT OF A FOSSIL FUEL FIRED HEAT PIPE FOR USE WITH THERMIONIC ENERGY CONVERTERS |
| AD0486683 | THRESHOLD ELEMENTS AND THE DESIGN OF SEQUENTIAL SWITCHING NETWORKS |
| AD0486684 | SIGNAL PROCESSING STUDIES AND ANALYSIS |
| AD0486685 | HIGH POWER RF WINDOW STUDY |
| AD0486686 | FOUR LAYER DIODE DEVELOPMENT PROGRAM |
| AD0486687 | ANTENNA ARRAY ELEMENT STUDY |
| AD0486688 | THE ELECTRON BEAM AS AN ELECTROMAGNETIC MEDIUM |
| AD0486690 | ANNUAL PROGRESS REPORT FOR FISCAL YEAR 1966 |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 13 of 20

| AD0486692 | THE FEASIBILITY OF UTILIZING THE CONFINED VORTEX PHENOMENA AS A MEANS OF SIGNATURE GENERATION - PART I |
|-----------|---|
| AD0486693 | X-BAND PHASED ARRAY TUBE DEVELOPMENT |
| AD0486701 | A STUDY OF THE PHYSICAL BASIS OF MECHANICAL PROPERTIES OF CERAMICS |
| AD0486704 | DUST ALLEVIATORS. REPORT I. RESIN - AND LATEX-BASE CONCRETE CURING COMPOUNDS |
| AD0486705 | INSPECTION HISTORY OF FOSTER-WHEELER STEAM ACCUMULATORS USED WITH TC13 AND TC13 MOD 1 STEAM CATAPULTS |
| AD0486710 | CARDIOVASCULAR ASSESSMENT KIT |
| AD0486711 | METALLIC EQUATIONS OF STATE FOR HYPERVELOCITY IMPACT |
| AD0486712 | THEORY FOR VISCOUS SHOCK ATTENUATION DUCTS BASED ON THE KINETIC THEORY OF GASES EXPERIMENTALLY VERIFIED TO A SHOCK STRENGTH OF 68 |
| AD0486729 | FARADAY ROTATION MEASUREMENTS OF ELECTRON CONTENT NEAR THE MAGNETIC EQUATOR, USING THE TRANSIT IV-A SATELLITE |
| AD0486730 | APPLICATION OF RESULTS FROM SHOCK TUBE EXPERIMENTS ON RADIATION IN AIR TO OBSERVED TRAJECTORIES AND RADIATION OF METEORS |
| AD0486735 | PHASE SHIFT VARACTOR-DETECTOR DIODES |
| AD0486737 | ABLATIVE POLYMERS FOR HYPERSONIC ATMOSPHERIC FLIGHT |
| AD0486738 | TRANSMISSION ELECTRON MICROSCOPIC STUDY OF PRECIPITATION IN A TITANIUM-COPPER ALLOY |
| AD0486739 | PREPARATION AND PROPERTIES OF MODIFIED POLY-M-PHENOXYLENES |
| AD0486744 | FRAGMENTATION OF RING TYPE CYLINDRICAL SHELL MADE OF VARIOUS METALS |
| AD0486753 | TEST OF ZINC INORGANIC SILICATE COATINGS ON WORK AREAS OF A FLOATING DRYDOCK |
| AD0486759 | CONSOLIDATED TRANSLATION SURVEY. NUMBER 102 |
| AD0486762 | SPECTROPHOTOMETRY OF ATMOSPHERIC EMISSIONS |
| AD0486768 | ULTRASONIC WAVE PROPAGATION AND INTERACTION IN SOLID MATERIALS |
| AD0486769 | MECHANISMS OF FATIGUE IN 7075-T6 ALUMINUM |
| AD0486770 | HOT GAS SERVO CONTROL SYSTEM FOR MISSILES. SUPPLEMENT I |
| AD0486771 | INVESTIGATION OF THERMODYNAMIC PROPERTIES OF ROCKET COMBUSTION PRODUCTS |
| AD0486772 | COMBUSTION STABILITY OF METALLIZED GELLED PROPELLANTS |
| AD0486773 | INVESTIGATION OF THERMODYNAMIC PROPERTIES OF ROCKET COMBUSTION PRODUCTS |
| AD0486779 | EVALUATION OF CHARACTERISTICS AFFECTING ATTAINMENT OF OPTIMUM PROPERTIES OF ABLATIVE NOZZLE COMPONENTS |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 14 of 20

| AD0486782 | EXERCISE TOLERANCE AT HIGH AND LOW ALTITUDES: 'REGULATION OF VENTILATION DURING EXERCISE AT 10,200 FEET IN ATHLETES BORN AT LOW ALTITUDE.' |
|-----------|--|
| AD0486787 | FLUID FLOW AND HEAT TRANSFER IN HIGH-TEMPERATURE POROUS MATRICES FOR TRANSPIRATION COOLING |
| AD0486791 | INVESTIGATION OF A 30,000 RPM TURBINE-DRIVEN HYDRAULIC PUMP |
| AD0486792 | HIGH VOLTAGE SOLAR CELL ARRAY SEGMENT |
| AD0486798 | DEVELOPMENT OF EXPERIMENTAL TESTING PROGRAMS TO VERIFY THERMAL STRESS ANALYSIS |
| AD0486799 | CONTROLLER'S DATA DISPLAY MARK IIINSTRUCTION MANUAL |
| AD0486800 | SURVEY OF LITERATURE PERTAINING TO THE EQUATORIAL IONOSPHERE AND TROPICAL COMMUNICATION |
| AD0486803 | INFECTION OF NORMAL MONKEYS BY INOCULATED CAGEMATES |
| AD0486808 | DIRECT DIGITAL FILTERS FOR GENERAL-PURPOSE USE |
| AD0486812 | ANNUAL RESEARCH PROGRESS REPORT FY 66 (U.S. ARMY SURGICAL RESEARCH UNIT, BROOKE ARMY MEDICAL CENTER, FORT SAM HOUSTON, TX) |
| AD0486815 | THE DETERMINATION OF SULFUR IN ORGANIC COMPOUNDS |
| AD0486816 | AN INVESTIGATION OF THE HIGH-RESOLUTION PROTON RESONANCE SPECTRA OF MONOSUBSTITUTED BENZENES TO DETERMINE THE CHEMICAL SHIFTS AND COUPLING CONSTANTS |
| AD0486817 | FEASIBILITY DETERMINATION AND DEVELOPMENT OF AN EXPERIMENTAL HOT-MICROHARDNESS DEVICE SATISFACTORY FOR USE WITH CERAMIC MATERIALS TO TEMPERATURES APPROACHING 1800 TO 2000C |
| AD0486824 | EFFECT OF TWO FLUOROCARBON LUBRICITY ADDITIVES UPON THE THERMAL STABILITY OF AN ADVANCED HYDROCARBON JET FUEL |
| AD0486825 | THE DIGITAL DEMODULATION OF A FREQUENCY MODULATED SIGNAL |
| AD0486830 | EVALUATION OF THE AASHO PROFILOMETER FOR MEASURING AIRFIELD PAVEMENT PROFILES |
| AD0486831 | STUDY OF BOILING INSTABILITY OF ALKALI METAL AT LOW-HEAT FLUXES |
| AD0486834 | OPTIMAL SHOCK ISOLATION SYNTHESIS |
| AD0486835 | ENVIRONMENTAL RESEARCH SATELLITES FOR SPACE PROPULSION SYSTEMS EXPERIMENTS |
| AD0486839 | CONSTANT OBLIQUE FIELD ELECTROSTATIC GENERATOR |
| AD0486842 | MANUFACTURING PROCESS FOR PREMIUM QUALITY TITANIUM CASTING |
| AD0486847 | SHOCK TRANSMISSION THROUGH A SOLID-SOLID INTERFACE |
| AD0486848 | INDEX CHARTS TO CRUISES CONDUCTED BY MEMBERS OF THE GEOPHSICS DEPARTMENT, SECTIONS I THROUGH XXVIII, NORTH ATLANTIC, SOUTH ATLANTIC AND INDIAN OCEANS; MEDITERRANEAN AND RED SEAS, 1958-1966 |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 15 of 20

| AD0486854 | |
|-----------|--|
| | FOAMGLAS INSULATION FOR BURIED HOT PIPES |
| AD0486856 | 06801 LANCE MISSILE NO. 044, ROUND NO. 22 (1 JULY 1966) |
| AD0486857 | AEROBEE NASA 4.144 DG (NRL NB 3.165) (18 JULY 1966) |
| AD0486861 | APPLICABILITY OF LASER TECHNIQUES |
| AD0486865 | EVALUATION OF SPECIAL MODULATION TECHNIQUES. VOLUME I |
| | EVALUATION OF SPECIAL MODULATION TECHNIQUES. VOLUME II. APPENDICES A,C,D,E, AND F |
| | CHANNEL AND TRAFFIC STATUS COLLECTION AND DISPLAY. VOLUME I. SYSTEMS STUDY AND DESIGN PHASE |
| AD0486869 | CHANNEL AND TRAFFIC STATUS COLLECTION AND DISPLAY. VOLUME II. STUDY OF HUMAN FACTORS IN SYSTEM CONTROL OF AIR COMMUNICATIONS TRAFFIC |
| AD0486870 | COMMUNICATION SATELLITE ORBITAL PARAMETER STUDY |
| | PERFORMANCE STANDARDS AND TEST SPECIFICATIONS FOR VOICE MESSAGE AMPLITUDE AND BANDWIDTH COMPRESSION EQUIPMENT |
| AD0486872 | A QUEUING PROCESS WITH BI-LEVEL HYSTERETIC SERVICE-RATE CONTROL |
| AD0486873 | AN ADAPTIVE QUEUING SYSTEM MODEL |
| | CONFIDENCE BAND LIMITS ON AN ESTIMATE OF MEAN QUEUE LENGTH FROM A SERIES OF OBSERVATIONS FOR A SIMPLE QUEUING MODEL |
| AD0486875 | RADIO SUBSCRIBER NETWORK EMPLOYING AN AIRBORNE TRANSPONDER |
| AD0486876 | KY-279 CODER-MULTIPLEXER EVALUATION |
| | COMPUTER PROCESSING TECHNIQUES AND PROGRAM DESCRIPTION FOR AWS METEOROLOGICAL DATA SURVEY |
| | REFRACTION AND DIFFRACTION OF PRESSURE PULSES BY GRADIENTS IN THE PROPAGATION VELOCITY |
| AD0486892 | THE EFFECTIVENESS OF TWO DIMENSIONAL MOMENTUM TRAPS |
| AD0486914 | FLOW OVER A MOVING BOUNDARY IN RELATION TO WIND GENERATED WAVES |
| AD0486916 | PERTURBED OPTIMAL CONTROL PROBLEMS |
| AD0486918 | REVIEW OF EXPLOSIVE (CHEMICAL) FORMING. SUPPLEMENT NUMBER 1 |
| AD0486923 | APPLICATIONS OF HYDROSTATIC AIR BEARINGS TO METROLOGY |
| AD0486927 | UHF ACTIVE CANCELLATION FILTER |
| AD0486930 | 396 LANCE. MISSILE NO. 032, ROUND NO. 21 RPT (24 JUNE 1966) |
| AD0486931 | HONEST JOHN. MISSILE NO. 715, ROUND NO. 527 RML (28 JUNE 1966) |
| AD0486932 | 06301 LANCE. MISSILE NO. 048, ROUND NO. 023 (6 JULY 1966) |
| AD0486933 | ATHENA FLIGHT NUMBER 047 (14 JULY 1966) |
| | AEROBEE NASA 4.159 GG (15 JULY 1966) |

© 2025 <u>DoDreport.com</u>. All Rights Reserved.

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 16 of 20

| AD0486938 | RELATIVISTIC CORRECTIONS FOR TERRESTRIAL CLOCK SYNCHRONIZATION |
|-----------|--|
| AD0486939 | ISOTOPE EFFECTS IN THE 77K GAMMA-IRRADIATION OF ICE |
| AD0486940 | EQUILIBRIUM PROPERTIES OF ARGON - AIR MIXTURES BEHIND INCIDENT AND REFLECTED SHOCK WAVES |
| AD0486941 | INSTABILITY OF LONGITUDINALLY STIFFENED SHELLS |
| AD0486942 | NIGHTGLOW EXCITATION AND MAINTENANCE OF THE NIGHTTIME IONOSPHERE BY LOW ENERGY PROTONS |
| AD0486943 | SUPERSONIC NEAR FREE MOLECULE FLOW OVER A SPECULARLY REFLECTING FLAT PLATE WITH A DEFLECTED FLAP |
| AD0486944 | IONIZED PARTICLES AS CONTAMINANT IN A NEUTRAL TURBULENT FLUID |
| AD0486945 | REACTION OF OXYGEN ATOMS WITH TETRAFLUOROETHYLENE IN THE PRESENCE OF MOLECULAR OXYGEN |
| AD0486946 | REVIEW OF RECENT DEVELOPMENTS. OXIDATION-RESISTANT COATINGS FOR REFRACTORY METALS |
| AD0486947 | REVIEW OF RECENT DEVELOPMENTS. TITANIUM AND TITANIUM ALLOYS |
| AD0486949 | A STUDY OF MARINE FOULING IN MONTEREY HARBOR |
| AD0486950 | AN AUTOMATIC-THROTTLE DEVICE FOR AIRSPEED CONTROL DURING FLARE TO FIELD LANDINGS |
| AD0486951 | AN INVESTIGATION OF THE PRESSURE STRESSES IN A COMPACT, PLATE FIN, COUNTERFLOW HEAT EXCHANGER |
| AD0486955 | INVESTIGATION OF CREEP PHENOMENA IN POLYETHYLENE AND POLYPROPYLENE |
| AD0486956 | A STUDY OF ELECTRONICALLY TUNABLE MICROWAVE (X-BAND) GENERATORS |
| AD0486964 | COOLING EFFECTIVENESS OF THREE FIRE FIGHTING AGENTS |
| AD0486980 | FAILURE MECHANISMS IN RESISTORS |
| AD0486982 | XC-142A VTOL TRANSPORT PROGRAM |
| AD0486993 | NUCLEAR ELECTROMAGNETIC PULSE SIMULATION STUDIES IN SUPPORT OF THE NIKE- X ELECTRICAL POWER SYSTEM PROGRAM (REVISED) |
| AD0486995 | CREEP PROPERTIES AND CREEP MEASUREMENT TECHNIQUES FOR A CHROMIUM-MAGNESIUM OXIDE COMPOSITE UP TO 2200 DEG F IN AIR |
| AD0486996 | COMPARATIVE BIOCHEMISTRY OF THE BLOOD OF FISHES: IDENTIFICATION OF ELASMOBRANCHS AND OTHER FISHES BY THE CHEMICAL COMPOSITION OF SERUM |
| AD0486998 | XC-142A VTOL TRANSPORT PROGRAM |
| AD0486999 | XC-142A VTOL TRANSPORT PROGRAM |
| AD0487001 | XC-142A VTOL TRANSPORT PROGRAM |
| AD0487006 | FAULT ISOLATION IN ELECTRONIC DEVICES VOLUME I. INVESTIGATION OF THE PHENOMENON OF RF RADIATION FROM ELECTRICAL DISCHARGES |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 17 of 20

| AD0487007 | ANNUAL MEETING (2ND) OF THE WORKING GROUP ON EXTRATERRESTRIAL RESOURCES ON OCTOBER 23 - 25, 1963 |
|-----------|--|
| AD0487023 | DESIGN AND DEVELOPMENT OF A X-RAY CAMERA FOR CONTINUOUS POWDER PHOTOGRAPHS DURING PROGRAMMED TEMPERATURE CHANGES |
| AD0487024 | INVENTORY APPLICATIONS OF SERVOMECHANISM MODELS |
| AD0487025 | A COLLECTIVE MODEL FOR ELECTRON SCATTERING FROM NUCLEI |
| AD0487026 | MEASUREMENT OF ACOUSTICAL IMPEDANCES OF FLUIDS BY ANALYSIS OF TRANSIENT ACOUSTIC WAVESHAPES USING AN ACOUSTICAL WAVEGUIDE WITH PIEZOELECTRIC TRANSDUCERS |
| AD0487027 | A MODIFIED PENALTY TERM FOR THE SEQUENTIAL UNCONSTRAINED MINIMIZATION TECHNIQUE FOR CONVEX PROGRAMMING PROBLEMS |
| AD0487028 | THE RESONANCE PROBE IN A MODERATELY HIGH DENSITY POSITIVE COLUMN XENON PLASMA |
| AD0487029 | EFFECTS OF POLYMER CHAIN ORIENTATION UPON THE THERMAL CONDUCTIVITY OF POLYMETHYL METHACRYLATE AT LIQUID NITROGEN TEMPERATURES |
| AD0487030 | DYNAMIC STABILITY TESTS ON THE SNAP-27 FUEL CASK CONFIGURATION AT MACH NUMBERS 6 AND 10 |
| AD0487108 | RESEARCH AND DEVELOPMENT OF CATHODOLUMINESCENT PHOSPHOR WITH EXCITATION-TIME-DEPENDENT COLOR |
| AD0487118 | VACUUM DEPLOYMENT TEST OF A LARGE EXPANDABLE AEROSPACE SHELTER |
| AD0487122 | INTERACTION OF BORON WITH METAL SUBSTRATES AT ELEVATED TEMPERATURES |
| AD0487139 | X-BAND SOLID STATE POWER SOURCE |
| AD0487142 | BROADBAND HARMONIC GENERATORS |
| AD0487143 | DEVELOPMENT OF AN L-BAND SOLID STATE RADIOSONDE TRANSMITTER |
| AD0487146 | LONG-LIFE COLD CATHODE STUDIES FOR CROSSED-FIELD TUBES |
| AD0487149 | PROBLEMS OF PURSUIT AND EVASION |
| AD0487150 | AN UNRESTRICTED LINEAR RANDOM WALK WITH NEGATIVE EXPONENTIALLY DISTRIBUTED STEP LENGTHS |
| AD0487152 | A TWO-CUBIC-METER ALGA PLANT AT TIHANY |
| AD0487155 | ANNUAL MEETING (3RD), NOVEMBER 18/19/20, 1964. JOHN F. KENNEDY SPACE CENTER, NASA, COCOA BEACH, FLORIDA |
| AD0487156 | MACHINING DATA FOR NUMERICAL CONTROL. FACE MILLING |
| AD0487157 | EUROPEAN SCIENTIFIC NOTES. VOLUME 20, NUMBER 5 |
| AD0487159 | A PRODUCT OF SPHERES PIECEWISE LINEARLY UNKNOTS IN A SPHERE |
| AD0487166 | A STUDY CONCERNING THE VALIDITY OF RAY ACOUSTICS IN OCEANIC SOUND PROPAGATION |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 18 of 20

| AD0487167 | TRANSLATIONAL FREEZING IN FREELY EXPANDING JETS |
|-----------|--|
| AD0487173 | THE RELATIVE SUPPLIES OF PHOSPHATE, NITRATE AND SILICATE IN THE MEDITERRANEAN SEA |
| AD0487174 | LIKELIHOOD-OF-ACCOMPLISHMENT SCALE FOR A SAMPLE OF MAN-MACHINE ACTIVITIES |
| AD0487176 | VISIBILITY OF NAVIGATIONAL LIGHTS IN A DESTROYER ARRAY |
| AD0487187 | TRANSPIRATION-FILM COOLING STUDY USING SPIRAL-WOUND-RIBBON NOZZLES |
| AD0487189 | RESEARCH OF EUTECTOID REACTIONS IN METAL ALLOYS |
| AD0487194 | DEVELOPMENT AND APPLICATION OF METHODS FOR PREDICTING THE TEMPERATURE COMPOSITION STABILITY OF REFRACTORY COMPOUNDS |
| AD0487203 | FAULT ISOLATION IN ELECTRONIC DEVICES. VOLUME II - SURFACE TEMPERATURE GRADIENTS OF OPERATING INTEGRATED CIRCUITS |
| AD0487206 | DEVELOPMENT OF LOW TEMPERATURE GAS GENERATOR TECHNOLOGY |
| AD0487207 | WAVELENGTH DEPENDENCE OF THE INTENSITY VARIATIONS IN QUASI- STELLAR RADIO SOURCES |
| AD0487208 | HIGH PERFORMANCE COMPOSITES |
| AD0487219 | LONG RANGE SEISMIC MEASUREMENTS. CHARTREUSE. 6 MAY 66 |
| AD0487220 | ARRAY RESEARCH |
| AD0487221 | SEISMIC DATA LABORATORY |
| AD0487222 | DEEP-WELL RESEARCH |
| AD0487223 | LONG-PERIOD SEISMOGRAPH INSTALLATION LA PAZ, BOLIVIA |
| AD0487224 | SEISMIC NOISE SURVEY. LONG-RANGE SEISMIC MEASUREMENTS PROGRAM, VOLUME 3 |
| AD0487225 | THE PHOTODETACHMENT CROSS SECTION, ELECTRON AFFINITY AND STRUCTURE OF THE NEGATIVE HYDROXYL ION |
| AD0487228 | THE DEVELOPMENT OF AN INSULATED THERMIONIC CONVERTER-HEAT PIPE ASSEMBLY |
| AD0487232 | A STUDY OF THE STORAGE STABILITY OF THE BARIUM FLUORIDE FILM ELECTRIC HYGROMETER ELEMENT AND A REPORT OF THREE EXPERIMENTAL APPLICATIONS |
| AD0487234 | AUDITORY FUNCTION OF THE HEARING IMPAIRED |
| AD0487242 | LIQUID ROCKET ENGINE COMBUSTION INSTABILITY STUDIES |
| AD0487245 | RESEARCH ON DISTRIBUTED FERRITES FOR CROSSED-FIELD MICROWAVE DEVICES |
| AD0487249 | PERFORMANCE AND ECM VULNERABILITY ANALYSIS OF TROPOSCATTER MULTICHANNEL DATA TRANSMISSION SYSTEMS |
| AD0487250 | AN EXAMINATION OF SELECTED HF PHASE MODULATION TECHNIQUES |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 19 of 20

| AD0487253 | INVESTIGATIONS OF HIGH-POWER BEAM PLASMA INTERACTIONS |
|-----------|---|
| AD0487270 | STABILIZATION OF EEE VIRUS AGAINST ULTRAVIOLET AND IONIZING RADIATIONS |
| AD0487271 | LACK OF CONTACT INFECTION AMONG INOCULATED MICE AND GUINEA PIGS |
| AD0487272 | IODINE 131-LABELLING OF PURIFIED MICROBIAL ANTIGENS BY MICRODIFFUSION |
| AD0487273 | EFFECT OF TEMPERATURE AND DRUG THERAPY ON ANTHRAX INTOXICATION |
| AD0487274 | GENE TRANSFER BY CONJUGATION BETWEEN P. PSEUDOTUBERCULOSIS F-LAC AND P. PESTIS |
| AD0487279 | DETECTION OF PERIODIC DISTURBANCES IN RANDOMLY ROUGH SURFACES |
| AD0487280 | STATIC ELECTRIC FIELDS ON SINUSOIDAL SURFACES |
| AD0487282 | FORECASTING THE ONSET OF WIDESPREAD RAIN DURING THE SOUTHEAST ASIA SUMMER MONSOON |
| AD0487283 | CANISTER DESIGN CRITERIA OF CARBON DIOXIDE REMOVAL FROM SCUBA |
| AD0487284 | BREAKDOWN MECHANISMS FOR LASER-INDUCED PLASMAS IN SUPER-HIGH PRESSURE GASES |
| AD0487285 | TEXAS BIANNUAL OF ELECTRONICS RESEARCH. NO. 3. A SUMMARY OF RESEARCH FOR THE PERIOD OCTOBER 1, 1965 THROUGH MARCH 31, 1966 |
| AD0487286 | THE GROWTH OF SINGLE CRYSTALS OF DOPED AND UNDOPED YTTRIA AND YTTRIUM ALUMINATE IN A HOLLOW CATHODE ZONE REFINER |
| AD0487287 | PERFORMANCE REQUIREMENTS FOR A HIGH-FREQUENCY TWO-AXIS ANGULAR VIBRATOR |
| AD0487289 | STELLAR ACQUISITION FEASIBILITY FLIGHTS (STAFF) |
| AD0487291 | RESEARCH ON GAS LUBRICATION AT HIGH TEMPERATURES AND LOW FLOW RATES. PART III |
| AD0487293 | U. S. GOVERNMENT METALWORKING PROCESSES AND EQUIPMENT PROGRAM |
| AD0487297 | WEAPON SYSTEM 133A. PROGRAM PROGRESS PRODUCTION MOTORS STAGE I MINUTEMAN |
| AD0487303 | ACCURACY COMPARISON OF MODIFIED AND UNMODIFIED 2.75-INCH (FFAR) ROCKETS FIRED FROM AN AIRBORNE ARMED CHINOOK HELICOPTER |
| AD0487305 | INITIAL PRODUCTION TEST OF COMPRESSOR, ROTARY, AIR, 60 CFM |
| AD0487307 | QUARTERLY BIBLIOGRAPHY OF REPORTS |
| AD0487311 | FIELD STRENGTH MEASUREMENTS - PHASE II |
| AD0487312 | INVESTIGATION OF THOMSON SCATTERING FROM THE FREE ELECTRONS IN A PLASMA |
| AD0487314 | 06801 LANCE MISSILE NO. 046, ROUND NO. 25 RSL (22 JULY 1966) |
| AD0487315 | HONEST JOHN MISSILE NO. 2134, ROUND NO. 525 APL (23 JUNE 1966) |

DoD Tech Reports | Order Form | Catalog | Part 148 of 1597 | Page 20 of 20

| AD0487316 | HONEST JOHN MISSILE NO. 2135, ROUND NO. 526 APL (23 JUNE 1966) |
|-----------|---|
| AD0487333 | RESEARCH ON ELECTRICAL CONDUCTORS FOR HIGH TEMPERATURE APPLICATIONS |
| AD0487339 | EVALUATION OF FLIP/CHIP INTEGRATED CIRCUIT INTERCONNECTIONS |
| AD0487340 | ANALYSIS AND DESIGN OF A MADA DATA COMMUNICATION SYSTEM FOR METEOROLOGICAL/OCEANOGRAPHIC BUOYS |
| AD0487341 | THE UNIVERSITY OF ILLINOIS RADIO TELESCOPE |
| AD0487348 | RESEARCH ON CRITERIA FOR SELECTION OF ALLOYS AND SURFACE TREATMENTS FOR INHIBITION OF TUNGSTEN OXIDATION. PART III. STUDIES ON THE CHEMICAL AND PHYSICAL PROPERTIES OF TERNARY PHASES CONTAINING TUNGSTEN AND OXYGEN |
| AD0487351 | DESIGN AND TEST OF DIVER'S NON-RETURN VALVE |
| AD0487352 | ERROR PROBABILITY IN ENERGY DETECTION OF GAUSSIAN SIGNALS THROUGH RC FILTERS |
| AD0487353 | THE SMALL SCALE GAP TEST: CALIBRATION AND COMPARISON WITH THE LARGE SCALE GAP TEST |
| AD0487354 | OPERATION AND MAINTENANCE MANUAL FOR THE SIGNAL ACQUISITION SYSTEM OF THE MONTANA LARGE APERATURE SEISMIC ARRAY |
| AD0487365 | THE DETERMINATION OF HYPERSONIC DRAG COEFFICIENTS FOR CONES AND SPHERES |
| AD0487372 | EVALUATION OF THE MECHANISM OF SOME PHYSICAL EFFECTS OF LASERS ON TISSUE |
| AD0487381 | OPEN CYCLE MAGNETOHYDRODYNAMIC GENERATOR RESEARCH |
| AD0487385 | DISPLAY ORIENTED COMPUTER USAGE SYSTEM |
| AD0487386 | RELIABILITY PHYSICS STUDIES ON TRANSISTORS |
| AD0487387 | RESEARCH ON HIGH INTENSITY CHARGED PARTICLE SOURCES |
| AD0487388 | CAPTURE COEFFICIENTS OF CARBON DIOXIDE AND NITROGEN GAS ON A CRYOGENIC COOLED SURFACE |
| AD0487389 | VIBRATION ANALYSIS OF PIPING SYSTEMS |
| AD0487390 | THE DESIGN OF A FOUR SQUARE GEAR/LUBRICANT RESEARCH INSTRUMENT |
| AD0487400 | SERVICE TEST (RETEST) OF UNIVERSAL ENGINEER TRACTOR-CRAWLER |
| AD0487406 | FORCE TESTS ON A SEPARABLE-NOSE CREW ESCAPE CAPSULE IN PROXIMITY TO THE PARENT FUSELAGE AT MACH NUMBERS 1.5 THROUGH 4.5 |
| AD0487409 | REVIEW OF RECENT DEVELOPMENTS. MECHANICAL PROPERTIES OF METALS |