DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 1 of 26

ADA800695	WIND-TUNNEL INVESTIGATION OF AN NACA 23012 AIRFOIL WITH A 0.30- AIRFOIL-CHORD DOUBLE SLOTTED FLAP
ADA800696	FINAL NOTE ON THE RELATIVE SUITABILITIES OF D.T.D. 303 AND D.T.D. 327 RIVETS FOR D.T.D. 118 MAGNESIUM ALLOY SHEET
ADA800697	THE "THERMAL ETCHING" OF SILVER
ADA800698	A PRELIMINARY EXAMINATION OF HULL AFTERBODY VENTILATION
ADA800699	AEROFOIL THEORY OF A FLAT DELTA WING AT SUPERSONIC SPEEDS
ADA800700	AN ELABORATION OF THE CRITERION FOR WING TORSIONAL STIFFNESS
ADA800701	FLOW OF HIGH PRESSURE AIR IN SMALL PIPES
ADA800702	JAPANESE AIRCRAFT CAMERAS
ADA800703	TESTS ON A FLUORIDE FLUX FOR WELDING MAGNESIUM ALLOYS
ADA800704	SYSTEMATIC MEASUREMENTS OF DOWNWASH BEHIND SWEPTBACK WINGS
ADA800705	THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE PERFORMANCE OF SHIPBORNE FIXED CROSSED LOOP H/F D/F APPLIED TO AIRCRAFT NAVIGATION
ADA800706	FLYING FOR AIR SURVEY: SUGGESTED NAVIGATIONAL METHOD OF FLYING PARALLEL STRIPS
ADA800707	MEASUREMENTS OF UNDERCARRIAGE AND ENGINE MOUNTING REACTIONS DURING LANDINGS ON A "LANCASTER"
ADA800708	GENERAL PERFORMANCE CALCULATIONS FOR GAS TURBINE ENGINES
ADA800709	24 FT. TUNNEL TESTS ON A "PADDLE BLADE" PROPELLER
ADA800710	MEASUREMENTS OF THE TEMPERATURE DISTRIBUTION IN AND AROUND A HOT JET IMPINGING ON A FLAT PLATE
ADA800711	SUPPERSSION OF IMAGE MOVEMENT IN AIR PHOTOGRAPHY
ADA800712	EXPERIMENTS ON THE EFFECT OF TUNED DAMPING DEVICES ON WING FLEXURE-AILERON FLUTTER
ADA800713	TRANSITION AND DRAG MEASUREMENTS ON THE BOULTON PAUL SAMPLE OF LAMINAR FLOW WING CONSTRUCTION
ADA800714	TAKE-OFF PERFORMANCE OF LIGHT TWIN-FLOAT SEAPLANES
ADA800715	THE USE OF PERSPECTIVE DIAGRAMS IN PROBLEMS RELATING TO AIRFIELD LIGHTING
ADA800716	CALCULATED PERFORMANCE CURVES FOR THREE AXIAL FLOW COMPRESSORS WITH LOW, MEDIUM AND HIGH STAGGER BLADES
ADA800717	SUPERSONIC DIFFUSERS
ADA800718	WIND TUNNEL TESTS ON THE EXHAUST INTERFERENCE DRAG OF A MERLIN UNIVERSAL POWER PLANT INSTALLED ON A WING. PART 2 - WITH SLIPSTREAM

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 2 of 26

ADA800719	REVIEW OF AVAILABLE DATA ON THE HEAT CAPACITY OF SOME COMMON GASES
ADA800720	VISUAL APPROACH AND LANDING AIDS FOR AIRCRAFT. A THEORETICAL ANALYSIS OF SOME FUNDAMENTAL ASPECTS OF THE PROBLEM BY MEANS OF PERSPECTIVE DIAGRAMS
ADA800721	EFFECT OF A CHORDWISE GAP ON THE TIP STALL SWEPT BACK WING
ADA800722	THE RELATION BETWEEN THE TENSILE PROPERTIES AND CONSTITUTION OF ALUMINIUM-RICH ALUMINIUM-MAGNESIUM-MANGANESE-ZINC ALLOYS
ADA800723	NACA INVESTIGATION OF A JET-PROPULSION SYSTEM APPLICABLE TO FLIGHT
ADA800724	INVESTIGATION OF A SPOILER-TYPE LATERAL CONTROL SYSTEM ON A WING WITH FULL-SPAN FLAPS IN THE LANGLEY 19-FOOT PRESSURE TUNNEL
ADA800725	HIGH-SPEED WIND-TUNNEL TESTS OF SEMISPAN HORIZONTAL TAILS WITH FABRIC-COVERED AND METAL-COVERED ELEVATORS, FOR A BOMBER AIRPLANE
ADA800726	WIND-TUNNEL INVESTIGATION OF PERFORATED SPLIT FLAPS FOR USE AS DIVE BRAKES ON A RECTANGULAR NACA 23012 AIRFOIL
ADA800727	TESTS OF A 1/14-SCALE POWERED MODEL OF THE XB-36 AIRPLANE IN THE LANGLEY 19-FOOT PRESSURE TUNNEL. 1 - STALLING CHARACTERISTICS AND AILERON EFFECTIVENESS OF SEVERAL WING AND FLAP ARRANGEMENTS
ADA800728	MEASUREMENT OF FLYING QUALITIES OF A DEHAVILLAND MOSQUITO F-8 AIRPLANE (AAF NO. 43-334960). 2 - LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS
ADA800729	DETERMINATION OF THE DAMPING MOMENT IN YAWING FOR TAPERED WINGS WITH PARTIAL-SPAN FLAPS
ADA800730	THE HIGH-SPEED CHARACTERISTICS OF SEVERAL FLAPS AND SPOILERS ON THE UPPER SURFACE OF THE HORIZONTAL STABILIZER OF A MODEL OF A RADIAL-ENGINE PURSUIT AIRPLANE
ADA800731	FLIGHT MEASUREMENTS OF THE EFFECT ON ELEVATOR STICK FORCES OF STABILIZER INCIDENCE AND ELEVATOR RIB SPACING
ADA800732	FLIGHT MEASUREMENTS OF THE RUDDER CONTROL AND SIDESLIP CHARACTERISTICS OF FOUR VERTICAL TAIL ARRANGEMENTS ON THE P-40 SERIES AIRPLANES
ADA800733	STABILITY AND CONTROL TESTS OF A 3/4-SCALE MODEL OF THE KP-69 AIRPLANE IN THE NACA FULL-SCALE TUNNEL
ADA800734	LANGLEY FULL-SCALE-TUNNEL STABILITY AND CONTROL TESTS OF THE BELL YP-59A AIRPLANE
ADA800735	A COMPARISON OF FLIGHT-TEST RESULTS ON A SCOUT-BOMBER AIRPLANE WITH 4.7 DEG AND WITH 10 DEG DIHEDRAL IN THE WING OUTER PANELS
ADA800736	FLIGHT INVESTIGATION ON A FIGHTER-TYPE AIRPLANE OF FACTORS WHICH AFFECT THE LOADS AND LOAD DISTRIBUTIONS ON THE VERTICAL TAIL SURFACES DURING RUDDER KICKS AND FISHTAILS

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 3 of 26

ADA800737	A FLIGHT INVESTIGATION OF THE METEOROLOGICAL CONDITIONS CONDUCIVE TO THE FORMATION OF ICE ON AIRPLANES
ADA800738	INSTANTANEOUS ULTRAVIOLET KNOCK SPECTRA CORRELATED WITH HIGH- SPEED PHOTOGRAPHS
ADA800739	PERFORMANCE OF A DOUBLE-ROW RADIAL AIRCRAFT ENGINE WITH THREE METHODS OF SAFTEY-FUEL INJECTION
ADA800740	EFFECT OF AIRPLANE DESIGN EFFICIENCY AND ENGINE ECONOMY ON RANGE
ADA800741	GENERAL FREE TO TRIM TESTS IN NACA TANK NO. 2 OF THREE 1/8-FULL-SIZE MODEL OF FLYING-BOAT HULLS AT LOW SPEEDS - NACA MODELS 116E-3K, 120R, AND 143
ADA800742	GENERALIZED SELECTION CHARTS FOR BOMBERS POWERED BY ONE, TWO, FOUR, AND SIX 2000-HORSEPOWER ENGINES. 1. CAPACITY AND ECONOMY
ADA800743	WIND-TUNNEL INVESTIGATION OF DROOPED AILERONS ON A 16-PERCENT- THICK LOW-DRAG AIRFOIL
ADA800744	DESIGN CHARTS FOR FLAT COMPRESSION PANELS HAVING LONGITUDINAL EXTRUDED Y-SECTION STIFFENERS AND COMPARISON WITH PANELS HAVING FORMED Z-SECTION STIFFENERS
ADA800745	INVESTIGATION OF THRUST LOSSES DUE TO SHANKS OF A FLARED-SHANK TWO-BLADE PROPELLER ON A SLENDER-NOSE AIRPLANE
ADA800746	PRELIMINARY INVESTIGATION OF EFFECTS OF ALPHA-PARTICLE BOMBARDMENT ON THE CREEP RATE OF ALUMINUM
ADA800747	INVESTIGATION OF AN EXPERIMENTAL SUPERSONIC AXIAL-FLOW COMPRESSOR
ADA800748	CRITICAL COMPRESSIVE STRESS FOR CURVED SHEET SUPPORTED ALONG ALL EDGES AND ELASTICALLY RESTRAINED AGAINST ROTATION ALONG THE UNLOADED EDGES
ADA800749	THE THEORY OF WEDGE PENETRATION AT OBLIQUE INCIDENCE AND ITS APPLICATION TO THE CALCULATION OF FORCES ON A YAWED SHOT IMPACTING ON ARMOUR PLATE AT ANY ANGLE
ADA800750	PERFORMANCE OF A 20-INCH STEADY-FLOW RAM JET AT HIGH ALTITUDES AND RAM-PRESSURE RATIOS
ADA800751	THE EFFECT OF ETHYLENE DIBROMIDE ON THE KNOCK-LIMITED PERFORMANCE OF LEADED AND NONLEADED S REFERENCE FUEL
ADA800752	PRELIMINARY INVESTIGATION OF SPOILER LATERAL CONTROL ON A 42 DEG SWEPTBACK WING AT TRANSONIC SPEEDS
ADA800753	GENERALIZED SELECTION CHARTS FOR BOMBERS WITH FOUR 2000- HORSEPOWER ENGINES
ADA800754	MEASUREMENTS OF AERODYNAMIC CHARACTERISTICS OF A 35 DEG SWEPTBACK NACA 65-009 AIRFOIL MODEL WITH 1/4-CHORD PLAIN FLAP BY THE NACA WING-FLOW METHOD
ADA800755	EFFECTS OF 45 DEG SWEEPBACK ON THE HIGH-SPEED CHARACTERISTICS OF A

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 4 of 26

	WING HAVING A MODIFIED NACA 16-012 AIRFOIL SECTION
ADA800756	ROLLING MOMENT DUE TO SIDESLIP. PART 1. THE EFFECT OF DIHEDRAL
ADA800757	SPRAY CHARACTERISTICS OF A POWERED DYNAMIC MODEL OF A FLYING BOAT HAVING A HULL WITH A LENGTH-BEAM RATIO OF 9.0
ADA800758	EFFECT OF VARIATION IN DIAMETER AND PITCH OF RIVETS ON COMPRESSIVE STRENGTH OF PANELS WITH Z-SECTION STIFFENERS. PANELS OF VARIOUS LENGTHS WITH CLOSE STIFFENER SPACING
ADA800759	WIND-TUNNEL INVESTIGATION OF A BEVELED AILERON SHAPE DESIGNED TO INCREASE THE USEFUL DEFLECTION RANGE
ADA800760	APPRECIATION AND DETERMINATION OF THE HYDRODYNAMIC QUALITIES OF SEAPLANES
ADA800761	FLIGHT INVESTIGATION OF WING-GUN FAIRINGS ON A FIGHTER TYPE AIRPLANE
ADA800762	FLIGHT TEST OF THE THERMAL ICE-PREVENTION EQUIPMENT ON THE B-17F AIRPLANE
ADA800763	PRELIMINARY INVESTIGATION OF A CERAMIC LINING FOR A COMBUSTION CHAMBER FOR GAS-TURBINE USE
ADA800764	SHEAR LAG IN A PLYWOOD SHEET-STRINGER COMBINATION USED FOR THE CHORD MEMBER OF A BOX BEAM
ADA800765	THE EFFECT OF SUPERFICIAL WELDING ON THE TENSILE STRENGTH OF CHROMIUM-MOLYBDENUM STEEL PLATE HEAT TREATED AFTER WELDING
ADA800766	PHOTO-ELASTIC EXAMINATION OF A CYLINDRICAL STRUT INTENDED FOR RECORDING COMPRESSIVE LOADS
ADA800767	LOW-SPEED WIND-TUNNEL TESTS OF A PILOTLESS AIRCRAFT HAVING HORIZONTAL AND VERTICAL WINGS AND CRUCIFORM TAIL
ADA800768	KNOCK-LIMITED PERFORMANCE TESTS OF 2,2,3,4-TETRAMETHYLPENTANE, 2,3,3,4-TETRAMETHYLPENTANE, 3,4,4-TRIMETHYL-2-PENTENE, AND 2,3,4-TRIMETHYL-2-PENTENE IN SMALL-SCALE AND FULL-SCALE CYLINDERS
ADA800769	WIND-TUNNEL INVESTIGATION OF PLAIN AILERONS FOR A WING WITH A FULL-SPAN FLAP CONSISTING OF AN INBOARD FOWLER AND AN OUTBOARD RETRACTABLE SPLIT FLAP
ADA800770	COMPARISON OF THE COMPRESSIVE STRENGTH OF PANELS WITH ALCLARD 24S-T81 SHEET OR WITH ALCLAD 24S-T86 SHEET RIVETED TO ALCLAD 24S-T84 HAT-SECTION STIFFENERS
ADA800771	TESTS OF TWO MODELS REPRESENTING INTERMEDIATE INBOARD AND OUTBOARD WING SECTIONS ON THE XB-36 AIRPLANE
ADA800772	FUEL TESTS ON AN I-16 JET-PROPULSION ENGINE AT STATIC SEA-LEVEL CONDITIONS
ADA800773	PRELIMINARY RESULTS OF AN ALTITUDE-WIND-TUNNEL INVESTIGATION OF A TG-100A GAS TURBINE-PROPELLER ENGINE. 3 - PRESSURE AND TEMPERATURE DISTRIBUTIONS

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 5 of 26

ADA800774	EFFECT OF A COPPER BRAZING TEMPERATURE CYCLE AND SUBSEQUENT HEAT-TREATMENTS ON THE MECHANICAL PROPERTIES OF SOME AIRCRAFT STEELS
ADA800775	PRELIMINARY RESULTS OF AN ALTITUDE-WIND-TUNNEL INVESTIGATION OF A TG-100A GAS TURBINE-PROPELLER ENGINE. 2 - WINDMILLING CHARACTERISTICS
ADA800776	PROFILE DRAG MEASUREMENTS ON HURRICANE II Z.3687 FITTED WITH SPECIAL WINGS OF "LOW DRAG" SECTION BUILT BY ARMSTRONG WHITWORTH AIRCRAFT LTD
ADA800777	COMPARISON OF TWO METHODS OF CALCULATING AERODYNAMIC LOADING ON AN AEROFOIL WITH LARGE SWEEPBACK AND SMALL ASPECT RATIO
ADA800778	PRINCIPAL TERMS NOW USED IN LONGITUDINAL STABILITY
ADA800779	PERFORMANCE INVESTIGATION OF A JUMO 004 COMBUSTOR
ADA800780	ANALYSIS OF ACCURACY OF GAS-FILLED BELLOWS FOR SENSING GAS DENSITY
ADA800781	FLIGHT INVESTIGATION OF THRUST AUGMENTATION OF A TURBOJET ENGINE BY WATER-ALCOHOL INJECTION
ADA800782	NONLINEAR LARGE-DEFLECTION BOUNDARY-VALUE PROBLEMS OF RECTANGULAR PLATES
ADA800783	STATIC TESTS OF A SHROUDED AND AN UNSHROUDED PROPELLER
ADA800784	TESTS OF A STRESS-CARRYING DOOR IN SHEAR
ADA800785	COMPARISON OF TIGHTNESS OF 78 DEG MACHINE-COUNTERSUNK RIVETS DRIVEN IN HOLES PREPARED WITH 78 DEG AND 82 DEG COUNTERSINKING TOOLS
ADA800786	THE HIGH-SPEED AERODYNAMIC EFFECTS OF MODIFICATIONS TO THE WING AND WING-FUSELAGE INTERSECTION OF AN AIRPLANE MODEL WITH THE WING SWEPT BACK 35 DEG
ADA800787	HIGH-SPEED AERODYNAMIC CHARACTERISTICS OF HORN AND OVERHANG BALANCES ON A FULL-SCALE ELEVATOR
ADA800788	FLUTTER TESTS OF MODIFIED SB2U MODEL IN 16-FOOT TUNNEL
ADA800789	DRAG MEASUREMENTS AT HIGH REYNOLDS NUMBERS OF A 100-INCH-CHORD NACA 23016 PRACTICAL CONSTRUCTION WING SECTION SUBMITTED BY CHANCE VOUGHT AIRCRAFT COMPANY
ADA800790	INVESTIGATION OF DIVING MOMENTS OF A PURSUIT AIRPLANE IN THE AMES 16-FOOT HIGH-SPEED WIND TUNNEL
ADA800791	FLIGHT TESTS TO DETERMINE THE EFFECT OF AIRFOIL SECTION PROFILE AND THICKNESS RATIO ON THE ZERO-LIFT DRAG OF LOW-ASPECT RATIO WINGS AT SUPERSONIC SPEEDS
ADA800792	THE EFFECT OF FUEL COMPOSITION, COMPRESSION PRESSURE, AND FUEL-AIR RATIO ON THE COMPRESSION-IGNITION CHARACTERISTICS OF SEVERAL FUELS

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 6 of 26

ADA800793	A COMPARISON OF THE SIMULATED-ALTITUDE PERFORMANCE OF TWO TURBOJET COMBUSTOR TYPES
ADA800794	FOAMING VOLUME AND FOAM STABILITY
ADA800795	JET-BOUNDARY CORRECTIONS TO A YAWED MODEL IN A CLOSED RECTANGULAR WIND TUNNEL
ADA800796	DE-ICING EFFECTIVENESS OF EXTERNAL ELECTRIC HEATERS FOR PROPELLER BLADES
ADA800797	THE PERFORMANCE OF A COMPOSITE ENGINE CONSISTING OF A RECIPROCATING SPARK-IGNITION ENGINE, A BLOWDOWN TURBINE, AND A STEADY-FLOW TURBINE
ADA800798	TABLE OF INTERPLANAR SPACINGS FOR CRYSTAL-STRUCTURE DETERMINATIONS BY X-RAY DIFFRACTION WITH MOLYBDENUM, COPPER, COBALT, IRON, AND CHROMIUM RADIATIONS
ADA800799	THE BUCKLING OF A COLUMN ON EQUALLY SPACED DEFLECTIONAL AND ROTATIONAL SPRINGS
ADA800800	IMPROVED BAFFLE DESIGNS FOR AIR-COOLED ENGINE CYLINDERS
ADA800801	A UNIT LABORATORY ENGINE OIL SYSTEM PROVIDING FOR A REMOTE INDICATION OF OIL FLOW AND OIL CONSUMPTION TOGETHER WITH BLOW-BY MEASUREMENT
ADA800802	STRESS AND DISTORTION MEASUREMENTS IN A 45 DEG SWEPT BOX BEAM SUBJECTED TO BENDING AND TO TORSION
ADA800803	WIND-TUNNEL TESTS OF THE 1/9-SCALE MODEL OF THE CURTISS XP-62 AIRPLANE WITH VARIOUS VERTICAL TAIL ARRANGEMENTS
ADA800804	WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 1.53 OF AN AIRPLANE WITH A TRIANGULAR WING
ADA800805	COOLING TESTS OF AN AIRPLANE EQUIPPED WITH AN NACA COWLING AND A WING-DUCT COOLING SYSTEM
ADA800806	KNOCK-LIMITED POWER OUTPUTS FROM A CFR ENGINE USING INTERNAL COOLANTS. 3 - FOUR ALKYL AMINES, THREE ALKANOLAMINES AMIDES, AND EIGHT HETEROCYCLIC COMPOUNDS
ADA800807	FLIGHT COMPARISON OF PERFORMANCE AND COOLING CHARACTERISTICS OF EXHAUST-EJECTOR INSTALLATION WITH EXHAUST-COLLECTOR-RING INSTALLATION
ADA800808	DEVELOPMENT OF NACA SUBMERGED INLETS AND A COMPARISON WITH WING LEADING-EDGE INLETS FOR A 1/4-SCALE MODEL OF A FIGHTER AIRPLANE
ADA800809	THE THEORETICAL LIFT OF FLAT SWEPT-BACK WINGS AT SUPERSONIC SPEEDS
ADA800810	PRESSURE DROP IN TANK AND FLOAT VENT TUBES ON DIVING AIRPLANE
ADA800811	HIGH-SPEED WIND-TUNNEL TESTS OF A 1/6-SCALE MODEL OF A TWIN-ENGINE PURSUIT AIRPLANE
ADA800812	BLAST EFFECTS OF RECOILLESS GUNS

© 2025 DoDreport.com. All Rights Reserved.

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 7 of 26

ADA800813	INVESTIGATION OF THE AERODYNAMIC AND ICING CHARACTERISTICS OF A RECESSED FUEL CELL VENT ASSEMBLY. 1 - REAR WALL VENT TUBE MOUNTING
ADA800814	PRELIMINARY INVESTIGATION AT LOW SPEEDS OF SWEPT WINGS IN YAWING FLOW
ADA800815	EFFECTS OF MACH NUMBER ON MAXIMUM LIFT
ADA800816	PERFORMANCE CHARTS FOR A JET-PROPULSION SYSTEM CONSISTING OF COMPRESSOR, A COMBUSTION CHAMBER, AND A TURBINE
ADA800817	THE EFFECT OF CHANGING THE RATIO OF EXHAUST-VALVE FLOW CAPACITY TO INLET-VALVE FLOW CAPACITY ON VOLUMETRIC EFFICIENCY AND OUTPUT OF A SINGLE-CYLINDER ENGINE
ADA800819	FRICTION AT HIGH SLIDING VELOCITIES
ADA800820	PERFORMANCE OF AN AXIAL-FLOW COMPRESSOR ROTOR DESIGNED FOR A PITCH-SECTION LIFT COEFFICIENT OF 1.20
ADA800821	A METHOD FOR CALCULATING HEAT TRANSFER IN THE LAMINAR FLOW REGION OF BODIES
ADA800823	WIND-TUNNEL INVESTIGATION OF CARBURETOR-AIR SCOOPS FOR THE XTB2D-1 AIRPLANE WITH EMPHASIS ON MEANS FOR BYPASSING THE BOUNDARY LAYER
ADA800824	TAPERED WINGS, TIP STALLING, AND PRELIMINARY RESULTS FROM TESTS OF THE STALL-CONTROL FLAP
ADA800825	PRELIMINARY RESULTS OF A FLIGHT INVESTIGATION TO DETERMINE THE EFFECT OF NEGATIVE FLAP DEFLECTION ON HIGH-SPEED LONGITUDINAL- CONTROL CHARACTERISTICS
ADA800826	SUMMARY OF LATERAL-CONTROL RESEARCH
ADA800827	THE EFFECTS OF VARIATIONS IN REYNOLDS NUMBER BETWEEN 3000000 AND 25000000 UPON THE AERODYNAMIC CHARACTERISTICS OF A NUMBER OF NACA 6-SERIES AIRFOIL SECTIONS
ADA800828	DRAG OF A WING-BODY CONFIGURATION CONSISTING OF A SWEPT-FORWARD TAPERED WING MOUNTED ON A BODY OF FINENESS RATIO 12 MEASURED DURING FREE FALL AT TRANSONIC SPEEDS
ADA800829	LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS OF A SEMISPAN AIRPLANE MODEL WITH A SWEPT-BACK TAIL FROM TESTS AT TRANSONIC SPEEDS BY THE NACA WING-FLOW METHOD
ADA800830	AN EMPIRICALLY DERIVED METHOD FOR CALCULATING PRESSURE DISTRIBUTIONS OVER AIRFOILS AT SUPERCRITICAL MACH NUMBERS AND MODERATE ANGLES OF ATTACK
ADA800831	HIGH-SPEED TESTS OF A DUCTED BODY WITH VARIOUS AIR-OUTLET OPENINGS
ADA800832	RESULTS OF FLIGHT TEST OF AN AUTOMATICALLY STABILIZED MODEL C (SWEPT BACK) FOUR-WING TIAMAT

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 8 of 26

ADA800833	AN EXPERIMENTAL INVESTIGATION OF RECTANGULAR EXHAUST-GAS EJECTORS APPLICABLE FOR ENGINE COOLING
ADA800834	A STUDY OF AIR FLOW IN AN ENGINE CYLINDER
ADA800835	SIMULATED-ALTITUDE INVESTIGATIONS OF PERFORMANCE OF TUBULAR AIRCRAFT OIL COOLERS
ADA800836	FLIGHT TESTS OF F2A-2 AIRPLANE WITH FULL-SPAN SLOTTED FLAPS AND TRAILING-EDGE AND SLOT-LIP AILERONS
ADA800837	TIME-VELOCITY-ALTITUDE RELATIONS FOR AN AIRPLANE DIVING IN A STANDARD ATMOSPHERE
ADA800838	THE KNOCK-LIMITED PERFORMANCE OF FUEL BLENDS CONTAINING AROMATICS. 3 - 1,3,5-TRIMETHYLBENZENE, TERT-BUTYLBENZENE AND 1,2,4- TRIMETHYLBENZENE
ADA800839	PROPELLER CHARTS FOR THE DETERMINATION OF THE ROTATIONAL SPEED FOR THE MAXIMUM RATIO OF THE PROPULSIVE EFFICIENCY TO THE SPECIFIC FUEL CONSUMPTION
ADA800840	CORRECTION OF TEMPERATURES OF AIR-COOLED ENGINE CYLINDERS FOR VARIATION IN ENGINE AND COOLING CONDITIONS
ADA800841	ANALYTICAL INVESTIGATION OF THE STABILITY OF AN F8F DROPPING MODEL WITH AUTOMATIC STABILIZATION
ADA800842	THE EFFECT OF SIMULATED ICING ON PROPELLER PERFORMANCE
ADA800843	A FLIGHT INVESTIGATION TO INCREASE THE SAFETY OF A LIGHT AIRPLANE
ADA800844	DRAG AND PROPULSIVE CHARACTERISTICS OF AIR-COOLED ENGINE- NACELLE INSTALLATIONS FOR LARGE AIRPLANES
ADA800845	EFFECT OF THREE MODIFICATIONS ON PERFORMANCE OF AUXILIARY-STAGE SUPERCHARGER FOR V-1710-93 ENGINE
ADA800846	INVESTIGATION OF THE GENERAL ELECTRIC I-40 JET-PROPULSION ENGINE IN THE CLEVELAND ALTITUDE WIND TUNNEL. 2 - ANALYSIS OF COMPRESSOR PERFORMANCE CHARACTERISTICS
ADA800847	THE INTERDEPENDENCE OF VARIOUS TYPES OF AUTOIGNITION AND KNOCK
ADA800848	BENDING OF RECTANGULAR PLATES WITH LARGE DEFLECTIONS
ADA800849	COMPRESSIVE STRENGTH OF FLAT PANELS WITH Z- AND HAT-SECTION STIFFENERS
ADA800850	BENDING OF RECTANGULAR PLATES WITH LARGE DEFLECTION
ADA800851	EXPERIMENTAL INVESTIGATION OF A PRELOADED SPRING-TAB FLUTTER MODEL
ADA800852	THEORETICAL ADDITIONAL SPAN LOADING CHARACTERISTICS OF WINGS WITH ARBITRARY SWEEP, ASPECT RAIO, AND TAPER RATIO
ADA800853	STUDY OF JET-PROPULSION SYSTEM COMPRISING BLOWER, BURNER, AND NOZZLE

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 9 of 26

ADA800854	A METHOD FOR CALCULATING THE HEAT REQUIRED FOR WINDSHIELD THERMAL ICE PREVENTION BASED ON EXTENSIVE FLIGHT TESTS IN NATURAL ICING CONDITIONS
ADA800855	USE OF INTERNAL COOLANT AS A MEANS OF PERMITTING INCREASE IN ENGINE TAKE-OFF POWER
ADA800856	AN EXPERIMENTAL INVESTIGATION OF THE EFFECT OF PROPELLERS USED AS AERODYNAMIC BRAKES ON STABILITY AND CONTROL
ADA800857	PARAMETERS DETERMINING PERFORMANCE OF SUPERSONIC PILOTLESS AIRPLANES POWERED BY RAM-COMPRESSION POWER PLANTS
ADA800858	CALCULATIONS OF THE SUPERSONIC WAVE DRAG OF NONLIFTING WINGS WITH ARBITRARY SWEEPBACK AND ASPECT RATIO WINGS SWEPT BEHIND THE MACH LINES
ADA800859	MEASUREMENTS OF STATIC AND TOTAL PRESSURE THROUGHOUT THE TRANSONIC SPEED RANGE AS OBTAINED FROM AN AIRSPEED HEAD MOUNTED ON A FREELY FALLING BODY
ADA800860	AN INVESTIGATION OF CONVERGENT-DIVERGENT DIFFUSERS
ADA800861	THE EFFECT OF MASS DISTRIBUTION ON THE LATERAL STABILITY AND CONTROL CHARACTERISTICS OF AN AIRPLANE AS DETERMINED BY TESTS OF A MODEL IN THE FREE-FLIGHT TUNNEL
ADA800862	ANALYSIS OF AVAILABLE DATA ON CONTROL SURFACES HAVING PLAIN- OVERHAND AND FRISE BALANCES
ADA800863	EFFECT OF A TRAILING-EDGE EXTENSION ON THE CHARACTERISTICS OF A PROPELLER SECTION
ADA800864	WIND-TUNNEL INVESTIGATION OF CONTROL-SURFACE CHARACTERISTICS. 15 - VARIOUS CONTOUR MODIFICATIONS OF A 0.30-AIRFOIL-CHORD PLAIN FLAP ON AN NACA 66(215)-014 AIRFOIL
ADA800865	DATA FOR DESIGN OF ENTRANCE VANES FROM TWO-DIMENSIONAL TESTS OF AIRFOILS IN CASCADE
ADA800866	WIND-TUNNEL INVESTIGATIONS OF PROFILE DRAG AND LIFT OF AN INTERMEDIATE WING SECTION OF THE XP-51 AIRPLANE WITH BEVELED TRAILING-EDGE AND CONTOUR AILERONS
ADA800867	A COMPARISON OF THE EFFECTS OF FOUR-BLADE DUAL- AND SINGLE- ROTATION PROPELLERS ON THE STABILITY AND CONTROL CHARACTERISTICS OF A HIGH-POWERED SINGLE-ENGINE AIRPLANE
ADA800868	EFFECT OF MACH NUMBER ON THE MAXIMUM LIFT AND BUFFETING BOUNDARY DETERMINED IN FLIGHT ON A NORTH AMERICAN P-51D AIRPLANE
ADA800869	INTERNALLY FINNED HONEYCOMB RADIATORS
ADA800870	CHARTS FOR CRITICAL COMBINATIONS OF LONGITUDINAL AND TRANSVERSE DIRECT STRESS FOR FLAT RECTANGULAR PLATES
ADA800871	PRINCIPLES, PRACTICE, AND PROGRESS OF NOISE REDUCTION IN AIRPLANES
ADA800872	WIND-TUNNEL INVESTIGATION OF THE EFFECT OF JET-MOTOR OPERATION ON

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 10 of 26

	STABILITY
ADA800873	TESTS OF FOUR FULL-SCALE PROPELLERS TO DETERMINE THE EFFECT OF TRAILING-EDGE EXTENSIONS ON PROPELLER AERODYNAMIC CHARACTERISTICS
ADA800874	CLIMB AND HIGH-SPEED TESTS OF A CURTISS NO. 714-1C2-12 FOUR-BLADE PROPELLER ON THE REPUBLIC P-47C AIRPLANE
ADA800875	TAIL-DESIGN REQUIREMENTS FOR SATISFACTORY SPIN RECOVERY FOR PERSONAL-OWNER-TYPE LIGHT AIRPLANES
ADA800876	NACA CONFERENCE ON AIRCRAFT ICE PREVENTION - A COMPILATION OF THE PAPER PRESENTED BY NACA STAFF MEMBERS ON 26-27 JUN 1947
ADA800877	EXPERIMENTAL INVESTIGATION OF THE EFFECTS OF VISCOSITY ON THE DRAG OF BODIES OF REVOLUTION AT A MACH NUMBER OF 1.5
ADA800878	DESIGN OF INSTRUMENT DIALS FOR MAXIMUM LEGIBILITY. PART 3. SOME DATA ON THE DIFFICULTY OF QUANTITATIVE READING IN DIFFERENT PARTS OF A DIAL
ADA800879	DESIGN OF INSTRUMENT DIALS FOR MAXIMUM LEGIBILITY. PART 4. DIAL GRAUDATION, SCALE RANGE AND DIAL SIZE AS FACTORS AFFECTING THE SPEED AND ACCURACY OF SCALE READING
ADA800880	METHODS OF PRODUCTION AND CALIBRATION OF COMBINATION VAPOR PRESSURE AND GAS DIAL THERMOMETERS TO JANUARY 26, 1945
ADA800881	THE KNOCK-LIMITED PERFORMANCE OF S REFERENCE FUEL PLUS 2 MILLILITERS OF TRIETHYLTHALLIUM PER GALLON
ADA800882	SINGLE-CYLINDER OIL-CONTROL TESTS OF POROUS CHROME-PLATED CYLINDER BARRELS FOR RADIAL AIR-COOLED ENGINES
ADA800883	CALCULATED AND MEASURED TURNING PERFORMANCE OF A NAVY F2A-3 AIRPLANE AS AFFECTED BY THE USE OF FLAPS
ADA800884	A PRELIMINARY STUDY OF THE EFFECT OF COMPRESSIVE LOAD ON THE FAIRNESS OF A LOW-DRAW WING SPECIMEN WITH Z-SECTION STIFFENERS
ADA800885	STRESSES AROUND RECTANGULAR CUT-OUTS IN SKIN-STRINGER PANELS UNDER AXIAL LOADS - 2
ADA800886	FLIGHT INVESTIGATION OF MODIFICATIONS TO IMPROVE THE ELEVATOR CONTROL-FORCE CHARACTERISTICS OF THE CURTISS SB2C-1C AIRPLANE IN MANEUVERS
ADA800887	AN EXPERIMENTAL INVESTIGATION OF THE DESIGN VARIABLES FOR NACA SUBMERGED DUCT ENTRANCES
ADA800888	PRESSURE-DISTRIBUTION MEASUREMENTS ON VARIOUS SURFACES OF A 0.2375-SCALE MODEL OF THE DOUGLAS XA-26 AIRPLANE IN THE 19-FOOT PRESSURE TUNNEL
ADA800889	ANALYTICAL INVESTIGATION OF THE USE OF REGENERATION IN COMPRESSOR-TURBINE-PROPELLER SYSTEMS
ADA800890	TESTS OF SUBMERGED DUCT INSTALLATION ON A MODIFIED FIGHTER AIRPLANE IN THE AMES 40- BY 80-FOOT WIND TUNNEL

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 11 of 26

ADA800891	DETERMINATION OF AIR-CONSUMPTION PARAMETERS FOR TWO RADIAL AIRCRAFT ENGINES
ADA800892	CONSTRUCTION OF FINNED ALUMINUM MUFFS FOR AIRCRAFT-ENGINE CYLINDER BARRELS
ADA800893	COMPRESSION TESTS ON SIX CURVED PAPER-BASE PLASTIC PANELS WITH OUTWARD-ACTING NORMAL PRESSURE
ADA800894	DESIGN CHARTS FOR CROSS-FLOW TUBULAR INTERCOOLERS CHARGE- THROUGH-TUBE TYPE
ADA800895	KNOCK-LIMITED PERFORMANCE OF N-METHYLANILINE AND XYLIDINE BLENDS IN AN AIR-COOLED AIRCRAFT CYLINDER
ADA800896	EFFECT OF POWER ON THE STICK-FIXED NEUTRAL POINTS OF SEVERAL SINGLE-ENGINE MONOPLANES
ADA800897	THE KNOCK-LIMITED PERFORMANCE OF FUEL BLENDS CONTAINING AROMATICS. 1 - TOLUENE, ETHYLBENZENE, AND P-XYLENE
ADA800898	EXHAUST-STACK NOZZLE AREA AND SHAPE FOR INDIVIDUAL CYLINDER EXHAUST-GAS JET-PROPULSION SYSTEM
ADA800899	STRUCTURAL HINGE-MOMENT INCREMENTS CAUSED BY HINGE-AXIS DISTORTION
ADA800900	EFFECT OF CHANGES IN ASPECT RATIO, SIDE AREA, FLIGHT-PATH ANGLE, AND NORMAL ACCELERATION ON LATERAL STABILITY
ADA800901	FULL-SCALE TUNNEL INVESTIGATION OF THE CONTROL AND STABILITY OF A TWIN-ENGINE MONOPLANE WITH PROPELLERS OPERATING
ADA800902	SOME STRENGTH TESTS OF STIFFENED CURVED SHEETS LOADED IN SHEAR
ADA800903	SOME THEORETICAL CONSIDERATIONS OF LONGITUDINAL STABILITY IN POWER-ON FLIGHT WITH SPECIAL REFERENCE TO WIND-TUNNEL TESTING
ADA800904	THE EFFECT OF ALTITUDE ON COOLING
ADA800905	PERFORMANCE OF AXIAL-FLOW FAN AND COMPRESSOR BLADES DESIGNED FOR HIGH LOADINGS
ADA800906	A FLIGHT INVESTIGATION OF THE THERMAL PERFORMANCE OF AN AIR- HEATED PROPELLER
ADA800907	WIND-TUNNEL INVESTIGATION OF CONTROL-SURFACE CHARACTERISTICS. 11 - VARIOUS LARGE OVERHANG AND INTERNAL-TYPE AERODYNAMIC BALANCES FOR A STRAIGHT-CONTOUR FLAP ON THE NACA 0015 AIRFOIL
ADA800908	NOTES ON THE EFFECTS OF TRAILING-EDGE SHAPES OF LOW-DRAG AIRFOILS ON PROFILE DRAG AND THE TRIM AND BALANCE OF CONTROL SURFACES
ADA800909	XC-35 GUST RESEARCH PROJECT. ANALYSIS OF GUST MEASUREMENTS
ADA800910	A CORRELATION OF THE EFFECTS OF COMPRESSION RATIO AND INLET-AIR TEMPERATURE ON THE KNOCK LIMITS OF AVIATION FUELS IN A CFR ENGINE - 2

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 12 of 26

ADA800911	FLIGHT TESTS OF NACA JET-PROPULSION EXHAUST STACKS ON THE SUPERMARINE SPITFIRE AIRPLANE
ADA800912	LONGITUDINAL CHARACTERISTICS AND AILERON EFFECTIVENESS OF A MIDWING AIRPLANE FROM HIGH-SPEED WIND-TUNNEL TESTS
ADA800913	TESTS OF A 1/17-SCALE MODEL OF THE XBDR-1 AIRPLANE IN THE NACA GUST TUNNEL
ADA800914	HYDRAULIC CHARACTERISTICS OF THE NACA INJECTION IMPELLER
ADA800915	INVESTIGATION OF WING CHARACTERISTICS AT A MACH NUMBER OF 1.53. 3 - UNSWEPT WINGS OF DIFFERING ASPECT RATIO AND TAPER RATIO
ADA800916	INVESTIGATION OF WING CHARACTERISTICS AT A MACH NUMBER OF 1.53. 2 - SWEPT WINGS OF TAPER RATIO 0.5
ADA800917	INVESTIGATION OF WING CHARACTERISTICS AT A MACH NUMBER OF 1.53. 1 - TRIANGULAR WINGS OF ASPECT RATIO 2
ADA800918	TANK INVESTIGATION OF A POWERED DYNAMIC MODEL OF A LARGE LONG- RANGE FLYING BOAT
ADA800919	STABILITY AND CONTROL CHARACTERISTICS OF A COMPLETE AIRPLANE MODEL HAVING A WING WITH QUARTER-CHORD LINE SWEPT BACK 40 DEG, ASPECT RATIO 2.50, AND TAPER RATIO 0.42
ADA800920	TIME HISTORIES OF LOADS AND DEFORMATION ON A B-45A AIRPLANE IN TWO AILERON ROLLS
ADA800921	TUFT STUDIES OF THE FLOW OVER A WING AT FOUR ANGLES OF SWEEP
ADA800922	AN INVESTIGATION OF THE MCDONNELL XP-85 AIRPLANE IN THE AMES 40- BY 80-FOOT WIND TUNNEL. FORCE AND MOMENT TESTS
ADA800923	FATIGUE STRENGTH OF FLUSH-RIVETED JOINTS FOR AIRCRAFT MANUFACTURED BY VARIOUS RIVETING METHODS
ADA800924	EFFECT OF NUMBER OF FINS ON THE DRAG OF A POINTED BODY OF REVOLUTION AT LOW SUPERSONIC VELOCITIES
ADA800925	THE SUBSONIC AERODYNAMIC CHARACTERISTICS OF TWO DOUBLE-WEDGE AIRFOIL SECTIONS SUITABLE FOR SUPERSONIC FLIGHT
ADA800926	INVESTIGATION OF NAPHTHALENE AS A POSSIBLE AIRCRAFT FUEL
ADA800927	PERFORMANCE CHARACTERISTICS OF MIXED-FLOW IMPELLER AND VANED DIFFUSER WITH SEVERAL MODIFICATIONS
ADA800928	THE EFFECTS OF HUB DRAG, SOLIDITY, DUAL ROTATION, AND NUMBER OF BLADES UPON THE EFFICIENCY OF HIGH-PITCH PROPELLERS
ADA800929	EFFECT OF EXHAUST PRESSURE ON THE PERFORMANCE OF A 12-CYLINDER LIQUID-COOLED ENGINE
ADA800930	A FLIGHT INVESTIGATION OF NACA AILERON MODIFICATIONS FOR THE IMPROVEMENT OF THE LATERAL CONTROL CHARACTERISTICS OF A HIGH- SPEED FIGHTER AIRPLANE

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 13 of 26

ADA800931	CALCULATION OF TAB CHARACTERISTICS FOR FLIGHT CONDITIONS FROM WIND-TUNNEL DATA
ADA800932	WIND-TUNNEL INVESTIGATION OF CONTROL-SURFACE CHARACTERISTICS. 16 - PRESSURE DISTRIBUTION OVER AN NACA 0009 AIRFOIL WITH 0.30-AIRFOIL- CHORD BEVELED-TRAILING-EDGE FLAPS
ADA800933	DETERMINATION OF THE STABILITY AND CONTROL CHARACTERISTICS OF A STRAIGHT-WING, TAILLESS FIGHTER-AIRPLANE MODEL IN THE LANGLEY FREE-FLIGHT TUNENL
ADA800934	A THEORETICAL INVESTIGATION OF HYDRODYNAMIC IMPACT LOADS ON SCALLOPED-BOTTOM SEAPLANES AND COMPARISONS WITH EXPERIMENT
ADA800935	AN INVESTIGATION OF EFFECTS OF REVERSED-TYPE LONGITUDINAL STEPS ON RESISTANCE AND SPRAY CHARACTERISTICS OF A FLYING-BOAT HULL
ADA800936	COMPARISON BETWEEN THE MEASURED AND THEORETICAL SPAN LOADINGS ON A MODERATELY SWEPT-FORWARD AND A MODERATELY SWEPT-BACK SEMISPAN WING
ADA800937	EFFECT OF SIMULATED SERVICE CONDITIONS ON PLASTICS
ADA800938	EFFECTS OF COMPRESSIBILITY AND LARGE ANGLES OF YAW ON PRESSURE INDICATED BY A TOTAL-PRESSURE TUBE
ADA800939	PERFORMANCE OF WIRE STRAIN GAGES. 5 - ERROR IN INDICATED BENDING STRAINS IN THIN SHEET METAL DUE TO THICKNESS AND RIGIDITY OF GAGE
ADA800940	DETERMINATION OF INDUCED VELOCITY IN FRONT OF AN INCLINED PROPELLER BY A MAGNETIC-ANALOGY METHOD
ADA800941	THE EFFECT OF HIGH WING LOADING ON LANDING TECHNIQUE AND DISTANCE, WITH EXPERIMENTAL DATA FOR THE B-26 AIRPLANE
ADA800942	CHARTS FOR HELICOPTER-PERFORMANCE ESTIMATION
ADA800943	HEAT-TRANSFER COEFFICIENTS FOR AIR FLOWING IN ROUND TUBES, IN RECTANGULAR DUCTS, AND AROUND FINNED CYLINDERS
ADA800944	WIND TUNNEL TESTS OF AILERONS AT VARIOUS SPEEDS. 5 - PRESSURE DISTRIBUTIONS OVER THE NACA 66,2-216 AND NACA 23012 AIRFOILS WITH VARIOUS BALANCES ON 0.20-CHORD AILERONS
ADA800945	OBSERVATIONS IN FLIGHT OF THE REGION OF STALLED FLOW OVER THE BLADES OF AN AUTOGIRO ROTOR
ADA800946	FLIGHT TESTS OF THE SIKORSKY HNS-1 (ARMY YR-4B) HELICOPTER. 2 - HOVERING AND VERTICAL-FLIGHT PERFORMANCE WITH THE ORIGINAL AND AN ALTERNATIVE SET OF MAIN-ROTOR BLADES, INCLUDING A COMPARISON WITH HOVERING PERFORMANCE THEORY
ADA800947	CHARACTERISTICS OF SEVERAL SINGLE- AND DUAL-ROTATING PROPELLERS IN NEGATIVE THRUST
ADA800948	COWLING AND COOLING TESTS OF A FLEETWINGS MODEL 33 AIRPLANE IN FLIGHT
ADA800949	WIND-TUNNEL INVESTIGATION OF EFFECT OF YAW ON LATERAL-STABILITY CHARACTERISTICS. 5 - SYMMETRICALLY TAPERED WING WITH A CIRCULAR

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 14 of 26

	FUSELAGE HAVING A HORIZONTAL AND A VERTICAL TAIL
ADA800950	THEORY OF SELF-EXCITED MECHANICAL OSCILLATIONS OF HINGED ROTOR BLADES
ADA800951	A COMPARISON OF TWO FLIGHT-TEST PROCEDURES FOR THE DETERMINATION OF AILERON CONTROL CAPABILITIES OF AN AIRPLANE
ADA800952	TWO-DIMENSIONAL WIND-TUNNEL INVESTIGATION OF THE NACA 64 SUB 1 -012 AIRFOIL EQUIPPED WITH TWO TYPES OF LEADING-EDGE FLAP
ADA800953	INTERFERENCE METHOD FOR OBTAINING THE POTENTIAL FLOW PAST AN ARBITRARY CASCADE OF AIRFOILS
ADA800954	PRESSURE DISTRIBUTION OVER AN AIRFOIL WITH A BALANCED SPLIT FLAP
ADA800955	AN ELECTRON-DIFFRACTION EXAMINATION OF CAST-IRON PISTON RINGS FROM SINGLE-CYLINDER AIRCRAFT-ENGINE TESTS
ADA800956	INTERFERENCE EFFECTS OF LONGITUDINAL FLAT PLATES ON LOW-DRAG AIRFOILS
ADA800957	ARTIFICIAL RUNNING-IN OF PISTON RINGS
ADA800958	WIND-TUNNEL TESTS OF SINGLE- AND DUAL-ROTATING TRACTOR PROPELLERS OF LARGE BLADE WIDTH
ADA800959	THE FATIGUE CHARACTERISTICS OF BOLTED LAP JOINTS OF 24S-T ALCLAD SHEET MATERIALS
ADA800960	RECENT DEVELOPMENT OF THE TWO-STROKE ENGINE. 2 - DESIGN FEATURES
ADA800961	EFFECT OF EXHAUST PRESSURE ON THE PERFORMANCE OF AN 18-CYLINDER AIR-COOLED RADIAL ENGINE WITH A VALVE OVERLAP OF 40 DEG
ADA800962	MEASUREMENT OF THE ARITHMETIC MEAN VELOCITY OF A PULSATING FLOW OF HIGH VELOCITY BY THE HOT-WIRE METHOD
ADA800963	EFFECT OF COMPRESSIBILITY AT HIGH SUBSONIC VELOCITIES ON THE LIFTING FORCE ACTING ON AN ELLIPTIC CYLINDER
ADA800964	HIGH-SPEED TESTS OF RADIAL-ENGINE NACELLES ON A THICK LOW-DRAG WING
ADA800965	DETERMINATION FROM FLIGHT TESTS OF THRUST COEFFICIENTS FOR 10 FULL-SCALE AIRPLANES IN THE GLIDING CONDITION WITH ENGINE IDLING
ADA800966	CYLINDER BARREL COOLING WITH BONDED PREFORMED COPPER FINS
ADA800967	ITERATIVE INTERFERENCE METHODS IN THE DESIGN OF THIN CASCADE BLADES
ADA800968	FLOW INVESTIGATION WITH THE AID OF THE ULTRAMICROSCOPE
ADA800969	TESTS OF A GUST-ALLEVIATING FLAP IN THE GUST TUNNEL
ADA800970	EFFECT IN FLIGHT OF THE PROPELLER CUFFS AND SPINNER ON PRESSURE RECOVERY IN FRONT OF A DOUBLE-ROW RADIAL AIRCRAFT ENGINE IN A TWIN-ENGINE AIRPLANE

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 15 of 26

ADA800971	JET-BOUNDARY AND PLAN-FORM CORRECTIONS FOR PARTIAL-SPAN MODELS WITH REFLECTION PLANE, END PLATE, OR NO END PLATE IN A CLOSED CIRCULAR WIND TUNNEL
ADA800972	FLIGHT INVESTIGATION OF THE EFFECTS ON AIRPLANE STATIC LONGITUDINAL STABILITY OF A BUNGEE AND ENGINE-TILT MODIFICATIONS
ADA800973	AN ANALYSIS OF THE COMPRESSIVE STRENGTH OF HONEYCOMB CORES FOR SANDWICH CONSTRUCTIONS
ADA800974	THE FURTHER DEVELOPMENT OF HEAT-RESISTANT MATERIALS FOR AIRCRAFT ENGINES
ADA800975	CLAMPED LONG RECTANGULAR PLATE UNDER COMBINED AXIAL LOAD AND NORMAL PRESSURE
ADA800976	INVESTIGATION OF THE VARIATION OF LIFT COEFFICIENT WITH REYNOLDS NUMBER AT A MODERATE ANGLE OF ATTACK ON A LOW-DRAG AIRFOIL
ADA800977	TAIL-DESIGN REQUIREMENTS FOR SATISFACTORY SPIN RECOVERY
ADA800978	FLIGHT TESTS OF A DOUBLE-HINGED HORIZONTAL TAIL SURFACE WITH REFERENCE TO LONGITUDINAL-STABILITY AND -CONTROL CHARACTERISTICS
ADA800979	BUCKLING STRESSES OF SIMPLY SUPPORTED RECTANGULAR FLAT PLATES IN SHEAR
ADA800980	EXPERIMENTAL DETERMINATION OF THE EFFECTS OF DIHEDRAL, VERTICAL- TAIL AERA, AND LIFT COEFFICIENT ON LATERAL STABILITY AND CONTROL CHARACTERISTICS
ADA800981	CHARTS SHOWING RELATIONS AMONG PRIMARY AERODYNAMIC VARIABLES FOR HELICOPTER-PERFORMANCE ESTIMATION
ADA800982	THE EFFECT OF STREAMLINING THE AFTERBODY OF AN N.A.C.A. COWLING
ADA800983	EFFECT OF ROTOR-TIP SPEED ON HELICOPTER HOVERING PERFORMANCE AND MAXIMUM FORWARD SPEED
ADA800984	THE DETERMINATION OF EFFECTIVE COLUMN LENGTH FROM STRAIN MEASUREMENTS
ADA800985	INCREASING THE COMPRESSIVE STRENGTH OF 24S-T ALUMINUM-ALLOY SHEET BY FLEXURE ROLLING
ADA800986	A POSITIVE-REPLICA TECHNIQUE FOR EXAMINING FINISHED METAL SURFACES AND ITS APPLICATION TO AIRCRAFT-ENGINE CYLINDERS
ADA800987	RELATION OF PREIGNITION AND KNOCK TO ALLOWABLE ENGINE TEMPERATURES
ADA800988	STRAIN MEASUREMENTS AND STRENGTH TESTS OF 25-INCH DIAGONAL- TENSION BEAMS OF 75S-T ALUMINUM ALLOY
ADA800989	VARIATION OF HYDRODYNAMIC IMPACT LOADS WITH FLIGHT-PATH ANGLE FOR A PRISMATIC FLOAT AT 6 AND 9 DEG TRIM AND A 22.5 DEG ANGLE OF DEAD RISE

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 16 of 26

ADA800990	CONSIDERATION OF DYNAMIC LOADS ON THE VERTICAL TAIL BY THE THEORY OF FLAT YAWING MANEUVERS
ADA800991	NOTES ON UNUSUAL V-G RECORDS FROM TRANSPORT AIRPLANES
ADA800992	RELATIVE EFFECTS OF CYLINDER-HEAD AND INLET-MIXTURE TEMPERATURES UPON KNOCK LIMITS OF FUELS
ADA800993	THE RUPTURE TEST CHARACTERISTICS OF SIX PRECISION-CAST AND THREE WROUGHT ALLOYS AT 1700 AND 1800 DEG F
ADA800994	A METALLURGICAL INVESTIGATION OF A LARGE FORGED DISC OF CSA (234-A- 5) ALLOY
ADA800995	TESTS OF HYDRAULICALLY EXPANDED RIVETS
ADA800996	WIND-TUNNEL TESTS OF SINGLE- AND DUAL-ROTATING PUSHER PROPELLERS HAVING FROM THREE TO EIGHT BLADES
ADA800997	METHOD OF MOUNTING CYLINDER BLOCKS OF IN-LINE ENGINES ON CUE CRANKCASES
ADA800998	FLOW OVER A SLENDER BODY OF REVOLUTION AT SUPERSONIC VELOCITIES
ADA800999	PERFORMANCE CHARACTERISTICS OF AN AIRCRAFT ENGINE WITH EXHAUST TURBINE SUPERCHARGER
ADA801000	PRESSURE-DISTRIBUTION INVESTIGATION OF AN N.A.C.A. 0009 AIRFOIL WITH A 30-PERCENT-CHORD PLAIN FLAP AND THREE TABS
ADA801001	WIND-TUNNEL INVESTIGATION OF AN N.A.C.A. 23030 AIRFOIL WITH VARIOUS ARRANGEMENTS OF SLOTTED FLAPS
ADA801002	AN INVESTIGATION OF DIFFUSER-RESISTANCE COMBINATIONS IN DUCT SYSTEMS
ADA801003	A METHOD FOR WELDING SHEET ALUMINUM TO SAE 4140 STEEL
ADA801004	AN INVESTIGATION OF AIRCRAFT HEATERS. 6 - HEAT TRANSFER EQUATIONS FOR THE SINGLE PASS LONGITUDINAL EXCHANGER
ADA801005	AN INVESTIGATION OF AIRCRAFT HEATERS. 5 - THEORY AND USE OF HEAT METERS FOR THE MEASUREMENT OF RATES OF HEAT TRANSFER WHICH ARE INDEPENDENT OF TIME
ADA801006	AN INVESTIGATION OF AIRCRAFT HEATERS. 7 - THERMAL RADIATION FROM ATHERMANOUS EXHAUST GASES
ADA801007	AN INVESTIGATION OF AIRCRAFT HEATERS. 8 - A SIMPLIFIED METHOD FOR THE CALCULATION OF THE UNIT THERMAL CONDUCTANCE OVER WINGS
ADA801008	AN ANALYSIS OF THE EFFECT OF CORE STRUCTURE AND PERFORMANCE ON VOLUME AND SHAPE OF CROSS-FLOW TUBULAR INTERCOOLERS
ADA801009	THE CROSS-FLOW PLATE-TYPE INTERCOOLER
ADA801010	GENERALIZED SELECTION CHARTS FOR HARRISON AND TUBULAR INTERCOOLERS
ADA801011	PERFORMANCE PARAMETERS FOR JET-PROPULSION ENGINES

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 17 of 26

ADA801012	THE DESIGN OF COOLING DUCTS WITH SPECIAL REFERENCE TO THE BOUNDARY LAYER AT THE INLET
ADA801013	GRAPHICAL REPRESENTATION OF INTERCOOLER PARAMETERS AND PERFORMANCE AT ALTITUDES FROM 25,000 TO 60,000 FEET
ADA801014	INVESTIGATION OF FLOW THROUGH AN INTERCOOLER SET AT VARIOUS ANGLES TO THE SUPPLY DUCT
ADA801015	A PRELIMINARY INVESTIGATION OF EXHAUST-GAS EJECTORS FOR GROUND COOLING
ADA801016	A PRELIMINARY INVESTIGATION OF THE CHARACTERISTICS OF AIR SCOOPS ON A FUSELAGE
ADA801017	PRESSURE AVAILABLE FOR COOLING WITH COWLING FLAPS
ADA801018	STUDY OF TURNING PERFORMANCE OF A FIGHTER-TYPE AIRPLANE PARTICULARLY AS AFFECTED BY FLAPS AND INCREASED SUPERCHARGING
ADA801019	CHARTS FOR STRESS ANALYSIS OF REINFORCED CIRCULAR CYLINDERS UNDER LATERAL LOADS
ADA801020	SOME BASIC LAWS OF ISOTROPIC TURBULENT FLOW
ADA801021	CALCULATION OF TURBULENT EXPANSION PROCESSES
ADA801022	EFFECT OF FATIGUE-STRESSING SHORT OF FAILURE ON SOME TYPICAL AIRCRAFT METALS
ADA801023	PRESSURE LOSS IN DUCTS WITH COMPOUND ELBOWS
ADA801024	LIFTING-SURFACE-THEORY ASPECT-RATIO CORRECTIONS TO THE LIFT AND HINGE-MOMENT PARAMETERS FOR FULL-SPAN ELEVATIONS ON HORIZONTAL TAIL SURFACES
ADA801025	PRINCIPLES AND METHODS OF RATING AND TESTING CENTRIFUGAL SUPERCHARGERS
ADA801026	COLUMN AND PLATE COMPRESSIVE STRENGTHS OF AIRCRAFT STRUCTURAL MATERIALS EXTRUDED 14S-T ALUMINUM ALLOY
ADA801027	COLUMN AND PLATE COMPRESSIVE STRENGTHS OF AIRCRAFT STRUCTURAL MATERIALS - 24S-T ALUMINUM-ALLOY SHEET
ADA801028	FATIGUE CHARACTERISTICS OF SPOT-WELDED 24S-T ALUMINUM ALLOY
ADA801029	THE EFFECT OF SOLIDITY, BLADE SECTION, AND CONTRAVANE ANGLE ON THE CHARACTERISTICS OF AN AXIAL-FLOW FAN
ADA801030	RECOMMENDED TEST PROCEDURE FOR AIRCRAFT ENGINE TURBOSUPERCHARGER POWER PLANTS
ADA801031	PRESSURE-DISTRIBUTION MEASUREMENTS ON A FULL-SCALE HORIZONTAL TAIL SURFACE FOR A MACH NUMBER RANGE OF 0.20 TO 0.70
ADA801032	FLIGHT TESTS OF EXHAUST-GAS JET PROPULSION
ADA801033	A METHOD FOR STUDYING PISTON FRICTION
ADA801034	REQUIREMENTS FOR UNIT FUEL-INJECTION SYSTEMS

© 2025 DoDreport.com. All Rights Reserved.

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 18 of 26

THE COLUMN STRENGTH OF ALUMINUM ALLOY 75S-T EXTRUDED SHAPES
KNOCK-LIMITED PERFORMANCE OF BLENDS OF AN-F-28 FUEL CONTAINING 2 PERCENT AROMATIC AMINES - 1
TWO-DIMENSIONAL WIND-TUNNEL INVESTIGATION OF SPOILER AILERON FLAP MODEL FOR THE HUGHES XF-11 AIRPLANE
EFFECT OF AN AROMATIC MIXTURE ADDED TO TWO 100-OCTANE FUELS ON ENGINE TEMPERATURES AND FUEL COMPOSITION
WIND-TUNNEL VIBRATION TESTS OF A FOUR-BLADE SINGLE-ROTATING PUSHER PROPELLER
A COMPARISON AT HIGH SPEED OF THE AERODYNAMIC MERITS OF MODELS OF MEDIUM BOMBERS HAVING THICKENED WING ROOTS AND HAVING WINGS WITH NACELLES
PREDICTION OF MOTIONS OF AN AIRPLANE RESULTING FROM ABRUPT MOVEMENT OF LATERAL OR DIRECTIONAL CONTROLS
"GENERAL" MAIN-SPRAY TESTS OF FLYING-BOAT MODELS IN THE DISPLACEMENT RANGE
EFFECT OF RATIO OF RIVET PITCH TO RIVET DIAMETER ON THE FATIGUE STRENGTH OF RIVETED JOINTS OF 24S-T ALUMINUM-ALLOY SHEET
ON THE SHEAR STRENGTH OF SKIN-STIFFENER PANELS WITH INSPECTION CUT-OUTS
FREE-FLIGHT-TUNNEL INVESTIGATION OF THE EFFECT OF MODE OF PROPELLER ROTATION UPON THE LATERAL-STABILITY CHARACTERISTICS OF A TWIN-ENGINE AIRPLANE MODEL WITH SINGLE VERTICAL TAILS OF DIFFERENT SIZE
ALUMINUM-ZINC-MAGNESIUM-COPPER CASTING ALLOYS
INVESTIGATION OF THE BEHAVIOR OF PARALLEL TWO-DIMENSIONAL AIR JETS
A SUMMARY OF DRAG RESULTS FROM RECENT LANGLEY FULL-SCALE- TUNNEL TESTS OF ARMY AND NAVY AIRPLANES
THE LANDING STABILITY OF A POWERED DYNAMIC MODEL OF A FLYING BOAT WITH A 30 DEG V-STEP AND WITH TWO DEPTHS OF TRANSVERSE STEP
PHYSICAL DATA ON CERTAIN ALLOYS FOR HIGH TEMPERATURE APPLICATIONS
LANDING CHARACTERISTICS OF A MODEL OF A FLYING BOAT WITH THE DEPTH OF STEP REDUCED TO ZERO BY MEANS OF A RETRACTABLE PLANING FLAP
VARIATION OF HYDRODYNAMIC IMPACT LOADS WITH FLIGHT-PATH ANGLE FOR A PRISMATIC FLOAT AT 12 DEG TRIP AND WITH A 22.5 DEG ANGLE OF DEAD RISE
FREQUENCY OF OCCURRENCE OF ATMOSPHERIC GUSTS AND OF RELATED LOADS ON AIRPLANE STRUCTURES

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 19 of 26

EXTENSION OF THE CHAPLYGIN PROOFS ON THE EXISTENCE OF COMPRESSIBLE-FLOW SOLUTIONS TO THE SUPERSONIC REGION
METHOD OF CALCULATING PERFORMANCE OF DUAL-ROTATING PROPELLERS FROM AIRFOIL CHARACTERISTICS
AN INVESTIGATION OF THE CHARACTERISTICS OF A PROPELLER ALCOHOL FEED RING
THE EFFECT OF PROPELLER OPERATION ON THE AIR FLOW IN THE REGION OF THE TAIL PLANE FOR A TWIN-ENGINE TRACTOR MONOPLANE
LOSS OF XYLIDINES IN OVERWATER STORAGE OF XYLIDINE-BLENDED FUEL
WIND-TUNNEL INVESTIGATION OF EFFECTS OF A PUSHER PROPELLER ON LIFT, PROFILE DRAG, PRESSURE DISTRIBUTION, AND BOUNDARY-LAYER TRANSITION OF A FLAPPED WING
WATER TOLERANCE OF AVIATION GASOLINE CONTAINING XYLIDINES
A METHOD OF SHEAR-LAG ANALYSIS OF BOX BEAMS FOR AXIAL STRESSES, SHEAR STRESSES, AND SHEAR CENTER
COMPARISON OF MEASURED AND CALCULATED STRESSES IN BUILT-UP BEAMS
AN ANALYTICAL STUDY OF WING AND TAIL LOADS ASSOCIATED WITH AN ELEVATOR DEFLECTION
THE LONGITUDINAL STABILITY OF FLYING BOATS AS DETERMINED BY TESTS OF MODELS IN THE NACA TANK. 1 - METHODS USED FOR THE INVESTIGATION OF LONGITUDINAL-STABILITY CHARACTERISTICS
AN EXPERIMENTAL INVESTIGATION OF THE THRUST AND TORQUE PRODUCED BY PROPELLERS USED AS AERODYNAMIC BRAKES
WIND-TUNNEL INVESTIGATION OF AN NACA 66-SERIES 16-PERCENT-THICK LOW-DRAG TAPERED WING WITH FOWLER AND SPLIT FLAPS
FLIGHT INVESTIGATION AT HIGH MACH NUMBERS OF SEVERAL METHODS OF MEASURING STATIC PRESSURE ON AN AIRPLANE WING
WIND-TUNNEL INVESTIGATION OF REAR UNDERSLUNG FUSELAGE DUCTS
HYDRODYNAMIC-STABILITY TESTS OF A MODEL OF A FLYING BOAT AND OF A PLANING SURFACE HAVING A SMALL DOWNWARD PROJECTION (HOOK) ON THE PLANING BOTTOM NEAR THE STEP
WIND-TUNNEL INVESTIGATION OF CONTROL-SURFACE CHARACTERISTICS. 4 - A MEDIUM AERODYNAMIC BALANCE OF VARIOUS NOSE SHAPES USED WITH A 30-PERCENT-CHORD FLAP ON AN NACA 0009 AIRFOIL
TESTS OF A DYNAMIC MODEL IN NACA TANK NO. 1 TO DETERMINE THE EFFECT OF LENGTH OF AFTERBODY, ANGLE OF AFTERBODY KEEL, GROSS LOAD, AND A POINTED STEP ON LANDING AND PLANING STABILITY
EFFECT OF AN AROMATIC MIXTURE ADDED TO TWO 100-OCTANE FUELS ON ENGINE TEMPERATURES AND FUEL CONSUMPTION

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 20 of 26

ADA801073	PROCEDURE USED AT ALUMINUM RESEARCH LABORATORIES FOR DETERMINING TYPE OF ATTACK IN SOME ALUMINUM ALLOYS
ADA801074	COOLING TESTS OF AN AIR-COOLED ENGINE CYLINDER WITH COPPER FINS ON THE BARREL
ADA801075	VARIATION OF PEAK PITCHING-MOMENT COEFFICIENTS FOR SIX AIRFOILS AS AFFECTED BY COMPRESSIBILITY
ADA801076	WIND-TUNNEL TESTS OF TWO TAPERED WINGS WITH STRAIGHT LEADING EDGES AND WITH CONSTANT-CHORD CENTER SECTIONS OF DIFFERENT SPANS
ADA801077	EFFECT OF NORMAL PRESSURE ON THE CRITICAL COMPRESSIVE AND SHEAR STRESS OF CURVED SHEET
ADA801078	COMPARISON OF SEVERAL METHODS OF PREDICTING THE PRESSURE LOSS AT ALTITUDE ACROSS A BAFFLED AIRCRAFT-ENGINE CYLINDER
ADA801079	INVESTIGATION OF PERFORMANCE OF 9-CYLINDER ENGINE USING LARGE VALVE OVERLAP AND ECLIPSE FUEL-INJECTION SYSTEM
ADA801080	MAXIMUM LIFT COEFFICIENTS OF AIRPLANES BASED ON SUM OF WING AND TAIL AREAS
ADA801081	SOME NOTES ON THE DETERMINATION OF THE STICK-FIXED NEUTRAL POINT FROM WIND-TUNNEL DATA
ADA801082	USE OF WATER INJECTION TO DECREASE GASOLINE CONSUMPTION IN AN AIRCRAFT ENGINE CRUISING AT HIGH POWER
ADA801083	EFFECT OF LATERAL SHIFT OF CENTER OF GRAVITY ON RUDDER DEFLECTION REQUIRED FOR TRIM
ADA801084	FATIGUE STRENGTH AND RELATED CHARACTERISTICS OF JOINTS IN 24S-T ALCLAD SHEET
ADA801085	THE EFFECT OF ANGLE OF BEND BETWEEN PLATE ELEMENTS ON THE LOCAL INSTABILITY OF FORMED Z-SECTIONS
ADA801086	TESTS OF BEAMS HAVING WEBS WITH LARGE CIRCULAR LIGHTENING HOLES
ADA801087	A STUDY OF THE EFFECTS OF RADII OF GYRATION AND ALTITUDE OF AILERON EFFECTIVENESS AT HIGH SPEED
ADA801088	PROPELLERS IN YAW
ADA801089	TESTS OF 10-INCH 24S-T ALUMINUM-ALLOY SHEAR PANELS WITH 1.5-INCH HOLES. 2 - PANELS HAVING HOLES WITH NOTCHED EDGES
ADA801090	DETERMINATION OF DESIRABLE LENGTHS OF Z- AND CHANNEL-SECTION COLUMNS FOR LOCAL-INSTABILITY TESTS
ADA801091	USE OF VARIABLE-RATIO GEARED TABS TO IMPROVE STICK-FORCE CHARACTERISTICS IN TURNING FLIGHT
ADA801092	PROTECTION OF NONMETALLIC AIRCRAFT FROM LIGHTNING. 2 - LIGHTNING CONDUCTOR MATERIALS
ADA801093	PROTECTION OF NONMETALLIC AIRCRAFT FROM LIGHTNING. 1 - GENERAL ANALYSIS

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 21 of 26

ADA801094	THE PROBLEM OF THERMAL-EXPANSION STRESSES IN REINFROCED PLASTICS
ADA801095	THE STRENGTH AND STIFFNESS OF SHEAR WEBS WITH ROUND LIGHTENING HOLES HAVING 45 DEG FLANGES
ADA801096	FOAMING OF AIRCRAFT-ENGINE OILS AS A PROBLEM IN COLLOID CHEMISTRY - 1
ADA801097	THE TWO-DIMENSIONAL INCOMPRESSIBLE POTENTIAL FLOW OVER CORRUGATED AND DISTORTED INFINITE SURFACES
ADA801098	EXPERIMENTAL INVESTIGATION OF ENTRANCE-REGION HEAT-TRANSFER COEFFICIENTS
ADA801099	WIND-TUNNEL INVESTIGATION OF AIR LOADS OVER A DOUBLE SLOTTED FLAP ON THE NACA 65(216)-215, A = 0.8 AIRFOIL SECTION
ADA801100	HEAT-TRANSFER TESTS OF SEVERAL ENGINE COOLANTS
ADA801101	SPIN-TUNNEL TESTS OF AIRPLANE MODELS WITH EXTREME VARIATIONS IN MASS DISTRIBUTION ALONG THE THREE BODY AXES
ADA801102	CHARTS OF PRESSURE, DENSITY, AND TEMPERATURE CHANGES AT AN ABRUPT INCREASE IN CROSS-SECTIONAL AREA OF FLOW OF COMPRESSIBLE AIR
ADA801103	THE PREPARATION AND PHYSICAL PROPERTIES OF SEVERAL ALIPHATIC HYDROCARBONS AND INTERMEDIATES
ADA801104	DEVELOPMENT OF A DETONATION DETECTOR SUITABLE FOR USE IN FLIGHT
ADA801105	A FLIGHT INVESTIGATION OF FUSELAGE STATIC-PRESSURE-VENT AIRSPEED INSTALLATIONS
ADA801106	TESTS OF 10-INCH 24S-T ALUMINUM-ALLOY SHEAR PANELS WITH 1.5-INCH HOLES
ADA801107	CRITICAL STRESS FOR AN INFINITELY LONG FLATE PLATE WITH ELASTICALLY RESTRAINED EDGES UNDER COMBINED SHEAR AND DIRECT STRESS
ADA801108	COMPARISON OF STRUCTURAL EFFICIENCIES OF DIAGONAL-TENSION WEBS AND TRUSS WEBS OF 24S-T ALUMINUM ALLOY
ADA801109	A COMPARATIVE STUDY OF THE EFFECT OF WING FLUTTER SHAPE ON THE CRITICAL FLUTTER SPEED
ADA801110	A FLIGHT INVESTIGATION OF THE EFFECT OF SURFACE ROUGHNESS ON WING PROFILE DRAG WITH TRANSITION FIXED
ADA801111	OBSERVATIONS OF COMPRESSIBILITY PHENOMENA IN FLIGHT
ADA801112	ESTIMATION OF PRESSURES ON COCKPIT CANOPIES, GUN TURRETS, BLISTERS, AND SIMILAR PROTUBERANCES
ADA801113	EFFECT OF WING LOADING AND ALTITUDE ON LATERAL STABILITY AND CONTROL CHARACTERISTICS OF AN AIRPLANE AS DETERMINED BY TESTS OF A MODEL IN THE FREE-FLIGHT TUNNEL
ADA801114	DETERMINATION OF THE EFFECT OF WING FLEXIBILITY ON LATERAL MANEUVERABILITY AND A COMPARISON OF CALCULATED ROLLING

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 22 of 26

	EFFECTIVENESS WITH FLIGHT RESULTS
ADA801115	FLIGHT INVESTIGATION OF THE COOLING CHARACTERISTICS OF A TWO-ROW RADIAL ENGINE INSTALLATION. 2 - COOLING-AIR PRESSURE RECOVERY AND PRESSURE DISTRIBUTION
ADA801116	WORKING CHARTS FOR THE COMPUTATION OF PROPELLER THRUST THROUGHOUT THE TAKE-OFF RANGE
ADA801117	AIR-FLOW BEHAVIOR OVER THE WING OF AN XP-51 AIRPLANE AS INDICATED BY WING-SURFACE TUFTS AT SUBCRITICAL AND SUPERCRITICAL SPEEDS
ADA801118	THE PROBLEM OF NOISE REDUCTION WITH REFERENCE TO LIGHT AIRPLANES
ADA801119	INVESTIGATION OF SUCTION-SLOT SHAPES FOR CONTROLLING A TURBULENT BOUNDARY LAYER
ADA801120	THEORETICAL MOTIONS OF HYDROFOIL SYSTEMS
ADA801121	EFFECT OF THE LIFT COEFFICIENT ON PROPELLER FLUTTER
ADA801122	THE THEORY OF PROPELLERS. 3 - THE SLIPSTREAM CONTRACTION WITH NUMERICAL VALUES FOR TWO-BLADE AND FOUR-BLADE PROPELLERS
ADA801123	EVALUATION OF THE INDUCED-VELOCITY FIELD OF AN IDEALIZED HELICOPTOR ROTOR
ADA801124	TWO-DIMENSIONAL WIND-TUNNEL INVESTIGATION OF A 10.7-PERCENT-THICK SYMMETRICAL TAIL SECTION WITH A 0.40 AIRFOIL-CHORD CONTROL SURFACE AND A 0.20 CONTROL-SURFACE-CHORD TAB
ADA801125	THE EFFECT OF PITCH ON FORCE AND MOMENT CHARACTERISTICS OF FULL- SCALE PROPELLERS OF FIVE SOLIDITIES
ADA801126	WIND-TUNNEL TESTS OF A TWIN-ENGINE MODEL TO DETERMINE THE EFFECT OF DIRECTION OF PROPELLER ROTATION ON THE STATIC-STABILITY CHARACTERISTICS
ADA801127	PRELIMINARY INVESTIGATION IN THE NACA LOW-TURBULENCE TUNNEL OF LOW-DRAG AIRFOIL SECTIONS SUITABLE FOR ADMITTING AIR AT THE LEADING EDGE
ADA801128	PERFORMANCE OF COMPRESSOR-TURBINE JET-PROPULSION SYSTEMS
ADA801129	THEORETICAL AND EXPERIMENTAL DYNAMIC LOADS FOR A PRISMATIC FLOAT HAVING AN ANGLE OF DEAD RISE OF 22.5 DEG
ADA801130	COLUMN AND PLATE COMPRESSIVE STRENGTHS OF AIRCRAFT STRUCTURAL MATERIALS EXTRUDED 24S-T ALUMINUM ALLOY
ADA801131	SUMMARY OF DATA RELATING TO THE EFFECTS OF WING MACHINE GUN AND CANNON INSTALLATIONS ON THE AERODYNAMIC CHARACTERISTICS OF AIRPLANES
ADA801132	COMPRESSIVE-STRENGTH COMPARISONS OF PANELS HAVING ALUMINUM- ALLOY SHEET AND STIFFENERS WITH PANELS HAVING MAGNESIUM-ALLOY SHEET AND ALUMINUM-ALLOY STIFFENERS
ADA801133	WIND-TUNNEL INVESTIGATION OF THE NACA 23012 AIRFOIL WITH TWO SIZES OF BALANCED SPLIT FLAP

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 23 of 26

ADA801134	WIND-TUNNEL INVESTIGATION OF AN NACA 23012 AIRFOIL WITH AN 18.05- PERCENT-CHORD MAXWELL SLAT AND WITH TRAILING EDGE FLAPS
ADA801135	AN INTERIM REPORT ON THE STABILITY AND CONTROL OF TAILLESS AIRPLANES
ADA801136	AN INVESTIGATION OF AIRCRAFT HEATERS. 2 - PROPERTIES OF GASES
ADA801137	THE EFFECTS OF AN INCREASE IN THE CONCENTRATION OF ETHYLENE DIBROMIDE IN A LEADED FUEL ON LEAD DEPOSITION, CORROSION OF EXHAUST VALVES AND KNOCK-LIMITED POWER
ADA801138	KNOCK-LIMITED PERFORMANCE OF BLENDS OF AN-F-28 AVIATION GASOLINE CONTAINING 2 PERCENT AROMATIC AMINES - 2
ADA801139	THE SIGNIFICANCE OF THE TIME CONCEPT IN ENGINE DETONATION
ADA801140	THE COMPRESSIBLE POTENTIAL FLOW PAST ELLIPTIC SYMMETRICAL CYLINDERS AT ZERO ANGLE OF ATTACK AND WITH NO CIRCULATION
ADA801141	COMPARATIVE DRAG MEASUREMENTS AT TRANSONIC SPEEDS OF AN NACA 85-006 AIRFOIL AND A SYMMETRICAL CIRCULAR-ARC AIRFOIL
ADA801142	FLIGHT OBSERVATIONS OF AILERON FLUTTER AT HIGH MACH NUMBERS AS AFFECTED BY SEVERAL MODIFICATIONS
ADA801143	A MULTIPLE BRIDGE FOR ELIMINATION OF CONTACT-RESISTANCE ERRORS IN RESISTANCE STRAIN-GAGE MEASUREMENTS
ADA801144	EXPERIMENTS ON STABILITY OF BUNSEN-BURNER FLAMES FOR TURBULENT FLOW
ADA801145	INVESTIGATION OF THE LOADS ON A CONVENTIONAL FRONT AND REAR SLIDING CANOPY
ADA801146	EFFECTS ON LOW-SPEED SPRAY CHARACTERISTICS OF VARIOUS MODIFICATIONS TO A POWERED MODEL OF THE BOEING XPBB-1 FLYING BOAT
ADA801147	EFFECT OF BLADE STALLING ON THE EFFICIENCY OF A HELICOPTER ROTOR AS MEASURED IN FLIGHT
ADA801148	MEASUREMENTS AND ANALYSIS OF THE MOTION OF A CANARD AIRPLANE MODEL IN GUSTS
ADA801149	AN IMPROVED CONTINUOUS-INDICATING DEW-POINT METER
ADA801150	EFFECT OF DISTANCE ON AIRPLANE NOISE
ADA801151	JRM-1 LANDING IMPACT CHARACTERISTICS FROM MODEL TESTS
ADA801152	A METHOD FOR THE CALCULATION OF EXTERNAL LIFT, MOMENT, AND PRESSURE DRAG OF SLENDER OPEN-NOSE BODIES OF REVOLUTION AT SUPERSONIC SPEEDS
ADA801153	FATIGUE TESTS OF RIVETED JOINTS PROGRESS REPORT OF TESTS OF 17S-T AND 53S-T JOINTS
ADA801154	INVESTIGATION OF THE FORCES ACTING ON GLIDERS IN AUTOMOBILE-, PULLEY-, WINCH-, AND AIRPLANE-TOWED FLIGHT

ADA801155	INVESTIGATION OF DRAG AND PRESSURE DISTRIBUTION OF WINDSHIELDS AT HIGH SPEEDS
ADA801156	PRELIMINARY INVESTIGATION OF DEEP INDUCERS AS SEPARATE SUPERCHARGER COMPONENTS
ADA801157	EFFECT OF SEVERAL SUPERCHARGER CONTROL METHODS ON ENGINE PERFORMANCE
ADA801158	TWO-STAGE SUPERCHARGING
ADA801159	A METHOD OF DETERMINING THE EQUILIBRIUM PERFORMANCE AND THE STABILITY OF AN ENGINE EQUIPPED WITH AN EXHAUST TURBOSUPERCHARGER
ADA801160	A STUDY OF COMBUSTION IN A FLOWING GAS
ADA801161	WIND-TUNNEL INVESTIGATION OF CONTROL-SURFACE CHARACTERISTICS. 17 - BEVELED-TRAILING-EDGE FLAPS OF 0.20, AND 0.40 AIRFOIL CHORD ON AN NACA 0009 AIRFOIL
ADA801162	GASOLINE-WATER DISTRIBUTION COEFFICIENTS OF XYLIDINES
ADA801163	RUBBER CONDUCTORS FOR AIRCRAFT IGNITION CABLES
ADA801165	INVESTIGATION OF HIGH-LIFT AND STALL-CONTROL DEVICES ON AN NACA 64- SERIES 42 DEG SWEPTBACK WING WITH AND WITHOUT FUSELAGE
ADA801166	RADIATION - DAMPING AND THE BETATRON
ADA801167	INVESTIGATION AT HIGH SPEEDS OF A HORIZONTAL-TAIL MODEL IN THE LANGLEY 8-FOOT HIGH-SPEED TUNNEL
ADA801169	ALTITUDE-WIND-TUNNEL INVESTIGATION OF A 3000-POUND-THRUST AXIAL- FLOW TURBOJET ENGINE. 7 - PRESSURE AND TEMPERATURE DISTRIBUTIONS
ADA801170	DITCHING TESTS OF A 1/18-SCALE MODEL OF THE LOCKHEED CONSTELLATION AIRPLANE WITH SPEEDPAK ATTACHED
ADA801171	A THEORETICAL INVESTIGATION OF THE EFFECT OF THE LATERAL OSCILLATIONS OF AN AIRPLANE OF AN AUTOMATIC CONTROL SENSITIVE TO YAWING ACCELERATIONS
ADA801172	AERODYNAMIC CHARACTERISTICS OF A WING WITH UNSWEPT QUARTER- CHORD LINE, ASPECT RATIO 2, TAPER RATIO 0.78, AND NACA 65A004 AIRFOIL SECTION - TRANSONIC BUMP METHOD
ADA801173	PRESSURE LAG IN TUBING USED IN FLIGHT RESEARCH
ADA801174	NACA-UNIVERSITY CONFERENCE ON AERODYNAMICS - A COMPILATION OF THE PAPERS PRESENTED
ADA801175	THE CHARACTERISTICS OF 78 RELATED AIRFOIL SECTIONS FROM TESTS IN THE VARIABLE-DENSITY WIND TUNNEL
ADA801176	NACA CONFERENCE ON TURBOJET-ENGINE THRUST-AUGMENTATION RESEARCH - A COMPILATION OF THE PAPERS PRESENTED BY NACA STAFF MEMBERS

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 25 of 26

ADA801177	WIND-TUNNEL INVESTIGATION OF BOMB-BAY CONFIGURATIONS INTENDED TO MINIMIZE THE TUMBLING OF LIGHT-WEIGHT BOMBS
ADA801178	HIGH-SUBSONIC PERFORMANCE CHARACTERISTICS AND BOUNDARY-LAYER INVESTIGATIONS OF A 12 DEG 10-INCH-INLET-DIAMETER CONICAL DIFFUSER
ADA801179	TURBULENT FLOW BETWEEN ROTATING CYLINDERS
ADA801180	WIND-TUNNEL INVESTIGATION OF PERFORATED SPLIT FLAPS FOR USE AS DIVE BRAKES ON A TAPERED NACA 23012 AIRFOIL
ADA801181	FLIGHT MEASUREMENTS TO DETERMINE THE EFFECT OF A SPRING-LOADED TAB ON THE LONGITUDINAL STABILITY OF AN AIRPLANE
ADA801182	AN APPROXIMATE DETERMINATION OF THE POWER REQUIRED TO MOVE CONTROL SURFACES AS RELATED TO CONTROL-BOOSTER DESIGN
ADA801183	WIND-TUNNEL INVESTIGATION OF THE STABILITY OF JETTISONED NOSE SECTIONS OF THE D-558 AIRPLANE - PHASES 1 AND 2
ADA801184	OPERATING TEMPERATURES OF A SODIUM-COOLED EXHAUST VALVE AS MEASURED BY A THERMOCOUPLE
ADA801185	A STUDY OF SEVERAL PARAMETERS CONTROLLING THE TRAJECTORIES OF A SUPERSONIC ANTIAIRCRAFT MISSILE POWERED WITH SOLID- OR LIQUID-FUEL ROCKETS
ADA801186	RESEARCHES ON PRELIMINARY CHEMICAL REACTIONS IN SPARK-IGNITION ENGINES
ADA801187	EXPERIMENTAL VERIFICATION OF THE RUDDER-FREE STABILITY THEORY FOR AN AIRPLANE MODEL EQUIPPED WITH RUDDERS HAVING NEGATIVE FLOATING TENDENCY AND NEGLIGIBLE FRICTION
ADA801188	INVESTIGATION OF THE AILERON AND TAB OF A SPRING-TAB LATERAL- CONTROL SYSTEM IN THE LANGLEY 19-FOOT PRESSURE TUNNEL
ADA801189	AN APPLICATION OF LIFTING-SURFACE THEORY TO THE PREDICTION OF ANGLE-OF-ATTACK HINGE-MOMENT PARAMETERS FOR ASPECT RATIO 4.5 WINGS
ADA801190	THE STABILITY DERIVATIVES OF LOW-ASPECT-RATIO TRIANGULAR WINGS AT SUBSONIC AND SUPERSONIC SPEEDS
ADA801191	LABORATORY INVESTIGATION OF ICE FORMATION AND ELIMINATION IN THE INDUCTION SYSTEM OF A LARGE TWIN-ENGINE CARGO AIRCRAFT
ADA801192	HIGH-SPEED WIND-TUNNEL TESTS OF AN NACA 0009-64 AIRFOIL HAVING A 33.4-PERCENT-CHORD FLAP WITH AN OVERHAND 20.1 PERCENT OF THE FLAP CHORD
ADA801193	STRAIN-GAGE STUDY OF INTERNALLY COOLED EXHAUST VALVES HAVING VARIOUS THROAT DESIGNS
ADA801194	PRELIMINARY ANALYSIS OF NACA MEASUREMENTS OF ATMOSPHERIC TURBULENCE WITHIN A THUNDERSTORM - U.S. WEATHER BUREAU THUNDERSTORM PROJECT
ADA801195	EFFECT OF CHANGES IN AILERON RIGGING ON THE STICK FORCES OF A HIGH-

DoD Tech Reports | Order Form | Catalog | Part 1510 of 1597 | Page 26 of 26

	SPEED FIGHTER AIRPLANE
ADA801196	CALCULATION OF STICK FORCES FOR AN ELEVATOR WITH A SPRING TAB
ADA801197	TESTS OF THERMAL-ELECTRIC DE-ICING EQUIPMENT FOR PROPELLERS
ADA801198	STRAIN MEASUREMENTS AND STRENGTH TESTS OF 25-INCH DIAGONAL- TENSION BEAMS WITH SINGLE UPRIGHTS