DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 1 of 23

| ADP014230 | VERSATILE NANODEPOSITION OF DIELECTRICS AND METALS BY NON- CONTACT DIRECT-WRITE TECHNOLOGY |
|-----------|--|
| ADP014231 | TWO-PHOTON LASER MICRO-NANO FABRICATION; UNDERSTANDING FROM SINGLE-VOXEL LEVEL |
| ADP014232 | BONE TISSUE SCAFFOLD TECHNOLOGIES BASED ON RP ADOPTED DROPLET ASSEMBLY |
| ADP014233 | CHARACTERISATION OF COLLAGEN SCAFFOLDS USING X-RAY MICROTOMOGRAPHY |
| ADP014234 | A PROCESS TO MAKE COLLAGEN SCAFFOLDS WITH AN ARTIFICIAL CIRCULATORY SYSTEM USING RAPID PROTOTYPING |
| ADP014235 | BIOCHEMICAL IC CHIPS FABRICATED BY HYBRID MICROSTEREOLITHOGRAPHY |
| ADP014236 | COMPUTATIONAL DESIGN, FREEFORM FABRICATION AND TESTING OF NYLON- 6 TISSUE ENGINEERING SCAFFOLDS |
| ADP014238 | TENSILE DEFORMATION AND FATIGUE CRACK GROWTH IN BULK NANOCRYSTALLINE A1-7.5MG |
| ADP014239 | BIMODAL MICROSTRUCTURE AND MECHANICAL PROPERTIES OF CRYOMILLED NANOCRYSTALLINE A1-7.5MG |
| ADP014240 | HARDNESS AND ABRASION RESISTANCE OF NANOCRYSTALLINE NICKEL ALLOYS NEAR THE HALL-PETCH BREAKDOWN REGIME |
| ADP014241 | HYBRID NYLON-6/SILICON NANOCOMPOSITES WITH IMPROVED MECHANICAL PROPERTIES |
| ADP014242 | PLASTICITY IN NANOMATERIALS |
| ADP014243 | MICROSTRUCTURES AND MECHANICAL PROPERTIES OF NANOSTRUCTURED COPPER-304 STAINLESS STEEL MULTILAYERS SYNTHESIZED BY MAGNETRON SPUTTERING |
| ADP014244 | SYNTHESIS OF TITANIA COATED ALUMINA PARTICLES BY A HYBRID SOL-GEL METHOD |
| ADP014245 | NUCLEATION INDUCED NANOSTRUCTURES |
| ADP014246 | HYDROGEN STABILIZATION OF (111) NANODIAMOND |
| ADP014247 | PROCESSING OF CLAY/EPOXY NANOCOMPOSITES WITH A THREE-ROLL MILL MACHINE |
| ADP014248 | THE GROWTH OF BAMBOO-STRUCTURED CARBON TUBES USING A COPPER CATALYST |
| ADP014249 | CHARACTERIZATION OF MECHANICAL DEFORMATION OF NANOSCALE VOLUMES |
| ADP014250 | COATING OF ULTRATHIN POLYMER FILMS ON CARBON NANOTUBES BY A PLASMA TREATMENT |
| ADP014251 | ELECTRODEPOSITION OF NI CATALYST ON TUNGSTEN SUBSTRATES AND ITS EFFECT ON THE FORMATION OF CARBON NANO- AND MICRO-COILS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 2 of 23

| ADP014252 | ARC PLASMA SYNTHESIS OF NANOSTRUCTURED FE POWDER |
|-----------|--|
| ADP014253 | SIZE REDUCTION OF CLAY PARTICLES IN NANOMETER DIMENSIONS |
| ADP014254 | EFFECT OF SOLID-SOLUTION W ADDITION ON THE NANOSTRUCTURE OF ELECTRODEPOSITED NI |
| ADP014255 | INTERFACE CONDUCTION BETWEEN CONDUCTIVE REO3 THIN FILMS AND NDBA2CU3O6 THIN FILM |
| ADP014256 | CHARACTERIZATION OF NANOPARTICLE FILMS AND STRUCTURES PRODUCED BY HYPERSONIC PLASMA PARTICLE DEPOSITION |
| ADP014257 | BIODEGRADABLE POLYESTER/LAYERED SILICATE NANOCOMPOSITES |
| ADP014258 | CHARACTERIZATION OF METAL-OXIDE NANOPARTICLES: SYNTHESIS AND DISPERSION IN POLYMERIC COATINGS |
| ADP014259 | MECHANICAL BEHAVIOR OF POLYMER NANOCOMPOSITES: A DISCRETE SIMULATION APPROACH |
| ADP014260 | NANOPHASE ALUMINA/POLY(L-LACTIC ACID) COMPOSITE SCAFFOLDS FOR BIOMEDICAL APPLICATIONS |
| ADP014261 | MECHANICAL AND THERMOVISCOELASTIC BEHAVIOR OF CLAY/EPOXY NANOCOMPOSITES |
| ADP014262 | PREPARATION AND CHARACTERIZATION OF ALUMINA BASED TINN AND SICN COMPOSITES |
| ADP014263 | SYNTHESIS AND CHARACTERIZATION OF METAL NANOPARTICLES AND THE FORMATION OF METAL-POLYMER NANOCOMPOSITES |
| ADP014264 | MODELING MECHANICAL PROPERTIES OF CARBON MOLECULAR CLUSTERS AND CARBON NANOSTRUCTURAL MATERIALS |
| ADP014265 | MODELING SELF-ASSEMBLY OF NANOPARTICLE STRUCTURES: SIMULATION OF NANOPARTICLE CHEMICAL POTENTIALS IN POLYMER-NANOPARTICLE MIXTURES |
| ADP014266 | DENSIFICATION AND SINTERING OF A MICROWAVE-PLASMA-SYNTHESIZED IRON NANOPOWDER |
| ADP014267 | A SEMICONDUCTOR NANO-PATTERNING APPROACH USING AFM-SCRATCHING THROUGH OXIDE THIN LAYERS |
| ADP014268 | NANOINDENTATION TECHNIQUE AT INVESTIGATING OF ALUMINUM OXIDE - CRC NANOPARTICLES COMPOSITE COATING |
| ADP014269 | MULTILAYERS BY SELF-ASSEMBLY |
| ADP014270 | ADHESION OF HVOF SPRAYED DIAMOND-CONTAINING NANOSTRUCTURED COMPOSITE COATING |
| ADP014271 | RHEOLOGICAL BEHAVIOUR AND MODEL OF METAL - POLYMER - CERAMIC COMPOSITE |
| ADP014272 | SYNTHESIS OF AEROGEL-METAL CLUSTER COMPOSITES BY GAMMA RADIOLYSIS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 3 of 23

| ADP014273 | SYNTHESIS OF ZEOLITE Y NANOCRYSTALS FROM CLEAR SOLUTIONS |
|-----------|---|
| ADP014274 | MOLECULAR DYNAMICS SIMULATIONS ON NANOCOMPOSITES FORMED BY INTERMETALLIC DISPERSOIDS OF L1(2) TYPE AND ALUMINUM MATRICES |
| ADP014275 | CONDENSATION OF CARBON VAPOUR IN THE MICROWAVE OVEN |
| ADP014276 | STRUCTURE AND ELASTIC PROPERTIES OF IMMISCIBLE LDPE-PP BLENDS: DEPENDENCE ON COMPOSITION |
| ADP014277 | DEFORMATION-INDUCED CRYSTALLIZATION AND AMORPHIZATION OF AL- BASED METALLIC GLASSES |
| ADP014278 | ATOMISTICALLY INFORMED CONTINUUM MODEL OF POLYMER-BASED NANOCOMPOSITES |
| ADP014279 | CONTINUUM MECHANICS-DISCRETE DEFECT MODELING AND BUBBLE RAFT SIMULATION OF CRACKED SPECIMEN RESPONSE IN NANOSCALE GEOMETRIES |
| ADP014280 | INTERFACIAL CONTROL OF CREEP DEFORMATION IN ULTRAFINE LAMELLAR TIA1 |
| ADP014281 | STRUCTURE AND CHARACTERIZATION OF SOL-GEL AND AEROGEL MATERIALS AND OXIDATION PRODUCTS FROM THE REACTION OF (CH3O)4SI AND C16H33SI(OCH3)3 |
| ADP014282 | RED SHIFT IN OPTICAL ABSORPTION TALL AND SUPERPARAMAGNETISM OF GAMMA-FE2O3 NANOPARTICLES IN A POLYMER MATRIX |
| ADP014283 | NANOMECHANICAL CHARACTERIZATION ON ZINC AND TIN OXIDES NANOBELTS |
| ADP014284 | ANOMALOUS X-RAY SCATTERING FOR DETERMINATION OF NANOSTRUCTURED ALLOY FORMATION AND SITE-SPECIFIC CHEMISTRY OF BRAGG PEAK |
| ADP014285 | FABRICATION OF ISOLATED FERROELECTRIC NANOSTRUCTURES |
| ADP014286 | FORMATION, MECHANICAL AND ELECTRICAL PROPERTIES OF NI-BASED AMORPHOUS ALLOYS AND THEIR NANOCRYSTALLINE STRUCTURE |
| ADP014287 | SYNTHESIS OF NOVEL VANADIUM OXIDE NANOTUBES AND NANOFIBERS |
| ADP014288 | SILVER NANODISK: SYNTHESIS, CHARACTERIZATION AND SELF-ASSEMBLY |
| ADP014289 | RADIOLYTIC SYNTHESIS OF BIMETALLIC NANOPARTICLES WITH HIGH ASPECT RATIO |
| ADP014290 | FLUORINATED SINGLE WALL NANOTUBE/POLYETHYLENE COMPOSITES FOR MULTIFUNCTIONAL RADIATION PROTECTION |
| ADP014291 | DAMPING AND STIFFNESS ENHANCEMENT IN COMPOSITE SYSTEMS WITH CARBON NANOTUBES FILMS |
| ADP014292 | IN-SITU PREPARATION OF POLYMER-COATED ZIRCONIA NANOPARTICLES BY DECOMPOSITION OF ZIRCONIUM-TERT-BUTOXIDE |
| ADP014293 | SIMULATION OF CARBON NANOTUBE PULL-OUT WHEN BONDED TO A POLYMER MATRIX |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 4 of 23

| ADP014294 | A STUDY OF HYDROGEN ADSORPTION IN PRETREATED NANOCARBON |
|-----------|---|
| ADP014295 | AN APPROACH TO NANOGLASSES THROUGH ANODIC OXIDATION OF SPUTTERED ALUMINUM ON GLASS SURFACE |
| ADP014296 | GROWTH OF CARBON NANOFIBERS ON ELECTROLESS NI-P ALLOY CATALYST |
| ADP014297 | MATERIAL PROPERTIES AND PROCESS COMPATIBILITY OF SPIN-ON NANO- FOAMED POLYBENZOXAZOLE FOR COPPER DAMASCENE PROCESS |
| ADP014298 | FERROMAGNETIC SHAPE MEMORY OF NANOSTRUCTURE FE-PD ALLOY: THE TEXTURE OBSERVATION STUDY BY LASER AND ELECTRONIC MICROSCOPES |
| ADP014299 | STOICHIOMETRY, CRYSTALLINITY, AND NANO-SCALE SURFACE MORPHOLOGY OF THE GRADED CALCIUM PHOSPHATE-BASED BIO-CERAMIC INTERLAYER ON TI-A1-V |
| ADP014300 | PREFERRED ORIENTATION IN FIBERS OF HIPCO SINGLE WALL CARBON NANOTUBES FROM DIFFUSE X-RAY SCATTERING |
| ADP014301 | POLYMER-ATTACHED FUNCTIONAL INORGANIC-ORGANIC HYBRID NANO- COMPOSITE AEROGELS |
| ADP014302 | NANOCOMPOSITE FIBERS |
| ADP014303 | SIMULATION OF MORPHOLOGY AND SURFACE VIBRATION IN COPPER AND GOLD NANOPARTICLES |
| ADP014304 | COMPRESSIVE BEHAVIOR FOR SURFACE-NANOCRYSTALLIZED AL-ALLOY MATERIAL |
| ADP014305 | PLASTIC RELAXATION MECHANICS IN SYSTEMS WITH A TWIST-BONDED LAYER |
| ADP014306 | ORIGIN OF THE MAGNETIC PROXIMITY EFFECT |
| ADP014307 | SIMULATIONS OF THE DOMAIN STATE MODEL |
| ADP014308 | EXCHANGE BIAS AND TRAINING EFFECT IN POLYCRYSTALLINE ANTIFERROMAGNETIC/FERROMAGNETIC BILAYERS |
| ADP014309 | ROTATING ANISOTROPIES WITHOUT SUPERPARAMAGNETIC GRAINS IN EXCHANGE BIAS SYSTEMS |
| ADP014310 | INTERDIFFUSION, CRYSTALLINITY AND EXCHANGE BIAS IN MN(X)PT(1-X)/CO BILAYERS |
| ADP014311 | CRYSTAL-FIELD EFFECT ON MAGNETIC MOMENT AND EXCHANGE-COUPLING FOR FE/W(100) AND FE/W(110) |
| ADP014312 | CORRELATION BETWEEN MAGNETIC PROPERTY AND CATION DISTRIBUTION IN Z-TYPE HEXAGONAL BARIUM-FERRITE (BA3CO(2-X)FE(24+X)O41) BY NEUTRON DIFFRACTION |
| ADP014313 | NONSTOICHIOMETRY OF EPITAXIAL FETIO(3+DELTA) FILMS |
| ADP014314 | MICROSTRUCTURE AND MAGNETIC PROPERTY OF L10 COPT-20 AT.% C MAGNETIC THIN FILM |
| ADP014315 | ROLE OF SPIN MOMENTUM CURRENT IN MAGNETIC NON-LOCAL DAMPING OF |
| | |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 5 of 23

| • | |
|-----------|--|
| | ULTRATHIN FILM STRUCTURES |
| ADP014316 | STUDY OF THE LOW FIELD MICROWAVE RESPONSE IN YTTRIUM ALUMINATES DILUTELY DOPED WITH MANGANESE |
| ADP014317 | DOMAIN WALL MAGNETORESISTANCE AND COMPLEX MAGNETIC RESPONSE IN ANTIFERROMAGNETICALLY COUPLED FE/CR MULTILAYERS |
| ADP014318 | ANNEALING OF CO(X)CU(1-X)/CU MULTILAYERS |
| ADP014319 | MAGNETORESISTANCE AND HALL EFFECT CHARACTERISATION ON MAGNETIC THIN FILMS MULTILAYERS |
| ADP014320 | AB INITIO STUDY OF CPP TRANSPORT IN FE/CR/FE TRILAYERS: INFLUENCE OF TRANSITION METAL IMPURITIES |
| ADP014321 | AB-INITIO THEORY OF CPP TRANSPORT |
| ADP014322 | IN-PLANE TRANSPORT OF DOPED MANGANITE TRILAYERS |
| ADP014323 | COMPLEX MAGNETIC RESPONSE IN MAGNETIC TUNNEL JUNCTIONS DETERMINED VIA MAGNETIC AND TRANSPORT MEASUREMENTS |
| ADP014324 | BISTABLE MEMORY EFFECT IN CHROMIUM OXIDE JUNCTIONS |
| ADP014325 | NANOSCALE ANALYSIS OF A CO-SRTIO3 INTERFACE IN A MAGNETIC TUNNEL JUNCTION |
| ADP014326 | OBSERVATION OF THE VERWEY TRANSITION IN FE3O4 NANOCRYSTALS |
| ADP014327 | DOUBLE QUANTUM WIRE MAGNETIC RESPONSE |
| ADP014328 | FERROMAGNETIC SINGLE-ELECTRON TRANSISTOR WITH RC GATE |
| ADP014329 | METAL/SELF-ASSEMBLED MONOLAYER/METAL JUNCTIONS FOR MAGNETOELECTRONIC APPLICATIONS |
| ADP014330 | RECENT DEVELOPMENTS IN MAGNETIC RECORDING HEADS |
| ADP014331 | MICROMAGNETIC SIMULATION OF THERMAL EFFECTS IN MAGNETIC NANOSTRUCTURES |
| ADP014332 | PRECESSIONAL STRATEGIES FOR THE ULTRAFAST SWITCHING OF SOFT AND HARD MAGNETIC NANOSTRUCTURES |
| ADP014333 | INERT GAS CONDENSATION OF IRON AND IRON-OXIDE NANOPARTICLES |
| ADP014334 | CHEMICALLY FUNCTIONAL ALKANETHIOL DERIVITIZED MAGNETIC NANOPARTICLES |
| ADP014335 | MAGNETIC PROPERTIES OF NI NANOPARTICLES EMBEDDED IN AMORPHOUS SIO2 |
| ADP014336 | A SMALL ANGLE POLARIZED NEUTRON SCATTERING INVESTIGATION OF MAGNETIC CORRELATIONS IN NANOCRYSTALLINE FE89ZR7B3CU1 |
| ADP014337 | MOSSBAUER CHARACTERIZATION OF IRON OXIDE NANOCLUSTERS GROWN WITHIN ALUMINOSILICATE MATRICES |
| ADP014338 | HALF-INTEGER SPIN MOLECULAR NANOMAGNETS |
| ADP014339 | DEFECTS, TUNNELING, AND EPR SPECTRA OF SINGLE-MOLECULE MAGNETS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 6 of 23

| ADP014340 | SINGLE CRYSTAL HIGH FREQUENCY CAVITY-BASED EPR SPECTROSCOPY OF SINGLE MOLECULE MAGNETS |
|-----------|---|
| ADP014341 | QUANTUM COMPUTING: FROM BRAGG REFLECTIONS TO DECOHERENCE ESTIMATES |
| ADP014393 | EXTRACELLULAR MATRIX MOLECULES INVOLVED IN BARNACLE SHELL MINERALIZATION |
| ADP014394 | MOLECULAR MECHANISM OF BACTERIAL MAGNETITE FORMATION AND ITS APPLICATION |
| ADP014395 | MECHANICAL AND MICROSTRUCTURAL PROPERTIES OF STRATUM CORNEUM |
| ADP014396 | BIOLOGICALLY-BASED SELF-ASSEMBLING HYDROGELS |
| ADP014397 | SELF-ASSEMBLY OF A MODULAR POLYPEPTIDE BASED ON BLOCKS OF SILK- MIMETIC AND ELASTIN-MIMETIC SEQUENCES |
| ADP014398 | IN VITRO VASCULAR CELL ADHESION AND PROLIFERATION ON ALKALINE DEGRADED POLY-LACTIC/GLYCOLIC ACID POLYMERS |
| ADP014399 | NANOSCALE PATTERNING OF ANTIGEN ON SILICON SUBSTRATE TO EXAMINE MAST CELL ACTIVATION |
| ADP014400 | FORMATION, CHARACTERIZATION, PROTEIN RESISTANCE, AND REACTIVITY OF CI3SI(CH2)11(OCH2CH2)3OH SELF-ASSEMBLED MONOLAYERS |
| ADP014401 | HELICAL, DISORDERED, AND WHAT THAT MEANS: STRUCTURAL CHARACTERIZATION OF A NEW SERIES OF METHYL 1-THIAOLIGO(ETHYLENE OXIDE) SELF-ASSEMBLED MONOLAYERS |
| ADP014402 | SELECTIVITY OF POLYPEPTIDE BINDING TO NANOSCALE SUBSTRATES |
| ADP014403 | DEVELOPING BIO-STABLE AND BIODEGRADABLE COMPOSITES FOR TISSUE REPLACEMENT AND TISSUE REGENERATION |
| ADP014404 | EFFECTS OF COUNTERFACE ROUGHNESS AND CONFORMITY ON THE TRIBOLOGICAL PERFORMANCE OF CROSSLINKED AND NON-CROSSLINKED MEDICAL-GRADE ULTRA-HIGH MOLECULAR WEIGHT POLYETHYLENE |
| ADP014405 | EFFECTS OF IONIC FLOW AND AMELOGENINS ON THE LENGTHWISE GROWTH OF OCTACALCIUM PHOSPHATE CRYSTALS IN A MODEL SYSTEM OF TOOTH ENAMEL FORMATION |
| ADP014406 | MAGNETIC MATERIAL ARRANGEMENT IN APIS MELLIFERA ABDOMENS |
| ADP014407 | MICROSTRUCTURE AND THERMAL EXPANSION PROPERTIES OF OSTRICH EGGSHELL |
| ADP014408 | THERMAL PROPERTIES OF MINERALIZED AND NON MINERALIZED TYPE I COLLAGEN IN BONE |
| ADP014409 | TISSUE ENGINEERING OF FIBROBLAST CONSTRUCTS AND ANISOTROPIC COLLAGEN GELS |
| ADP014410 | THE INVESTIGATION ON PREPARATION & PHYSICOCHEMICAL PROCESS OF NANOSIZED HYDROXYAPATITE POWDER |
| ADP014411 | SPATIO-TEMPORAL PATTERNS IN FERRITIN CRYSTAL GROWTH |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 7 of 23

| ADP014412 | INFLUENCE OF DNA, ALGINATE, LYSOZYME AND BOVINE SERUM ALBUMIN ON SODIUM SILICATE CONDENSATION |
|-----------|--|
| ADP014413 | COLORIMETRIC BIOSENSOR VESICLES FOR BIOTECHNOLOGICAL APPLICATIONS |
| ADP014414 | SELF-ASSEMBLY OF HYDROGELS FROM ELASTIN-MIMETIC BLOCK COPOLYMERS |
| ADP014415 | LIPID EXCHANGE RATES OF CONVENTIONAL AND POLYMER STABILIZED LIPOSOMES |
| ADP014416 | SYNTHESIS OF BIOCOMPATIBLE SURFACES BY DIFFERENT TECHNIQUES |
| ADP014417 | ANTIMICROBIAL COATINGS OBTAINED IN AN ATMOSPHERIC PRESSURE DIELECTRIC BARRIER GLOW DISCHARGE |
| ADP014418 | CALCIUM CARBONATE REINFORCED NATURAL POLYMER COMPOSITE FOR BONE GRAFTS |
| ADP014419 | BIOMIMETIC NETWORKS FOR SELECTIVE RECOGNITION OF BIOMOLECULES |
| ADP014420 | MICROCONTACT PRINTING VIA A POLYMER-INDUCED LIQUID-PRECURSOR (PILP) PROCESS |
| ADP014421 | THE EFFECTS OF CHARGE SEPARATION IN QUATERNARY AMMONIUM, DABCO- CONTAINING POLYMERS ON IN VITRO TOXICITY AND GENE DELIVERY |
| ADP014422 | ORAL ADMINISTRATION OF CHEMOTHERAPEUTIC AGENTS USING COMPLEXATION HYDROGELS |
| ADP014423 | POLY(GLYCEROL SEBACATE) - A NOVEL BIODEGRADABLE ELASTOMER FOR TISSUE ENGINEERING |
| ADP014424 | HONEYCOMB FILMS OF BIODEGRADABLE POLYMERS FOR TISSUE ENGINEERING |
| ADP014480 | SUBPICOSECOND LUMINESCENCE STUDIES OF CARRIER DYNAMICS IN NITRIDE SEMICONDUCTORS GROWN HOMOEPITAXIALLY BY MBE ON GAN TEMPLATES |
| ADP014598 | A STATISTICIAN'S PLACE IN ASSESSING THE LIKELY OPERATIONAL PERFORMANCE OF ARMY WEAPONS AND EQUIPMENT |
| ADP014599 | APPLICATION OF 2 8-4 FRACTIONAL FACTORIALS IN SCREENING OF VARIABLE AFFECTING THE PERFORMANCE OF DRY PROCESS ZINC BATTERY ELECTRODES |
| ADP014600 | APPLICATIONS OF THE CALCULUS OF FACTORIAL ARRANGEMENTS. I. BLOCK AND DIRECT PRODUCT DESIGNS |
| ADP014601 | STATISTICAL DESIGN OF EXPERIMENTS FOR CONTINUOUS DATA |
| ADP014602 | COMMENTS ON PRESENTATION BY PAUL COX |
| ADP014603 | COMMENTS ON PRESENTATION BY PAUL COX |
| ADP014604 | COMMENTS ON PRESENTATION BY PAUL COX |
| ADP014605 | COMMENTS ON PRESENTATION BY PAUL COX |

© 2025 <u>DoDreport.com</u>. All Rights Reserved.

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 8 of 23

| ADP014606 | COMMENTS ON PRESENTATION BY PAUL COX |
|-----------|---|
| ADP014607 | THE INDEPENDENT ACTION THEORY OF MORTALITY AS TESTED AT FORT DETRICK |
| ADP014608 | ANALYSIS OF A FUNCTION IN COLLABORATIVE EXPERIMENTATION |
| ADP014609 | DESIGN AND ANALYSIS OF ENTOMOLOGICAL FIELD EXPERIMENTS |
| ADP014610 | COMPARISON OF APPROACHES TO OBTAINING A TRANSFORMATION MATRIX EFFECTING A FIT TO A FACTOR SOLUTION OBTAINED IN A DIFFERENT SAMPLE |
| ADP014611 | SOME LEAST-SQUARES TRANSFORMATIONS OF REGRESSION ESTIMATORS OF ORTHOGONAL FACTORS |
| ADP014612 | A RELIABILITY TEST METHOD FOR "ONE-SHOT" ITEMS |
| ADP014613 | INVESTIGATION IN TEMPERATURE CONTROL OF HYDRAULIC SYSTEMS IN ROUGH TERRAIN FORK TRUCKS |
| ADP014614 | PRECISION OF SIMULTANEOUS MEASUREMENT PROCEDURES |
| ADP014615 | APPLIED MICROSCOPY |
| ADP014616 | REDUNDANCES IN HUMAN BIOMECHANICS AND THEIR APPLICATION IN ASSESSING MILITARY MAN-TASK DISABILITY PERFORMANCE RESULTING FROM BALLISTIC AGENTS |
| ADP014617 | HALT-NORMAL PLOTS FOR MULTI-LEVEL FACTORIAL EXPERIMENTS |
| ADP014618 | PROPORTIONAL FREQUENCY DESIGNS |
| ADP014619 | OPTIMAL DESIGN OF EXPERIMENTS |
| ADP014620 | VIBRATION EXPERIMENTS |
| ADP014621 | SIZE EFFECTS IN THE MEASUREMENT OF SOIL STRENGTH PARAMETERS |
| ADP014622 | EFFECTIVENESS OF CERTAIN EXPERIMENTAL PLANS UTILIZED IN SENSORY EVALUATIONS |
| ADP014623 | AN EVALUATION OF RADIATION-PROCESSED FOODS FOR MILITARY RATIONS |
| ADP014624 | A CRITIQUE OF THE EVIDENCE RELATING DIET AND CORONARY HEART DISEASE |
| ADP014625 | SOME CONSEQUENCES OF SOME ASSUMPTIONS WITH RESPECT TO THE PHYSICAL DECAL OF A CHAMBER AEROSOL CLOUD |
| ADP014626 | THE ROLE OF INTUITION IN THE SCIENTIFIC METHOD |
| ADP014627 | HOW TO DESIGN WAR GAMES TO ANSWER RESEARCH QUESTIONS |
| ADP014628 | EVALUATION OF PERFORMANCE RELIABILITY USING REGRESSION MODELS |
| ADP014629 | COMPUTER SIMULATION IN RELIABILITY |
| ADP014630 | BIOASSAY: THE QUANTAL RESPONSE ASSAY |
| ADP014632 | CHALLENGES AND OPPORTUNITIES FOR INP HBT MIXED SIGNAL CIRCUIT TECHNOLOGY |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 9 of 23

| ADP014788 | MACROSCOPIC MODELS OF RADIATIVE TRANSFER AS APPLIED TO COMPUTATION OF THE RADIATION FIELD IN THE SOLAR ATMOSPHERE |
|-----------|--|
| ADP014789 | SUBGRID SCALE MODELING IN SOLAR CONVECTION SIMULATIONS USING THE ASH CODE |
| ADP014790 | DYNAMIC TURBULENCE MODELLING IN LARGE-EDDY SIMULATIONS OF THE CLOUD-TOPPED ATMOSPHERIC BOUNDARY LAYER |
| ADP014791 | PARTICLE SIZE DISTRIBUTIONS IN ATMOSPHERIC CLOUDS |
| ADP014792 | SIMULATION OF INVISCID COMPRESSIBLE MULTI-PHASE FLOW WITH CONDENSATION |
| ADP014793 | LARGE-EDDY SIMULATION OF STRATOCUMULUS-TOPPED ATMOSPHERIC BOUNDARY LAYERS WITH DYNAMIC SUBGRID-SCALE MODELS |
| ADP014794 | NUMERICAL SIMULATION OF PROTOPLANETARY VORTICES |
| ADP014795 | THE EFFECT OF SURFACE TOPOGRAPHY ON THE NONLINEAR DYNAMICS OF ROSSBY WAVES |
| ADP014796 | NONLINEAR GULF STREAM INTERACTION WITH THE DEEP WESTERN BOUNDARY CURRENT SYSTEM: OBSERVATIONS AND A NUMERICAL SIMULATION |
| ADP014797 | NUMERICAL SIMULATION OF REGIONAL CIRCULATION IN THE MONTEREY BAY REGION |
| ADP014798 | TESTING OF RANS TURBULENCE MODELS FOR STRATIFIED FLOWS BASED ON DNS DATA |
| ADP014799 | UNSTRUCTURED LES OF REACTING MULTIPHASE FLOWS IN REALISTIC GAS TURBINE COMBUSTORS |
| ADP014800 | A EULERLAN-LAGRANGIAN MODEL TO SIMULATE TWO-PHASE/PARTICULATE FLOWS |
| ADP014801 | NEW TYPE OF THE INTERFACE EVOLUTION IN THE RICHTMYER-MESHKOV INSTABILITY |
| ADP014802 | MODELING PRIMARY BREAKUP: A THREE-DIMENSIONAL EULERIAN LEVEL SET/VORTEX SHEET METHOD FOR TWO-PHASE INTERFACE DYNAMICS |
| ADP014803 | FRAGMENTATION UNDER THE SCALING SYMMETRY AND TURBULENT CASCADE WITH INTERMITTENCY |
| ADP014804 | "HYPOTHETICAL" HEAVY PARTICLES DYNAMICS IN LES OF TURBULENT DISPERSED TWO-PHASE CHANNEL FLOW |
| ADP014805 | A DOMAIN DECOMPOSITION PARALLELIZATION OF THE FAST MARCHING METHOD |
| ADP014806 | A CARTESIAN ADAPTIVE LEVEL SET METHOD FOR TWO-PHASE FLOWS |
| ADP014807 | TURBULENT MIXING OF MULTIPHASE FLOW |
| ADP014808 | THE EFFECT OF THE DENSITY RATIO ON THE NONLINEAR DYNAMICS OF THE UNSTABLE FLUID INTERFACE |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 10 of 23

| ADP014809 | QUADRATURE MOMENTS METHOD FOR THE SIMULATION OF TURBULENT REACTIVE FLOWS |
|-----------|--|
| ADP014810 | A SELF-CONTAINED MAPPING CLOSURE APPROXIMATION FOR SCALAR MIXING |
| ADP014811 | STOCHASTIC MIXING MODEL WITH POWER LAW DECAY OF VARIANCE |
| ADP014812 | LARGE-EDDY SIMULATION OF CONDUCTIVE FLOWS AT LOW MAGNETIC REYNOLDS NUMBER |
| ADP014813 | DNS AND LES OF A SHEAR-FREE MIXING LAYER |
| ADP014814 | ON THE COMPUTATION OF SPACE-TIME CORRELATIONS BY LARGE-EDDY SIMULATION |
| ADP014815 | GRID-INDEPENDENT LARGE-EDDY SIMULATION IN TURBULENT CHANNEL FLOW USING THREE-DIMENSIONAL EXPLICIT FILTERING |
| ADP014816 | ADVANCED SIGNAL PROCESSING FOR INTEGRATED LES-RANS SIMULATIONS: ANTI-ALIASING FILTERS |
| ADP014817 | INTEGRATED RANS-LES COMPUTATIONS OF TURBOMACHINERY COMPONENTS: GENERIC COMPRESSOR/DIFFUSER |
| ADP014818 | TOWARD IMMERSED BOUNDARY SIMULATION OF HIGH REYNOLDS NUMBER FLOWS |
| ADP014819 | NUMERICAL AND EXPERIMENTAL INVESTIGATION OF THE TURBULENT FLOW IN A RIBBED SERPENTINE PASSAGE |
| ADP014820 | RANS SIMULATION OF THE SEPARATED FLOW OVER A BUMP WITH ACTIVE CONTROL |
| ADP014821 | CONSTRAINED AEROACOUSTIC SHAPE OPTIMIZATION USING THE SURROGATE MANAGEMENT FRAMEWORK |
| ADP014822 | ROUGH-WALL CHANNEL ANALYSIS USING SUBOPTIMAL CONTROL THEORY |
| ADP014823 | UNFOLDING OF PROTEINS: THERMAL AND MECHANICAL UNFOLDING |
| ADP014824 | NUMERICAL SIMULATION OF HIGH DRAG REDUCTION IN A TURBULENT CHANNEL FLOW WITH POLYMER ADDITIVES |
| ADP014825 | MHD TURBULENCE AT MODERATE MAGNETIC RAYNOLDS NUMBER |
| ADP014826 | LINEARLY FORCES ISOTROPIC TURBULENCE |
| ADP014827 | TRANSITION IN HYPERSONIC FLOWS INCLUDING HIGH-TEMPERATURE GAS EFFECTS |
| ADP014936 | PROPERTIES OF PLANAR SURFACE WAVE EXCITED PLASMA |
| ADP014937 | PLASMA PHASE TRANSITION IN DENSE HYDROGEN AND ELECTRON-HOLE PLASMAS |
| ADP014938 | TRANSPORT PROPERTIES OF DENSE LASER PLASMAS |
| ADP014939 | THE MAGNETISED PLASMA-WALL TRANSITION: THEORY AND PIC SIMULATION |
| ADP014940 | PLASMA-BASED STERILIZATION |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 11 of 23

| ADP014941 | PLASMA PROCESSING OF MATERIALS AT THE ATOMIC SCALE |
|-----------|--|
| ADP014942 | PRACTICAL PLASMA IMMERSION ION IMPLANTATION FOR STRESS REGULATION TREATMENT OF INSULATORS AND COMPLEX SHAPES |
| ADP014943 | ANALYTICAL AND NUMERICAL STUDIES OF NON-STATIONARY CORONA IN LONG AIR GAPS |
| ADP014944 | NON-STATIONARY CORONA AROUND MULTI-ELECTRODE SYSTEM IN EXTERNAL ELECTRIC FIELD |
| ADP014945 | INVESTIGATION OF A PULSED POSITIVE CORONA IN MULTIPOINT-TO-PLANE CONFIGURATION |
| ADP014946 | SPONTANEOUS BRANCHING OF ANODE-DIRECTED DISCHARGE STREAMERS: CONFORMAL ANALYSIS AND NUMERICAL RESULTS |
| ADP014947 | COMPARISON OF EXPERIMENTAL MEASUREMENTS AND THEORETICAL DESCRIPTION FOR CATHODE-DIRECTED STREAMER |
| ADP014948 | MECHANISM OF NEGATIVE CORONA PULSES IN CO2 - SF6 MIXTURES |
| ADP014949 | SYNCHRONIZED GENERATION OF POSITIVE SURFACE STREAMER DISCHARGE IN ATMOSPHERE |
| ADP014950 | VACUUM BREAKDOWN OF SUB-MICROMETER GAP WITH POINTED ELECTRODE |
| ADP014951 | INVESTIGATION OF NONSTATIONARY MODES OF ATMOSPHERIC PRESSURE NEEDLE-TO-PLANE GAS DISCHARGE AND STREAMER PROPAGATION |
| ADP014952 | OZONE SYNTHESIS IN ATMOSPHERIC PRESSURE NEEDLE-TO-PLANE GAS DISCHARGE |
| ADP014953 | 2D STRUCTURE OF NITROGEN MOLECULAR BANDS RADIATION OF MICRODISCHARGES IN DBD IN N2-O2 MIXTURES: EXPERIMENTAL RESULTS |
| ADP014954 | TWO-DIMENSIONAL STRUCTURE OF NITROGEN MOLECULAR BANDS RADIATION OF MICRODISCHARGES IN DBD IN N2-O2 MIXTURES: NUMERICAL MODEL |
| ADP014955 | BEHAVIOUR OF DIELECTRIC BARRIER DISCHARGES IN NITROGEN/OXYGEN MIXTURES |
| ADP014956 | DIFFUSE DIELECTRIC BARRIER DISCHARGES IN NITROGEN-CONTAINING GAS MIXTURE |
| ADP014957 | SPATIO-TEMPORAL DEVELOPMENT OF THE DIFFUSE BARRIER DISCHARGE IN NITROGEN |
| ADP014958 | WIDENING OF THE ELECTRON AVALANCHE IN A BARRIER DISCHARGE DUE TO THE PHOTOEMISSION |
| ADP014959 | ON THE RADIAL INSTABILITY OF A HOMOGENEOUS BARRIER DISCHARGE IN NITROGEN |
| ADP014960 | OPTICAL DIAGNOSTICS OF ATMOSPHERIC PRESSURE GLOW DISCHARGE IN NITROGEN WITH ADMIXTURE OF ORGANOSILICON |
| ADP014961 | STUDY OF A HELIUM ATMOSPHERIC PRESSURE DIELECTRIC BARRIER DISCHARGE AT 100 KHZ |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 12 of 23

| ADP014962 | DETERMINATION OF GAS TEMPERATURE IN CATHODE FALL OF THE SELF- SUSTAINED NORMAL ATMOSPHERIC PRESSURE DC GLOW DISCHARGE |
|-----------|--|
| ADP014963 | COMPARISON OF PARALLEL AND SERIAL RESONANCE CIRCUITS FOR GENERATION OF SURFACE BARRIER DISCHARGES |
| ADP014965 | INTERPRETATION OF THE CURRENT SIGNAL COLLECTED FROM SURFACE BARRIER DISCHARGE ELECTRODES |
| ADP014966 | THE INCORPORATION OF HEATING EFFECTS IN ATMOSPHERIC PRESSURE GAS DISCHARGE |
| ADP014967 | DC DIAPHRAGM DISCHARGE IN WATER SOLUTIONS |
| ADP014968 | IMPROVEMENT IN THE PERFORMANCE BY CHANGING ELECTRODE SHAPE IN BARRIER DISCHARGE TYPE ESP |
| ADP014969 | THE ION FUNCTIONS OF ONE-DIMENSIONAL ACTIVE PLASMA LAYER OF HIGH- CURRENT GAS DISCHARGES |
| ADP014970 | THERMO FIELD EMISSION IN HIGH CURRENT ARC DISCHARGE |
| ADP014971 | EXPERIMENTAL STUDY OF SOLAR ARRAY-PLASMA INTERACTION |
| ADP014972 | BEHAVIOUR OF THE CATHODE ACTIVE SURFACE TEMPERATURE IN THE STEADY-STATE DIFFUSE MODE OF HID LAMPS |
| ADP014973 | HIGH INTENSITY ARC BY MEANS OF THE HEAD-ON COLLISION OF TWO SUPERSONIC JETS |
| ADP014974 | MODELLING OF AXIAL MAGNETIC FIELD EFFECT ON ELECTRIC ARC IN ABLATION CAPILLARIES |
| ADP014975 | TIME RESOLVED RECORDING OF ARC SPOT FORMATION ON COLD CATHODES |
| ADP014976 | AG-DLC TRIBOLOGICAL FILM DEPOSITION BY DOUBLE THERMIONIC VACUUM ARC |
| ADP014977 | PLASMA OF FREE BURNING ELECTRIC ARC BETWEEN COMPOSITION ELECTRODES IN AIR |
| ADP014978 | ON THE NATURE OF THE VOLTAGE FLUCTUATIONS IN THE PLASMATRON WITH SELF-ESTABLISHED ARC LENGTH |
| ADP014979 | EXPERIMENTAL DETERMINATION OF TEMPERATURE ELECTRONIC DENSITY AND AIR PUMPING IN AN OXYGEN PLASMA CUTTING ARC |
| ADP014980 | METALLIC ATOMS CONCENTRATIONS MEASUREMENTS IN AN INDUSTRIAL LOW VOLTAGE CIRCUIT BREAKER USING BROAD BAND ABSORPTION SPECTROSCOPY |
| ADP014981 | A BROAD BAND RADIATION SOURCE FOR OPTICAL ABSORPTION SPECTROSCOPY MEASUREMENTS IN SINGLE SHOT TRANSIENT MEDIA |
| ADP014982 | EMISSION SPECTROSCOPY INVESTIGATION ON THE LOW VOLTAGE CIRCUIT BREAKER |
| ADP014983 | A STUDY OF THE CHARACTERISTICS OF THE PLASMA AIR ARC USED FOR CUTTING METALS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 13 of 23

| ADP014984 | LASER EXPOSURE OF HIGH-PRESSURE ARC ELECTRODES |
|-----------|---|
| ADP014985 | ON THE ELECTRODE SHEATH VOLTAGE IN HIGH-PRESSURE ARGON XENON AND MERCURY DISCHARGES |
| ADP014986 | PLATEAU VARIATION OF ARC CURRENT NEAR THE INTERRUPTION LIMIT IN A GAS CIRCUIT BREAKER |
| ADP014987 | THE "HUNTING EFFECT" IN THE CATHODE REGION OF A VACUUM ARC |
| ADP014988 | VERY-NEAR-FIELD PLUME MODEL OF A HALL THRUSTER |
| ADP014989 | DOUBLE SHEATH ASSOCIATED WITH NEGATIVE ION EXTRACTION FROM A PLASMA CONTAINING NEGATIVE IONS |
| ADP014990 | RADIOFREQUENCY GLOW DISCHARGES USED FOR OPTICAL EMISSION SPECTROSCOPY: AN EXPERIMENTAL AND ANALYTICAL APPROACH |
| ADP014991 | SURFACE DESTRUCTION AND CHANGE OF SOLIDS PROPERTIES UNDER THE PLASMA INFLUENCE |
| ADP014992 | N+ ION IMPLANTATION EFFECTS ON MICROHARDNESS PROPERTIES OF STAINLESS STEEL 52100 |
| ADP014993 | CHARACTERISTICS OF PULSE MAGNETRON DISCHARGE WITH POWER SUPPLY FROM A CAPACITOR ENERGY STORAGE |
| ADP014994 | ON THE WORKING REGIME OF A PULSED DUOPIGATRON ION SOURCE |
| ADP014995 | A PLASMA SOURCE WITH LAB6 HOLLOW CATHODE FOR A DIAGNOSTIC BEAM INJECTOR |
| ADP014996 | ELECTRICAL DIAGNOSTICS OF A MACROSCOPIC RF PLASMA DISPLAY PANEL CELL |
| ADP014997 | ION HEATING IN A SUPERSONIC PLASMA FLOW FOR AN ADVANCED PLASMA THRUSTER |
| ADP014998 | OSCILLATIONS OF THE POSITIVE COLUMN PLASMA CAUSED BY PROPAGATION OF IONIZATION WAVE AND THE TWO-DIMENSIONAL STRUCTURE OF STRIATIONS |
| ADP014999 | HALL-MHD SURFACE WAVES IN FLOWING SOLAR-WIND PLASMA SLAB |
| ADP015000 | A NEW EXPLANATION OF THE INSTABILITY OF HIGH INTENSITY DISCHARGE OPERATED IN HIGH FREQUENCY |
| ADP015001 | MOVING STRIATIONS IN A LOW-PRESSURE ARGON PLANE DISCHARGE. SELF- CONSISTENT KINETIC MODEL |
| ADP015002 | SELF-CONSISTENT KINETIC APPROACH TO STRATIFIED REGIMES OF A LOW- PRESSURE SPHERICAL DISCHARGE |
| ADP015003 | AUTO-OSCILLATIONS OF A SPHERICAL GLOW DISCHARGE IN DRIFT-DIFFUSION APPROXIMATION |
| ADP015004 | RESONANCE EFFECTS OF THE ELECTRON DISTRIBUTION FUNCTION FORMATION IN SPATIALLY PERIODIC FIELDS |
| ADP015005 | THE PARAMETRIC INSTABILITY OF THE CYCLOTRON RADIATION IN THE |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 14 of 23

| | ABSENCE OF RESONANT PARTICLES |
|-----------|---|
| ADP015006 | EFFECT OF ION-PARALLEL VISCOSITY ON THE PROPAGATION OF ALFVEN SURFACE WAVES |
| ADP015007 | TEMPERATURE MEASUREMENTS IN A SHOCK WAVE CREATED BY A CUTTING PLASMA TORCH |
| ADP015008 | ELECTRONIC CIRCUITS DURING OSCILLATIONS OF AN ANODE DOUBLE LAYER |
| ADP015009 | LANGMUIR PROBE STUDY OF THE FLOATING POTENTIAL FLUCTUATIONS IN THE DC CYLINDRICAL MAGNETRON DISCHARGE |
| ADP015010 | DRIFT WAVES IN A HELICON PLASMA |
| ADP015011 | INVESTIGATION OF ALFVEN WAVES IN A HELICON PLASMA |
| ADP015012 | WHISTLER WAVE DISPERSION MEASUREMENTS NEAR THE ION GYRO FREQUENCY |
| ADP015013 | FORMATION OF ELECTRON BEAM AND VOLUME DISCHARGE IN AIR UNDER ATMOSPHERIC PRESSURE |
| ADP015014 | WAVE MODES IN COMPRESSIBLE COLLISION FREE MULTI-SPECIES MAGNETOPLASMAS |
| ADP015015 | MULTIDIMENSIONAL SOLITONS IN COMPLEX MEDIA WITH VARIABLE DISPERSION: STRUCTURE AND EVOLUTION |
| ADP015016 | NUMERICAL STUDY OF INTERACTION OF VORTEX STRUCTURES IN PLASMAS AND FLUIDS |
| ADP015017 | THE MULTIDIMENSIONAL SOLITONS IN A PLASMA: STRUCTURE STABILITY AND DYNAMICS |
| ADP015018 | ONE-DIMENSIONAL NONLINEAR AND NONLOCAL OSCILLATIONS OF PLASMA |
| ADP015019 | CONTROLLING CHAOS CAUSED BY THE CURRENT-DRIVEN ION ACOUSTIC INSTABILITY IN A LABORATORY PLASMA USING DELAYED FEEDBACK |
| ADP015020 | DYNAMICAL BEHAVIOR OF COUPLED CHAOTIC OSCILLATORS INCLUDING PHASE SYNCHRONIZATION AND COMPLETE SYNCHRONIZATION IN PLASMA |
| ADP015021 | FREQUENCY UP-SHIFT IN INTERACTION OF POWERFUL PLASMA WAVE WITH AN INHOMOGENEOUS PLASMA |
| ADP015022 | MODELLING THE CONTROL OF THE SPACE CHARGE DYNAMICS IN A SYSTEM OF TWO ELECTRICAL GLOW DISCHARGE PLASMA |
| ADP015023 | ON THE FORMATION OF PLASMA COMPLEX STRUCTURES IN ARGON GLOW DISCHARGE |
| ADP015024 | CONTROL OF CHAOTIC STATES IN DP MACHINE PLASMA BY USING EXTERNAL CIRCUIT ELEMENTS |
| ADP015025 | SIMPLE METHOD TO CONTROL THE NONLINEAR DYNAMICS OF A BALL OF FIRE IN A DP MACHINE PLASMA |
| ADP015026 | SELF-ORGANIZATION ACTING AS PHYSICAL BASIS FOR STIMULATION OF OSCILLATIONS IN PLASMA DEVICES |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 15 of 23

| ADP015027 | INSTABILITIES IN INDUCTIVE DISCHARGES WITH ELECTRONEGATIVE GASES |
|-----------|---|
| ADP015028 | DYNAMICS OF CARBON PLASMA INDUCED BY AN EXCIMER LASER IN NITROGEN ENVIRONMENT |
| ADP015029 | ELECTRON DENSITY AND TEMPERATURE DIAGNOSTIC OF LASER CREATED TITANIUM PLASMA |
| ADP015030 | DISSIPATIVE INSTABILITY OF OVERLIMITING ELECTRON BEAM |
| ADP015031 | EFFECT OF DISSIPATION ON EXCITATION OF BEAM WAVE WITH NEGATIVE ENERGY |
| ADP015032 | OPTICAL EMISSION CHARACTERISTICS OF CARBON PLASMA PRODUCED BY SINGLE- AND DOUBLE-PULSE LASER ABLATION |
| ADP015033 | DIRECTION-SELECTIVE FREE EXPANSION OF LASER-PLASMAS FROM PLANAR TARGETS |
| ADP015034 | PLASMA CHANNEL DYNAMICS CREATED BY HIGH-CURRENT RELATIVISTIC ELECTRON BEAM WHEN BEING DISTRIBUTED IN GASEOUS MEDIA OF VARIOUS TYPES |
| ADP015035 | DISCHARGE FEATURES IN A NON-CHAIN HF-LASER |
| ADP015036 | FORMATION OF AN ELECTRON BEAM IN HELIUM AT ELEVATED PRESSURE |
| ADP015037 | OPTICAL COLLECTIVE PHENOMENA WITH PARTICIPATION OF METASTABLE ATOMS IN DECAYING PLASMA OF PULSED DISCHARGE |
| ADP015038 | IONIZATION-INDUCED GENERATION OF STRONG LANGMUIR WAVES BY HIGH- INTENSITY BESSEL BEAM |
| ADP015039 | OVERCOOLING OF THE HOT SPOT OF LASER PLASMA BY ELECTRON CONDUCTIVITY |
| ADP015040 | THEORY OF SKIN DEPTH INTERACTION OF LASERS WITH PLASMAS |
| ADP015041 | LIQUID PLASMA PRODUCED BY INTENSE LASER LIGHT |
| ADP015042 | EFFECT OF ULTRAVIOLET LIGHT IRRADIATION ON THERMIONIC ENERGY CONVERTER |
| ADP015043 | GUIDED-WAVE-PRODUCED-PLASMAS |
| ADP015044 | NONLINEAR EFFECTS IN LOW FREQUENCY INDUCTIVE PLASMAS |
| ADP015045 | RECOMBINING PLASMA EXPANDING IN LOW-PRESSURE REGION |
| ADP015046 | ASPECTS OF TURBULENT TRANSPORT |
| ADP015047 | TURBULENCE AND ANOMALOUS TRANSPORT IN MAGNETIZED PLASMAS: HINTS FROM THE REVERSED FIELD PINCH CONFIGURATION |
| ADP015048 | EXPERIMENTAL STUDIES OF MHD DYNAMICS IN A RFP MAGNETICALLY CONFINED PLASMA |
| ADP015049 | A NEW CYCLOTRON MASER MECHANISM OBSERVATIONS AND THEORY |
| ADP015050 | THE MARVELS OF ELECTROMAGNETIC BAND GAP (EBG) STRUCTURES |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 16 of 23

| ADP015052 | A 2-PIN LOADED PATCH AS A MULTIBAND ANTENNA FOR WIRELESS COMMUNICATION |
|-----------|---|
| ADP015053 | ANTENNA DESIGN AND RADIATION PATTERN VISUALIZATION |
| ADP015055 | ACCURACY OF THREE UNCONDITIONALLY-STABLE FDTD SCHEMES FOR SOLVING MAXWELL'S EQUATIONS |
| ADP015056 | ACCELERATING COMPUTATIONS WITH A MOM-BASED COMPUTER PROGRAM USING A MODEL-BASED PARAMETER ESTIMATION ALGORITHM |
| ADP015058 | ANALYSIS OF SCATTERING PROBLEMS BY MOM WITH INTERVALLIC WAVELETS AND OPERATORS |
| ADP015059 | ON THE CONSTRUCTION AND USE OF TWO-DIMENSIONAL WAVELET-LIKE BASIS FUNCTIONS |
| ADP015061 | MULTIMODE HYBRID JUNCTIONS |
| ADP015062 | ELECTROMAGNETIC SCATTERING BY A SYSTEM OF DIELECTRIC SPHERES COATED WITH A DIELECTRIC SHELL |
| ADP015064 | COMPUTATION OF SAR IN CELL CULTURE FLASKS EXPOSED TO 900 MHZ GSM TPE SIGNALS IN A MODIFIED TEM CELL |
| ADP015065 | THREE DECADES OF OUR GRADUATE RESEARCH AND EDUCATION IN COMPOUND SEMICONDUCTOR MATERIALS AND DEVICES |
| ADP015066 | LESSONS IN COMPOUND SEMICONDUCTOR DEVICE DEVELOPMENT |
| ADP015067 | THE STATUS OF FIBER OPTICS |
| ADP015073 | NOVEL NI-BASED OHMIC CONTACTS TO A-SIC FOR HIGH TEMPERATURE AND HIGH POWER DEVICE APPLICATIONS |
| ADP015074 | CHANNEL RECESSED 4H-SIC MESFETS WITH FT O F14.5GHZ AND F MAX OF 40GHZ |
| ADP015075 | INVERSION CHANNEL MOSFETS IN 3C-SIC ON SILICON |
| ADP015076 | ADVANCES IN DIAMOND SURFACE CHANNEL FET TECHNOLOGY WITH FOCUS ON LARGE SIGNAL PROPERTIES |
| ADP015078 | THERMAL AND TRAPPING EFFECTS IN GAN-BASED MESFETS |
| ADP015079 | DEPENDENCE OF POWER AND EFFICIENCY OF A1GAN/GAN HEMT'S ON THE LOAD RESISTANCE FOR CLASS B BIAS |
| ADP015080 | A1GAN/GAN HEMTS GROWN BY MOLECULAR BEAM EPITAXY ON SAPPHIRE, SIC, AND HVPE GAN TEMPLATES |
| ADP015081 | SUBTERAHERTZ DETECTION BY HIGH ELECTRON MOBILITY TRANSLATORS AT LARGE FORWARD GATE BIAS |
| ADP015084 | DESIGN OF GAN/A1GAN HEMT CLASS-E POWER AMPLIFIER CONSIDERING TRAPPING AND THERMAL EFFECTS |
| ADP015086 | ADVANCED LARGE-SIGNAL MODELING OF GAN-HEMTS |
| ADP015087 | MICROWAVE POWER SIC MESFETS AND GAN HEMTS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 17 of 23

| EPITAXIAL TERNARY AND QUATERNARY III-V ANTIMONIDE SUBSTRATES |
|--|
| EVALUATION OF INTERFACES IN NARROW INAS/A1SB QUANTUM WELLS |
| MONTE CARLO SIMULATION OF INGAAS/INA1AS HEMTS WITH A QUANTUM |
| INP/INGAAS HETEROJUNCTION BIPOLAR TRANSISTORS GROWN ON GE/P CO- IMPLANTED INP SUBSTRATES BY METAL-ORGANIC MOLECULAR BEAN EPITAXY |
| PHYSICS OF GAN-BASED HIGH-POWER LASERS |
| THE ELECTRICAL EFFECTS OF DNA AS THE GATE ELECTRODE OF MOS TRANSISTORS |
| A1GAASSB-INGAASSB-GASB EPITAXIAL HETEROSTRUCTURES FOR UNCOOLED INFRARED DETECTORS |
| PERFORMANCE AND MODELING OF ANTIMONIDE-BASED HETEROSTRUCTURE BACKWARD DIODES FOR MILLIMETER-WAVE DETECTION |
| INP/GAASSB/INP DOUBLE HETEROJUNCTION BIPOLAR TRANSISTORS |
| ON-CHIP OUT-OF-PLANE HIGH-Q INDUCTORS |
| RF AND DC CHARACTERISTICS OF LOW-LEAKAGE INAS/A1SB HFETS |
| A1GAN/GAN HEMT HIGH-POEER AND LOW-NOISE PERFORMANCE AT F>20 GHZ |
| IMPACT IONIZATION IN HIGH PERFORMANCE A1GAN/GAN HEMTS |
| DOCUMENTATION DRIVEN AGILE DEVELOPMENT FOR SYSTEMS OF EMBEDDED SYSTEMS |
| INFORMATION CONSISTENCY CHECKING IN DOCUMENTATION DRIVEN DEVELOPMENT FOR COMPLEX EMBEDDED SYSTEMS |
| FROM NATURAL LANGUAGE REQUIREMENTS TO EXECUTABLE MODELS OF SOFTWARE COMPONENTS |
| WHAT DOES AN OBSERVED ATOM REVEAL TO ITS OBSERVER? |
| IDENTIFICATION AND APPLICATION OF QUANTUM TRAJECTORIES IN ABOVE- THRESHOLD IONIZATION |
| PHOTON EMISSION BY IONS INTERACTING WITH SHORT INTENSE LASER PULSES |
| MULTIPHOTON PROCESSES IN SYSTEMS OF RYDBERG ATOMS |
| DYNAMIC DRESSING OF H+2 IN INTENSE PHOTON FIELDS |
| RESONANT SPONTANEOUS BREMSSTRAHLUNG OF AN ELECTRON IN THE FIELD OF THE NUCLEUS AND TWO LIGHT WAVES |
| A COMPUTATIONAL PROCESS MODEL OF BASIC AIRCRAFT MANEUVERING |
| THE REPRESENTATION OF PSYCHOLOGICAL SPACE |
| CORROSION BEHAVIOR OF FRICTION STIR WELDED HIGH STRENGTH ALUMINUM ALLOYS |
| |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 18 of 23

| ADP016273 | FAST CONVERGING GRADED MESH FOR BODIES OF REVOLUTION WITH TIP SINGULARITIES |
|-----------|---|
| ADP016735 | THEORY AND COMPUTATION OF MULTILAYER COMPOSITES |
| ADP016795 | A NETWORK-BASED GIS FOR SUPPORT OF RAPID RESPONSE ENVIRONMENTAL ASSESSMENT |
| ADP017225 | MULTI-BEAM TRANSMIT RECEIVE MODULE FOR USE AND SGLS BAND SATELLITE LINKS |
| ADP017226 | A NOVEL APPROACH OF A PLANAR MULTI-BAND HYBRID SERIES FEED NETWORK FOR USE IN ANTENNA SYSTEMS OPERATING AT MILLIMETERWAVE FREQUENCIES |
| ADP017227 | MULTIBEAM SPATIALLY-FED ANTENNA ARRAYS WITH AMPLITUDE- CONTROLLED BEAM STEERING |
| ADP017228 | RECTENNA ARRAYS FOR RECYCLING STATISTICAL BROADBAND RADIATION |
| ADP017229 | SPACE-BASED E-TEXTILE ARRAYS |
| ADP017230 | A COMPUTER-AIDED APPROACH FOR DESIGNING EDGE-SLOT WAVEGUIDE ARRAYS |
| ADP017231 | NEW VARIABLE FOR FRESNEL ZONE PLATE ANTENNAS |
| ADP017232 | FREQUENCY SELECTIVE SURFACES: DESIGN OF BROADBAND ELEMENTS AND NEW FREQUENCY STABILIZATION TECHNIQUES |
| ADP017233 | GENETIC ANTENNA OPTIMIZATION: A TALE OF TWO CHROMOSOMES |
| ADP017234 | A SMALL ARRAY OF BORESIGHT TO ENDFIRE RADIATION RECONFIGURABLE ANTENNAS |
| ADP017235 | EFFECT OF DIELECTRIC SUBSTRATE ON INFINITE ARRAYS OF SINGLE- POLARIZED VIVALDI ANTENNAS |
| ADP017236 | A NOVEL APPROACH FOR BANDWIDTH ENHANCEMENT OF SLOT ANTENNAS |
| ADP017237 | A COMMEMORATION OF DESCHAMPS AND SICHAK'S MICROSTRIP MICROWAVE ANTENNAS: 50 YEARS OF DEVELOPMENT DIVERGENCE AND NEW DIRECTIONS |
| ADP017697 | ENHANCING READINESS THROUGH ENVIRONMENTAL QUALITY TECHNOLOGY |
| ADP017698 | MINERAL ACID PURIFICATION OPPORTUNITIES |
| ADP017699 | APPLICATION OF MID-INFRARED SPECTROSCOPY TO THE IDENTIFICATION OF MATERIALS AND TO THE DETERMINATION OF SURFACE COATINGS |
| ADP017700 | LOW COST WET ABRASIVE BLAST PROCESS FOR LEAD PAINT REMOVAL |
| ADP017701 | TECHNICAL SUPPORT FOR IMPLEMENTATION OF ALUMINUM VAPOR DEPOSITION TECHNOLOGY |
| ADP017702 | ECONOMIC COMPARISON OF UV/OXIDATION, ANAEROBIC FLUIDIZED BED REACTOR, AND GRANULAR ACTIVATED CARBON FOR THE TREATMENT OF PROPELLANT PRODUCTION WASTEWATER CONTAINING 2,4-DINITROTOLUENE |
| ADP017703 | PROTECTIVE COATING ANALYSIS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 19 of 23

| ADP017704 | WASTE ACID DETOXIFICATION AND RECLAMATION |
|-----------|--|
| ADP017705 | PLASMA TECHNOLOGY: A TOOL FOR HAZARDOUS WASTE VITRIFICATION |
| ADP017706 | PHYTOREMEDIATION OF EXPLOSIVES-CONTAMINATED GROUNDWATER IN CONSTRUCTED WETLANDS: II- FLOW THROUGH STUDY |
| ADP017707 | NATURAL ATTENUATION REMEDIATION OF LEAD-CONTAMINATED SOILS AT A FORMER OPEN BURNING PROPELLANT DISPOSAL SITE |
| ADP017708 | PRELIMINARY PERFORMANCE RESULTS FROM A ZERO VALENT METAL REACTIVE WALL FOR THE PASSIVE TREATMENT OF CHLORINATED ORGANIC COMPOUNDS IN GROUNDWATER |
| ADP017709 | AUTOMATED TRACE METALS ANALYZER |
| ADP017710 | THE HOWS AND WHYS OF LANDFILL ENTOMBMENT |
| ADP017711 | LIQUID NITROGEN AND WATER JET MILLING OF ENERGETIC MATERIAL PRODUCTION WASTES |
| ADP017712 | REHABILITATION OF TCE-CONTAMINATED UNDERGROUND STORM WATER SYSTEM USING TRENCHLESS TECHNOLOGY |
| ADP017713 | FIELD DEMONSTRATION OF A SURFACTANT-ENHANCED SOIL SLURRY BIOREACTOR TECHNOLOGY FOR THE REMEDIATION OF EXPLOSIVES- CONTAMINATED SOIL |
| ADP017714 | USE OF SHOCK-ABSORBING CONCRETE (SACON) AS AN ENVIRONMENTALLY COMPATIBLE BULLET-TRAPPING MEDIUM ON SMALL-ARMS TRAINING RANGES |
| ADP017715 | ISOLATION AND CHARACTERIZATION OF BACTERIA THAT DEGRADE NITROGLYCERIN |
| ADP017716 | RESULTS OF A FOUR-YEAR IN SITU BIOVENTING DEMONSTRATION |
| ADP017717 | INNOVATIVE BIOLOGICAL SOLID-PHASE (OR LAND) TREATMENT OF PETROLEUM HYDROCARBONS (PHCS) AT THE UNITED STATES NAVY'S CRANEY ISLAND FUEL TERMINAL IN PORTSMOUTH, VIRGINIA |
| ADP017718 | RUSSELL ROAD LANDFILL VIRGINIA'S FIRST SUBTITLE C LANDFILL CLOSURE |
| ADP017719 | EVALUATION OF A TRANSPORTABLE HOT-GAS DECONTAMINATION SYSTEM FOR THE DECONTAMINATION OF EXPLOSIVES-CONTAMINATED DEBRIS AND PIPING |
| ADP017720 | THE INTERNAL COMBUSTION ENGINE AS A LOW-COST SOIL VAPOR TREATMENT TECHNOLOGY |
| ADP017721 | APPLICATION OF AN AUTOMATED FISH BIOMONITORING SYSTEM AT OLD O- FIELD FOR CONTINUOUS ACUTE TOXICITY EFFLUENT MONITORING |
| ADP017722 | FIBER OPTIC-BASED BIOSENSOR FOR ENVIRONMENTAL APPLICATIONS |
| ADP017723 | DISSOLVED OXYGEN MANAGEMENT FOR IMPROVED WASTEWATER TREATMENT |
| ADP017724 | A TOOLBOX FOR HEALTH RISK RELATED DECISIONS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 20 of 23

| ADP017725 | RESTORATION OF DRINKING WATER PIPING WITH NONTOXIC EPOXY LININGS |
|-----------|--|
| ADP017726 | NATURAL ATTENUATION OF EXPLOSIVES IN GROUNDWATER AT ARMY SITES |
| ADP017727 | IN SITU DECHLORINATION OF SOLVENTS IN SATURATED SOILS |
| ADP017728 | DESTRUCTION OF NITROCELLULOSE USING ALKALINE HYDROLYSIS |
| ADP017729 | AEROBIC BIODEGRADATION OF DI-N-BUTYLPHTHALATE BY PURE AND MIXED BACTERIAL SPECIES |
| ADP017858 | PROCESSING OF ADVANCED MATERIALS WITH A HIGH FREQUENCY, MILLIMETER-WAVE BEAM SOURCE AND OTHER MICROWAVE SYSTEMS |
| ADP017864 | THERMAL ANALYSIS AND MICROHARDNESS MAPPING IN HYBRID LASER WELDS IN A STRUCTURAL STEEL |
| ADP018141 | PROCESSING AND PROPERTIES OF MECHANICAL ALLOYED AL93FE3CR2TI2 ALLOYS |
| ADP018188 | MICROSTRUCTURAL CONTROL OF A PRECIPITATE-HARDENABLE AL-AG ALLOY USING SEVERE PLASTIC DEFORMATION |
| ADP018509 | PERFORMANCE-BASED LOGISTICS - BARRIERS AND ENABLERS TO EFFECTIVE IMPLEMENTATION |
| ADP018510 | DEFINING AND IMPLEMENTING PERFORMANCE-BASED LOGISTICS IN GOVERNMENT |
| ADP018511 | A PERFORMANCE-BASED TECHNOLOGY ASSESSMENT METHODOLOGY TO SUPPORT DOD ACQUISITION |
| ADP018512 | SERVICE LEVEL AGREEMENTS AS VEHICLES FOR MANAGING ACQUISITION OF SOFTWARE-INTENSIVE SYSTEMS |
| ADP018513 | PUBLIC AND PRIVATE PARTNERSHIPS IN SUPPORT OF PERFORMANCE-BASED LOGISTICS INITIATIVE - LESSONS LEARNED FROM DEFENSE LOGISTIC AGENCY PARTNERSHIPS |
| ADP018514 | PERFORMANCE-BASED SERVICE ACQUISITION (PBSA), A-76 AND PERSONAL SERVICES - A CAUTIONARY NOTE |
| ADP018515 | CONTRACT ADMINISTRATION IN A PERFORMANCE-BASED ACQUISITION ENVIRONMENT IS SERIOUS BUSINESS |
| ADP018516 | TEST AND EVALUATION IN A DYNAMIC ACQUISITION ENVIRONMENT |
| ADP018633 | FUNCTIONALLY GRADED MATERIALS VII |
| ADP018634 | METASTABLE, MECHANICALLY ALLOYED AND NANOCRYSTALLINE MATERIALS |
| ADP018674 | BIOCERAMICS 15 |
| ADP018675 | PLASTIC DEFORMATION AND STRAIN HARDENING |
| ADP018921 | FRETTING FATIGUE CRACK NUCLEATION CRITERION FOR TI-6AL-4V |
| ADP018940 | AN ASSESSMENT OF LABORATORY TECHNIQUES FOR SIMULATING FOREIGN OBJECT DAMAGE ON A LEADING EDGE GEOMETRY |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 21 of 23

| ADP018962 | RECENT ADVANCES IN HIGH CYCLE FATIGUE |
|-----------|--|
| ADP019024 | STRESS WAVES AND COHESIVE FAILURE IN A FINITE STRIP SUBJECTED TO TRANSIENT LOADING |
| ADP019100 | THE RATE SENSITIVITY OF HIGH STRENGTH SYNTACTIC FOAM |
| ADP019128 | FRACTURE AND RESIDUAL CHARACTERIZATION OF TUNGSTEN CARBIDE COBALT COATINGS ON HIGH STRENGTH STEEL |
| ADP019156 | STRUCTURE-FORMING PRINCIPLES FOR AMORPHOUS METALS |
| ADP019250 | OXYGEN EFFECTS ON GLASS FORMATION OF PLASMA ARC SPRAYED CU47TI33ZR11NI8SI1 SURFACE COATINGS |
| ADP019439 | SIMULATION OF THE VACUUM ASSISTED RESIN TRANSFER MOLDING PROCESS |
| ADP019475 | TOTAL IONIZATION CROSS SECTIONS OF MOLECULES BY ELECTRON IMPACT |
| ADP019498 | ASSESSED TOTAL AND PARTIAL IONIZATION CROSS SECTIONS FOR CF4, C2F6, C3F8, CHF3, CF3I, C-C4F8, CL2, CCL2F2, BCL3, SF6, AND FRAGMENTS OF CF4 AND SF6 |
| ADP019529 | SUPERCONDUCTORS: AN EMERGING POWER TECHNOLOGY |
| ADP019533 | EPA'S SF6 EMISSION REDUCTION PARTNERSHIP: MAXIMIZING THE BENEFITS OF SF6 EMISSION REDUCTIONS FOR ELECTRIC UTILITIES |
| ADP019674 | EXPERIMENTAL AND THEORETICAL INVESTIGATIONS ON STIMULATED BRILLOUIN SCATTERING (SBS) IN MULTIMODE FIBERS, AT 1550 NM WAVELENGTH |
| ADP019694 | HELICAL ROSETTE NANOTUBES AS A POTENTIALLY MORE EFFECTIVE ORTHOPAEDIC IMPLANT MATERIAL |
| ADP019695 | FABRICATING NEURAL AND CARDIOMYOGENIC STEM CELL STRUCTURES BY A NOVEL RAPID PROTOTYPINGTHE INKJET PRINTING METHOD |
| ADP019696 | MAMMALIAN CELL INTERACTIONS WITH NANOPHASE MATERIALS |
| ADP019697 | BIODEGRADABLE MICROFLUIDIC SCAFFOLDS FOR VASCULAR TISSUE ENGINEERING |
| ADP019698 | COMPETITIVE GUIDANCE CUES AFFECT FIBROBLAST CELL ALIGNMENT: ELECTRIC FIELDS VS. CONTACT GUIDANCE |
| ADP019699 | SIMULATIONS OF CHEMOTAXIS AND RANDOM MOTILITY IN FINITE DOMAINS |
| ADP019701 | INK JET PRINTING OF MAMMALIAN PRIMARY CELLS FOR TISSUE ENGINEERING APPLICATIONS |
| ADP019702 | A NOVEL POLYMER-SYNTHESIZED CERAMIC COMPOSITE BASED SYSTEM FOR BONE REPAIR: OSTEOBLAST GROWTH ON SCAFFOLDS WITH VARIED CALCIUM PHOSPHATE CONTENT |
| ADP019705 | REAL-TIME SALMONELLA DETECTION USING LEAD ZIRCONATE TITANATE- TITANIUM MICROCANTILEVERS |
| ADP019706 | DEVELOPMENT OF BIODEGRADABLE POLYPHOSPHAZENE- NANOHYDROXYAPATITE COMPOSITE NANOFIBERS VIA ELECTROSPINNING |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 22 of 23

| ADP019707 | MICROFABRICATED 3D SCAFFOLDS FOR TISSUE ENGINEERING APPLICATIONS |
|-----------|---|
| ADP019708 | NEW MATERIALS AND METHODS FOR HIERARCHICALLY STRUCTURED TISSUE SCAFFOLDS |
| ADP019709 | LAYER-BY-LAYER PRINTING OF CELLS AND ITS APPLICATION TO TISSUE ENGINEERING |
| ADP019710 | TISSUE ENGINEERED BONE USING POLYCAPROLACTONE SCAFFOLDS MADE BY SELECTIVE LASER SINTERING |
| ADP019711 | NEW BIOLOGICAL LABELS BASED ON FUNCTIONALIZED YVO4:EU NANOPARTICLES |
| ADP019712 | PROPERTIES AND APPLICATIONS OF NOVEL DNA-BASED SURFACTANTS |
| ADP019713 | SYNTHESIS AND APPLICATION OF GOLD NANOPARTICLES FUNCTIONALIZED WITH COLLAGEN MIMETIC PEPTIDES |
| ADP019714 | FORMATION OF TITANIA SUBMICRON-SCALE ROD ARRAYS ON TITANIUM SUBSTRATE AND IN VITRO BIOCOMPATIBILITY |
| ADP019715 | EFFECT OF NANO-TO MICRO-SCALE SURFACE TOPOGRAPHY ON THE ORIENTATION OF ENDOTHELIAL CELLS |
| ADP019716 | COMPETITIVE ADSORPTION OF PLASMA PROTEINS ON POLYSACCHARIDE- MODIFIED SILICON SURFACES |
| ADP019718 | NANOFEATURING MATERIALS FOR SPECIFIC CELL RESPONSES |
| ADP019719 | FABRICATION OF NOVEL POROUS CHITOSAN MATRICES AS SCAFFOLDS FOR BONE TISSUE ENGINEERING |
| ADP019720 | PROCESSING AND DEVELOPMENT OF NANO-SCALE HA COATINGS FOR BIOMEDICAL APPLICATION |
| ADP019721 | SELECTIVE LASER SINTERING OF POLYCAPROLACTONE BONE TISSUE ENGINEERING SCAFFOLDS |
| ADP019723 | TITANIUM NANOSURFACE MODIFICATION BY ANODIZATION FOR ORTHOPEDIC APPLICATIONS |
| ADP019724 | BIOMEDICAL APPLICATIONS OF GOLD NANOPARTICLES FUNCTIONALIZED USING HETERO-BIFUNCTIONAL POLY(ETHYLENE GLYCOL) SPACER |
| ADP019725 | BIODISTRIBUTION AND TUMOR-TARGETING POTENTIAL OF POLY(ETHYLENE GLYCOL)-MODIFIED GELATIN NANOPARTICLES |
| ADP019726 | N-ISOPROPYLACRYLAMIDE-BASED COPOLYMERS WITH TIME-DEPENDENT LCST FOR A BIORESORBABLE CARRIER |
| ADP019727 | PREPARATION OF DRUG DELIVERY BIODEGRADABLE PLGA NANOCOMPOSITES AND FOAMS BY SUPERCRITICAL COSUB2 EXPANDED RING OPENING POLYMERIZATION AND BY RAPID EXPANSION FROM CHCIF2 SUPERCRITICAL SOLUTIONS |
| ADP019729 | A NOVEL PRESSURE INDICATOR FOR CONTINUOUS FLOW PCR CHIP USING MICRO MOLDED PDMS PILLAR ARRAYS |

DoD Tech Reports | Order Form | Catalog | Part 1595 of 1597 | Page 23 of 23

| ADP019730 | MICROFLUIDIC CELL VOLUME BIOSENSOR FOR HIGH THROUGHPUT DRUG SCREENING |
|-----------|---|
| ADP019731 | LASER FABRICATION AND CHARACTERIZATION OF ADHESIVE-FREE JOINTS FOR ENCAPSULATION OF BIOMEDICAL IMPLANT DEVICES |
| ADP019732 | MORE EFFICIENT CAPTURE OF BACTERIA ON NANOSTRUCTURED MATERIALS |
| ADP019733 | FABRICATION OF NOVEL TYPES OF COLLOIDOSOME MICROCAPSULES FOR DRUG DELIVERY APPLICATIONS |
| ADP019734 | NOVEL ELECTROPORATION SYSTEM FOR BOTH GRAM-NEGATIVE AND GRAM- POSITIVE BACTERIA ASSISTED BY MULTI-WALLED CARBON NANOTUBES |
| ADP019735 | DEVELOPMENT OF NOVEL BIODEGRADABLE AMINO ACID ESTER BASED POLYPHOSPHAZENE-HYDROXYAPATITE COMPOSITES FOR BONE TISSUE ENGINEERING |
| ADP019736 | ELECTRODEPOSITION CHARACTERISTICS OF BISMUTH-TELLURIDE FILMS |
| ADP019737 | PATTERNING OF CELLS ON BIORESIST FOR TISSUE ENGINEERING APPLICATIONS |
| ADP019738 | SYNTHESIS, SINTERING AND MICROSTRUCTURAL CHARACTERIZATION OF NANOCRYSTALLINE HYDROXYAPATITE COMPOSITES |
| ADP019739 | ENHANCED OSTEOBLAST FUNCTIONS ON NANOPHASE TITANIA IN POLY- LACTIC-CO-GLYCOLIC ACID (PLGA) COMPOSITES |
| ADP019740 | A HYBRID LASER/AEROSOL METHOD FOR THE SYNTHESIS OF POROUS NANOSTRUCTURED CALCIUM PHOSPHATE MATERIALS FOR BONE TISSUE ENGINEERING APPLICATIONS |