## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 1 of 21

| ADA066473 | PRICING FOR OBSOLESCENCE IN THE NAVY STOCK FUND: IS THERE A BETTER WAY  |
|-----------|---|
| ADA066474 | PRODUCTION OF ULTRA LOW FREQUENCY MAGNETIC NOISE BY OCEAN<br>SURFACE GRAVITY WAVES AND ITS REAL TIME REMOVAL FROM AIRBORNE<br>MAGNETOMETER MEASUREMENTS |
| ADA066475 | TOWARD INDEPENDENCE: A SURVEY OF THE DETERMINANTS OF TURKEY'S FOREIGN POLICY  |
| ADA066476 | IMPULSE WAVE DIFFRACTION BY RIGID WEDGES AND PLATES   |
| ADA066477 | EXPERIMENTAL STUDY OF THE SUPERSONIC FLOW AROUND V-SHAPED WINGS   |
| ADA066478 | MODEL TEST OF GROUND LAUNCHED ROCKET  |
| ADA066479 | SHORT-TIME CREEP  |
| ADA066480 | EFFECT OF WEAVING SHOP NOISE ON THE AUDITORY SYSTEM OF GUINEA PIG FETUSES   |
| ADA066481 | GENERATOR OF ALTERNATING CURRENT WITH COMBINED EXCITATION   |
| ADA066482 | STRENGTH OF REFRACTORY METALS. PART I   |
| ADA066483 | STRENGTH OF REFRACTORY METALS. PART II  |
| ADA066484 | RATE COEFFICIENTS CALCULATED BY THE BOND-ENERGY BOND-ORDER<br>METHOD FOR EXCITED STATE F + H2 IN EQUILIBRIUM WITH H + HF<br>REACTIONS                   |
| ADA066485 | FIGURES OF MERIT TO CHARACTERIZE INTEGRATING IMAGE SENSORS  |
| ADA066486 | PHYSIOLOGICAL REQUIREMENTS FOR DESIGN OF ENVIRONMENTAL CONTROL<br>SYSTEMS. CONTROL OF HEAT STRESS IN HIGH-PERFORMANCE AIRCRAFT                          |
| ADA066487 | APPROXIMATE CALCULATION OF A FLOW IN AN INCOMPRESSIBLE WAKE<br>CONTAINING A SMOOTH THIN PLATE IN ITS PLANE OF SYMMETRY                                  |
| ADA066488 | UNSTEADY DOWNWASH BEHIND A DELTA WING WITH SUPERSONIC MOTION  |
| ADA066489 | VALUE THEORY WITHOUT EFFICIENCY   |
| ADA066490 | SELECTED MANPOWER STATISTICS, FY-78   |
| ADA066491 | DISPERSION AND CUT-OFF PHENOMENA IN RODS AND BEAMS  |
| ADA066492 | ALUMINIZED FIREFIGHTERS' CRASH-RESCUE PROTECTIVE HOOD: FACEPIECE-<br>VISOR REDESIGN STUDY   |
| ADA066493 | PROCEEDINGS OF AFFDL FLYING QUALITIES SYMPOSIUM HELD AT WRIGHT<br>STATE UNIVERSITY 12-15 SEPTEMBER 1978   |
| ADA066494 | AN EXPERIMENTAL INVESTIGATION OF THE DUAL CHAMBER ROCKET  |
| ADA066495 | LASER INDUCED EVAPORATION FROM STAINLESS STEEL SURFACES   |
| ADA066496 | XR-3 BOW SEAL DIFFERENTIAL DRAG IN TURNS  |
| ADA066497 | THE EFFECTS OF A PRESCRIBED SALINITY FIELD ON A 10-LEVEL PRIMITIVE EQUATION OCEAN CIRCULATION MODEL   |
|           |   |

| ADA066510 | ULTRASONIC DATA LINK MEASUREMENTS   |
|-----------|---|
| ADA066511 | ACCURACY AND EFFICIENCY IN PATTERN CLASSIFICATION   |
| ADA066512 | A COMPUTER PROGRAM FOR DOUBLE SWEEP OPTIMAL SMOOTHING   |
| ADA066513 | FIXED FACILITIES ENERGY CONSUMPTION INVESTIGATION DATA ANALYSIS   |
| ADA066514 | THE SHOCK AND VIBRATION DIGEST. VOLUME 11, NUMBER 3   |
| ADA066515 | MEDICAL MATERIEL SPECIALTY AFSCS 91530, 91550, 91570, AND 91590   |
| ADA066516 | EVALUATION OF MATERIALS FOR POST-ATTACK PAVEMENT REPAIR   |
| ADA066517 | STRONG FAR-AWAY EFFECTS OF LOCAL CLOUD SEEDING. PROGRESS IN<br>TECHNOLOGY DEPENDS ON INTENSE STUDIES OF THESE PHENOMENA   |
| ADA066518 | A PARAMETRIC LINEAR COMPLEMENTARITY TECHNIQUE FOR THE<br>COMPUTATION OF EQUILIBRIUM PRICES IN A SINGLE COMMODITY SPATIAL<br>MODEL   |
| ADA066519 | A PARAMETRIC LINEAR COMPLEMENTARITY TECHNIQUE FOR OPTIMAL<br>PORTFOLIO SELECTION WITH A RISK-FREE ASSET   |
| ADA066520 | THE APPLICATION OF THE SURFACE EFFECT SHIP IN U. S. OCEAN COMMERCE<br>IN 1995   |
| ADA066521 | HYDRODYNAMIC INTERACTION OF WAVES WITH A LARGE DISPLACEMENT<br>FLOATING BODY  |
| ADA066522 | ANALYSIS OF THE HISTORICAL RELATIONSHIP BETWEEN CURRENT NAVY RDT<br>AND E AND FUTURE INVESTMENT IN PROCUREMENT  |
| ADA066523 | X-RAY PREIONIZATION FOR ELECTRIC DISCHARGE LASERS   |
| ADA066524 | FINAL REPORT  |
| ADA066525 | EROSION BY SOLID PARTICLE IMPACT  |
| ADA066526 | ANALYSIS OF THE IMPACT OF A 270 VDC POWER SOURCE ON THE AVIONIC POWER SUPPLIES IN THE S-3A AIRCRAFT   |
| ADA066527 | BRL BEAM DIAGNOSTIC SUPPORT OF UNFTP  |
| ADA066528 | INDIUM PHOSPHIDE GUNN DEVICES (26-60 GHZ)   |
| ADA066529 | CONTENT ANALYSIS OF MASS MEDIA COVERAGE OF CONCORDE MAY 1976 -<br>FEBRUARY 1977   |
| ADA066530 | DESIGN OF AN OFF-AXIS WIDE FIELD-OF-VIEW VISUAL DISPLAY SYSTEM FOR<br>FLIGHT SIMULATORS   |
| ADA066531 | SYNTHESIS, MAGNETIC SUSCEPTIBILITY, AND SPECTROSCOPIC PROPERTIES<br>OF SINGLE- AND MIXED-VALENCE IRON OXALATE, SQUARATE, AND<br>DIHYDROXYBENZOQUINONE COORDINATION POLYMERS |
| ADA066532 | DECOUPLING AND REDUCED ORDER MODELING OF TWO-TIME-SCALE<br>CONTROL SYSTEMS  |
| ADA066533 | SUSTAINING VOLUNTEER ENLISTMENTS IN THE DECADE AHEAD: THE EFFECT<br>OF DECLINING POPULATION AND UNEMPLOYMENT  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 3 of 21

| ADA066534 | STEADY STATE BEHAVIOUR OF A CABLE USED FOR SUSPENDING A SONAR<br>BODY FROM A HELICOPTER  |
|-----------|--|
| ADA066535 | A SELECTIVE DATASET BACKUP SCHEME FOR THE DRCS CENTRAL COMPUTER  |
| ADA066536 | GROWTH OF CREAMED TNT ON THERMAL CYCLING   |
| ADA066537 | UPPER ATMOSPHERE RESEARCH AT WRE - A REVIEW  |
| ADA066538 | CALCULATION OF THE RADII OF CURVATURE OF SHORT-WAVELENGTH<br>ELECTROMAGNETIC WAVES AFTER SPECULAR REFLECTION FROM SIMPLE<br>SHAPE CONDUCTORS |
| ADA066539 | A THEORETICAL INVESTIGATION OF CLOUD/FOG OPTICAL PROPERTIES AND<br>THEIR SPECTRAL CORRELATIONS   |
| ADA066540 | EVALUATION OF A 30-MM THIN WALL STEEL CARTRIDGE CASE   |
| ADA066541 | SURFACE PLASMA WAVES IN SILVER AND GOLD  |
| ADA066542 | DESERT OPERATIONS; A BIBLIOGRAPHY  |
| ADA066543 | INTEGRATED POWER UNIT  |
| ADA066544 | FIELD EVALUATION OF EXPERIMENTAL CRASH-CREW FIREFIGHTER'S FACEPIECE  |
| ADA066545 | AN ALTERNATIVE METHOD OF DEVELOPING THE ATLANTIC FLEET ISSUE LOAD LIST   |
| ADA066546 | DEVELOPMENT OF KEVLAR 29 DECELERATOR SYSTEMS MATERIALS   |
| ADA066547 | THE EFFECT OF ION PLATING AND ION IMPLANTATION ON THE CYCLIC RESPONSE AND FATIGUE CRACK INITIATION OF METALS AND ALLOYS                      |
| ADA066548 | ANNUAL REPORT - FISCAL YEAR 1978   |
| ADA066549 | A SHIPBOARD MACHINERY PERFORMANCE MONITORING SYSTEM CONCEPT  |
| ADA066555 | AN EVALUATION OF TURN ANTICIPATION TECHNIQUES AND OFFSET FLYING<br>PROCEDURES USING A SINGLE-WAYPOINT RNAV SYSTEM                            |
| ADA066556 | EXHAUST EMISSIONS CHARACTERISTICS FOR A GENERAL AVIATION LIGHT-<br>AIRCRAFT AVCO LYCOMING I0-360-A1B6D PISTON ENGINE                         |
| ADA066557 | DISCOUNTING THEORY AND ITS APPLICATION IN THE PUBLIC SECTOR  |
| ADA066558 | LOGISTICS MANAGEMENT-DESIGN AND APPLICATION  |
| ADA066559 | THE PENDULAR EYE TRACKING TEST UNDER TWO BACKGROUND VIEWING CONDITIONS   |
| ADA066560 | COMPOSITE FORWARD FUSELAGE SYSTEMS INTEGRATION. VOLUME 2   |
| ADA066561 | A FRAMEWORK FOR CONTROL IN PRODUCTION SYSTEMS  |
| ADA066562 | RECENT RESEARCH IN ARTIFICIAL INTELLIGENCE AND FOUNDATIONS OF PROGRAMMING  |
| ADA066563 | ON THE DURATION OF THE PROBLEM OF THE POINTS   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 4 of 21

| ADA066564 | NATIONAL DAM SAFETY PROGRAM. SODOM DAM (EAST BRANCH RESERVOIR)<br>INVENTORY NO. 31. CROTON RIVER BASIN, PUTNAM COUNTY, NEW YORK.<br>PHASE I INSPECTION REPORT |
|-----------|---|
| ADA066565 | POLICIES TO REAPPRAISE ECONOMIC/USEFUL LIFE   |
| ADA066566 | A STUDY OF A REACTIVELY LOADED FINITE PLANAR RECTANGULAR<br>WAVEGUIDE ANTENNA ARRAY   |
| ADA066567 | COMPUTER-AIDED FAULT TREE ANALYSIS  |
| ADA066568 | MINUTES OF THE EXPLOSIVES SAFETY SEMINAR (18TH) HELD AT SAN<br>ANTONIO, TEXAS ON 12-14 SEPTEMBER 1978. VOLUME 1   |
| ADA066569 | MINUTES OF THE EXPLOSIVE SAFETY SEMINAR (18TH) HELD AT SAN ANTONIO, TEXAS ON 12-14 SEPTEMBER 1978. VOLUME 2   |
| ADA066571 | MANPOWER REQUIREMENTS REPORT FOR FY 1980  |
| ADA066572 | DEVELOPMENT OF A STREAMING-FIBER OIL SPILL CONTROL SYSTEM. STAGE<br>II - MODIFICATION TO LARGE-SCALE MODEL  |
| ADA066573 | ARMY PRELIMINARY EVALUATION. YAH-1S HELICOPTER WITH MODIFIED FLAT<br>PLATE CANOPY INSTALLED   |
| ADA066576 | LOW NOISE EBS JAMMER  |
| ADA066577 | AN ANALYSIS OF CLIP STRAIN GAGE/SOLID PROPELLANT INTERACTION  |
| ADA066578 | ANNOTATED BIBLIOGRAPHY OF REPORTS. SUPPLEMENT NUMBER 10, 1<br>OCTOBER 1977 - 30 SEPTEMBER 1978  |
| ADA066579 | RELIABILITY-CENTERED MAINTENANCE  |
| ADA066580 | MATHEMATICAL ASPECTS OF RELIABILITY-CENTERED MAINTENANCE  |
| ADA066581 | INVESTIGATION OF THE CAUSE OF HYDRAULIC SYSTEM MALFUNCTION OF<br>M60A1 (AOS) TANKS USING MIL-H-46170 SYNTHETIC-BASE HYDRAULIC FLUID                           |
| ADA066582 | BASELINE TESTS OF THE SEBRING CITI-VAN ELECTRIC DELIVERY TRUCK  |
| ADA066583 | THE APPLICATION OF QUANTITY DISCOUNTS IN ARMY PROCUREMENTS  |
| ADA066584 | ON THE OPTIMAL ASSIGNMENT OF SERVERS AND REPAIRMAN  |
| ADA066585 | RESULTS OF EXPLOSIVE ARRAY MEASUREMENTS, SEPTEMBER 1978   |
| ADA066586 | A COMPARISON OF THREE MODELS FOR DETERMINING TEST FAIRNESS  |
| ADA066587 | HIGH PERFORMANCE WHEELCHAIR CHASSIS: ENGINEERING DRAWINGS   |
| ADA066588 | THE INFLUENCE OF DISTANT ZONES ON STOKES' EQUATION CONSIDERING<br>THE REMOVAL OF LOWER-DEGREE HARMONICS FROM S(PSI) OR DELTA                                  |
| ADA066589 | EXHAUST EMISSIONS CHARACTERISTICS FOR A GENERAL AVIATION LIGHT-<br>AIRCRAFT AVCO LYCOMING IO-360-B1BD PISTON ENGINE   |
| ADA066590 | A HEURISTIC FOR MULTI-ECHELON MULTI-INDENTURED INVENTORY<br>PROBLEMS  |
| ADA066591 | 1978 DENTAL STUDENT RESEARCH REPORTS  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 5 of 21

| ADA066592 | DYNAMIC EVALUATION OF EXPERIMENTAL INTEGRAL FUEL-TANK SEALANTS.<br>PART II   |
|-----------|--|
| ADA066593 | FORCE MANAGEMENT METHODS. TASK 1 REPORT. CURRENT METHODS   |
| ADA066594 | THE EFFECT OF A COMPLETE SPIN TURBINE ON THE EXHAUST FLOW-FIELD FOR A TUBE-LAUNCHED ROCKET   |
| ADA066595 | STUDY OF THE EXHAUST PLUME FOR HIGHLY UNDEREXPANDED SUPERSONIC NOZZLES EXHAUSTING INTO QUIESCENT AIR   |
| ADA066596 | THE INFLUENCE OF FLEET VARIABILITY ON CRACK GROWTH TRACKING<br>PROCEDURES FOR TRANSPORT/BOMBER AIRCRAFT  |
| ADA066597 | ELEMENTS OF SOUND TRANSMISSION IN BEAMS  |
| ADA066598 | ANALYSIS OF TECHNIQUES FOR IMAGING THROUGH THE ATMOSPHERE  |
| ADA066599 | DECISION AIDS IN ESTIMATING PERSONNEL REQUIREMENTS   |
| ADA066600 | NONLINEAR INTERACTION OF WAVES IN BOUNDARY-LAYER FLOWS   |
| ADA066601 | A DYNAMIC MAGNETIC TECHNIQUE FOR SENSING BLOCK MOTION  |
| ADA066602 | NON-WETTING MATERIALS FOR FABRICATION OF FUEL CELL ELECTRODES  |
| ADA066603 | QUICK-DISCONNECT HOUSING ASSEMBLY DESIGN REVIEW AND<br>PERFORMANCE EVALUATION  |
| ADA066604 | FIREBALL EFFECTS IN LATE-TIME EMP FROM SURFACE BURSTS  |
| ADA066605 | FINAL REPORT ON CRUDE AND PRODUCT STORAGE: STATE-OF-THE-ART<br>REVIEW AND ASSESSMENT   |
| ADA066606 | FACTORS INFLUENCING THE ACCURACY OF AERODYNAMIC HINGE-MOMENT PREDICTION  |
| ADA066607 | TRANSIENT ANALYSIS OF EQUIPMENT-STRUCTURE INTERACTION AT HIGH<br>FREQUENCIES   |
| ADA066608 | ON THE IONOSPHERIC PARAMETERS WHICH GOVERN HIGH LATITUDE ELF<br>PROPAGATION IN THE EARTH-IONOSPHERE WAVEGUIDE                                    |
| ADA066609 | X-BAND SOLID-STATE MODULE FOR AIRBORNE ARRAY RADAR APPLICATIONS  |
| ADA066610 | RING LASER GYRO MIRROR SUBSTRATE INVESTIGATION   |
| ADA066611 | ELECTRO-OPTIC MODULATION OF CO2 LASER LIGHT  |
| ADA066612 | A SERIAL FIBER OPTIC DATA BUS FOR A DISTRIBUTED MICROCOMPUTER SYSTEM   |
| ADA066613 | A SUNSPOT PERIODICITY AND ITS POSSIBLE RELATION TO SOLAR ROTATION  |
| ADA066614 | THE EFFECT OF MASS LOADING ON A STIFFENING RIB   |
| ADA066615 | CORRELATION STUDY OF LABORATORY PHYSICAL AND CHEMICAL DATA<br>WITH DYNAMOMETER ENGINE SEQUENCE PERFORMANCE TESTING OF<br>ENGINE LUBRICATING OILS |
| ADA066616 | HIGH EFFICIENCY GAAS SOLAR CELL DEVELOPMENT  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 6 of 21

| ADA066619 | U. S. ARMY MEDICAL RESEARCH AND DEVELOPMENT TECHNICAL REPORT  |
|-----------|---|
| ADA066624 | CONVERSION TABLES FOR OXYGEN PARTIAL PRESSURES TO PERCENTAGE OXYGEN AT VARIOUS DEPTHS (IN BARS)   |
| ADA066625 | GE:GA PHOTOCONDUCTORS IN LOW INFRARED BACKGROUNDS   |
| ADA066626 | ACOUSTICALLY SCANNED OPTICAL IMAGING DEVICES  |
| ADA066630 | COLOR DISPLAY DESIGN GUIDE  |
| ADA066631 | AN X-RAY PHOTOELECTRON SPECTROSCOPIC STUDY OF MULTILAYERS OF AN<br>ELECTROACTIVE FERROCENE DERIVATIVE ATTACHED TO PLATINUM AND<br>GOLD ELECTRODES   |
| ADA066632 | CHEMICALLY MODIFIED CARBON ELECTRODES. XVII. METALLATION OF<br>IMMOBILIZED TETRA(AMINOPHENYL)PORPHYRIN WITH MANGANESE, IRON,<br>NICKEL, COPPER AND ZINC, AND ELECTROCHEMISTRY OF DIPROTONATED<br>TETRAPHENYLPORPHYRIN |
| ADA066633 | A CATALOGUE OF SOME FORECASTER HINTS APPLICABLE TO EUROPEAN<br>FORECASTING  |
| ADA066634 | LABORATORY EVALUATION OF EXPEDIENT PAVEMENT REPAIR MATERIALS  |
| ADA066635 | ANGULAR LOCATION OF MULTIPLE SIGNAL SOURCES - A DIGITAL APPROACH  |
| ADA066636 | INTEGRATED CIRCUIT ELECTROMAGNETIC SUSCEPTIBILITY INVESTIGATION - PHASE III   |
| ADA066637 | A FEASIBILITY STUDY ON THE GROWTH OF BULK GAN SINGLE CRYSTALS   |
| ADA066645 | NATIONAL DAM SAFETY INSPECTION PROGRAM. LAKE ALGONQUIN DAM<br>(NDS NUMBER 172), UPPER HUDSON RIVER WATERSHED, SACANDAGA RIVER,<br>HAMILTON COUNTY, NEW YORK. PHASE I INSPECTION REPORT                                |
| ADA066646 | SOVIET COMBAT INTELLIGENCE AND RECONNAISSANCE   |
| ADA066647 | MAXIMUM ENTROPY ARRAY PROCESSING  |
| ADA066648 | PROCEEDINGS OF THE ROCHESTER CONFERENCE ON COHERENCE AND<br>QUANTUM OPTICS (4TH) HELD AT THE UNIVERSITY OF ROCHESTER, JUNE 8-10,<br>1977  |
| ADA066649 | DAMAGE MECHANISMS AND FAILURE OF 3-D CARBON-CARBON COMPOSITES   |
| ADA066650 | SWIMBLADDER STUDIES   |
| ADA066651 | AN/SQS-26 INTERFERENCE: 'FATHOMETER-TYPE' BOTTOM RETURNS  |
| ADA066652 | A STUDY OF ACOUSTIC NAVIGATION IN DEEP WATER  |
| ADA066653 | FURTHER COMMENTS ON BIOLOGICAL BACKSCATTER  |
| ADA066654 | A COMPUTER PROGRAM TO CALCULATE NORMAL MODE PROPAGATION OVER<br>A FLAT HOMOGENEOUS OCEAN BOTTOM   |
| ADA066655 | PARKA-II (EARS-III) BOTTOM LOSS MEASUREMENTS, TRIP REPORT   |
| ADA066656 | SOUND TRANSMISSION THROUGH LAYERED MEDIA: A SIMPLIFIED METHOD OF ANALYSIS   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 7 of 21

| ADA066657 | BOTTOM STATISTICS FEASIBILITY REPORT NUMBER 1   |
|-----------|---|
| ADA066658 | AN AS-1 PROGRAM TO COMPUTE ATTENUATION COEFFICIENTS ON THE UNIVAC 1230 COMPUTER   |
| ADA066659 | CHARACTERISTICS OF AIR FORCE ACCESSIONS: JANUARY 1975 TO JUNE 1977  |
| ADA066660 | AIR REFUELING DIRECTOR LIGHTS TRAINER: ANALYSIS AND EVALUATION OF TRAINING EFFECTIVENESS  |
| ADA066661 | GENERALIZED APPROACH FOR PREDICTING A DICHOTOMOUS CRITERION   |
| ADA066662 | QUARTERLY PROGRESS REPORT NUMBER 4, 1 MAY - 31 JULY 1967  |
| ADA066663 | COMPUTER UTILIZATION OF SEQUENTIAL HYPOTHESIS TESTING FOR<br>DETECTION AND CLASSIFICATION OF SONAR SIGNALS                          |
| ADA066664 | A COMPARISON OF 'PULSE-STRETCH' AND CONVENTIONAL MARKING TECHNIQUES   |
| ADA066665 | SEA TEST PERFORMANCE OF A REAL TIME LINEAR CORRELATOR   |
| ADA066666 | A STUDY OF THE DECREASE IN FALSE ALARM PROBABILITY RESULTING FROM<br>AN INCREASE IN THE NUMBER OF DISPLAYED ECHO RANGING CYCLES     |
| ADA066667 | AN/SQS-26 ANALYSIS PROGRESS REPORT FOR JUNE 1965  |
| ADA066668 | DETERMINATION OF SHIP COURSE AND SPEED FROM TRANSMITTED SIGNAL FREQUENCY  |
| ADA066669 | MAINTENANCE TRAINING SYSTEM: 6883 CONVERTER/FLIGHT CONTROL TEST STATION   |
| ADA066670 | STRESS AND SIMULATION IN PILOT TRAINING   |
| ADA066671 | GENERATOR OF POWERFUL CURRENT PULSES  |
| ADA066672 | HEXAGON-HEAD BOLTS WITH THREAD DIAMETER LARGER THAN 48 MM<br>(STANDARD PRECISION)   |
| ADA066673 | STANDARD-PRECISION RIVETS   |
| ADA066674 | LINEARIZED THEORY OF FOIL IN SUBSONIC FLOW  |
| ADA066675 | HIGH-VOLTAGE VARIABLE CAPACITOR   |
| ADA066676 | MECHANICAL PROPERTIES OF THE PULPOSE NUCLEUS LUMBAR<br>INTERVERTEBRAL DISCS ACCORDING TO THE DATA OF BARODICOMETRY IN<br>EXPERIMENT |
| ADA066677 | DEVICE FOR GENERATING POWERFUL ELECTRICAL PULSES  |
| ADA066678 | POWER BALANCE   |
| ADA066679 | STATISTICAL ANALYSIS OF THE STABILITY OF IMPERFECT CYLINDRICAL SHELLS   |
| ADA066680 | TRANSACTIONS OF THE 2ND ALL UNION CONFERENCE ON CHARGED<br>PARTICLE ACCELERATORS (SELECTED ARTICLES)                                |
| ADA066681 | CEREBRAL HYPOXIA DURING OVERLOADS IN THE CEPHALO-PELVIC DIRECTION   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 8 of 21

| ADA066682 | METHOD OF MANUFACTURE OF BLADES   |
|-----------|---|
| ADA066683 | REPORT ON SONIC SCANNER DATA FROM THE ULCER II SYSTEM USS THOMAS JEFFERSON (SSBN-618) FIRST PATROL  |
| ADA066684 | OCEANOGRAPHY FOR LONG RANGE SONAR IN ATLANTIC AREA B FOR<br>FEBRUARY  |
| ADA066685 | OCEANOGRAPHY FOR LONG RANGE SONAR IN ATLANTIC AREA A FOR AUGUST   |
| ADA066686 | DISPLAY REQUIREMENTS FOR THE PASSIVE SUBSYSTEM, C/P ARRAY SONAR PROJECT   |
| ADA066687 | RESULTS FROM UNDERWATER SOUND INTENSITY CALCULATIONS FOR<br>SPECIFIC AREAS BY USE OF RAY ACOUSTICS  |
| ADA066688 | PRELIMINARY BOTTOM LOSS DATA FROM EXPLOSIVE SOUND SOURCES IN AREA 'A'   |
| ADA066689 | BIANNUAL PROGRESS REPORT NUMBER 5 FOR CONTRACT NOBSR-93124, 1<br>JANUARY THROUGH 30 JUNE 1967   |
| ADA066690 | QUARTERLY PROGRESS REPORT NUMBER 3 UNDER CONTRACTS N00024-68-C-<br>1149 AND N00024-69-C-1129, 1 JULY - 30 SEPTEMBER 1969  |
| ADA066691 | ASSESSMENT OF COLOR AS A SONAR DISPLAY PARAMETER  |
| ADA066692 | EXPECTED PERFORMANCE GAIN OF A PROPOSED AN/SQS-26 DATA NORMALIZATION DEVICE   |
| ADA066693 | LORAD TEST OF 29-30 OCTOBER 1957  |
| ADA066694 | LONG-RANGE SHALLOW-WATER PROPAGATION LOSS FLUCTUATIONS  |
| ADA066695 | DISPLAY SEGMENT FOR THE C/P ARRAY SONAR SYSTEM  |
| ADA066696 | THE LLOYD MIRROR EFFECT ON EXPLOSIVE SOURCES  |
| ADA066697 | A REVIEW OF THE 3M DATA BASE FOR FAULT-TOLERANT SYSTEM INCENTIVES   |
| ADA066698 | STRUCTURE PRESERVING TRANSFORMATIONS IN THE COMPARISON OF COMPLEX, STEADY-STATE SOUNDS  |
| ADA066699 | THE PERFORMANCE OF AN EXPERIMENTAL SOLAR HEATING SYSTEM   |
| ADA066700 | INNOVATION  |
| ADA066701 | PROCEEDINGS AFOSR-FJSRL SYMPOSIUM-WORKSHOP ON AIR FORCE BASIC<br>RESEARCH IN CIVIL ENGINEERING UNITED STATES AIR FORCE ACADEMY,<br>COLORADO 22-24 FEBRUARY 1978 |
| ADA066702 | STATE OF ART OF LAB6 RESEARCH, 1978   |
| ADA066703 | CLASSIFICATION OF AMPLITUDE-MODULATED NOISE PATTERNS WITH EXTENDED PRACTICE   |
| ADA066704 | PREDICTING INDIVIDUAL LISTENER CONFUSIONS IN THE CLASSIFICATION OF COMPLEX. STEADY-STATE SOUNDS   |
| ADA066705 | TWO APPROACHES TO CATEGORY REPRESENTATION IN AURAL CLASSIFICATION   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 9 of 21

| ADA066706 | DEVELOPMENT OF AN ANTIFREEZE EXTENDER AND WATER INHIBITOR FOR<br>AUTOMOTIVE COOLING SYSTEMS   |
|-----------|---|
| ADA066707 | COLLISIONAL RELAXATION OF NON-EQUILIBRIUM VIBRATIONAL ENERGY<br>DISTRIBUTIONS IN A THERMAL UNIMOLECULAR SYSTEM. SURFACE<br>COLLISIONS |
| ADA066708 | VIBRATIONAL RELAXATION OF NH3 (NU2)   |
| ADA066709 | A CLOSED-LOOP GAS ANALYZING SYSTEM  |
| ADA066710 | ANNUAL AFOSR CHEMISTRY PROGRAM REVIEW (23RD) FY78   |
| ADA066711 | EXTRACTION OF SEISMIC WAVEFORMS   |
| ADA066712 | APPLICATION OF RINGDAL'S METHOD TO UNBIASED MEASUREMENT OF THE MS-MB RELATIONSHIP   |
| ADA066713 | SHORT-PERIOD NOISE ENVELOPE STATISTICS: A BASIS FOR ENVELOPE DETECTOR DESIGN  |
| ADA066714 | DETECTION PERFORMANCE OF TIME-VARYING ADAPTION RATE ADAPTIVE<br>BEAMFORMER  |
| ADA066715 | FEASIBILITY STUDY OF MIXED-SIGNAL SEPARATION TECHNIQUES   |
| ADA066716 | MEASUREMENT OF SIZE DISTRIBUTION OF SUBMICRON PARTICLES USING NEW LASER DIAGNOSTICS   |
| ADA066717 | THE ROLE OF THE AFTER ACTION REVIEW LEADER IN REALTRAIN: RESEARCH AND TRAINING NEEDS  |
| ADA066718 | IDENTIFICATION OF PSYCHOLOGICAL FEATURES IN THE RECOGNITION OF COMPLEX, NONSPEECH SOUNDS  |
| ADA066719 | DEVELOPMENT OF A PERFORMANCE EVALUATION TEST FOR<br>ENVIRONMENTAL RESEARCH (PETER): CRITICAL TRACKING TEST                            |
| ADA066720 | SOURCE EXCITATION OF AN OPEN, PARALLEL-PLATE WAVEGUIDE.<br>NUMERICAL RESULTS. SUPPLEMENT  |
| ADA066721 | MEASUREMENT OF KINETIC RATES FOR CARBON MONOXIDE LASER SYSTEMS  |
| ADA066722 | A DATA BASE MANAGEMENT MODELING TECHNIQUE AND SPECIAL FUNCTION HARDWARE ARCHITECTURE  |
| ADA066723 | MODE COUPLING OF MODULATIONAL INSTABILITIES   |
| ADA066724 | CO MEASUREMENTS IN COMBUSTION GASES BY LASER ABSORPTION<br>SPECTROSCOPY AND PROBE SAMPLING  |
| ADA066725 | STUDIES OF NONLINEAR PHENOMENA IN HIGH-TEMPERATURE PLASMAS  |
| ADA066726 | NONLINEAR OPTICAL POLARIZABILITIES OF MOLECULES   |
| ADA066727 | ON THE FAIR AND EFFICIENT ALLOCATION OF INDIVISIBLE COMMODITIES   |
| ADA066728 | VALUE THEORY WITHOUT EFFICIENCY   |
| ADA066729 | THE VALUE OF THE NON-ATOMIC GAME ARISING FROM A RATE-SETTING APPLICATION AND RELATED PROBLEMS   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 10 of 21

| ADA066730 | STABLE SETS FOR SYMMETRIC, N-PERSON COOPERATIVE GAMES   |
|-----------|---|
| ADA066731 | INTERNATIONAL WORKSHOP ON GAME THEORY (4TH): MULTIPERSON GAME<br>THEORY AND ITS APPLICATIONS HELD AT CORNELL UNIVERSITY, JUNE 18-<br>JULY 1, 1978 |
| ADA066732 | IMAGE ANALYSIS  |
| ADA066733 | THE AERODYNAMIC CHARACTERISTICS OF THE FREE FLIGHT<br>DEMONSTRATION ROCKET AT MACH NUMBERS FROM 0.4 TO 3.0  |
| ADA066735 | NARROW AND BROAD REGION DISPERSION OF LONG-PERIOD SURFACE WAVES   |
| ADA066736 | THE ARGOS IMAGE UNDERSTANDING SYSTEM  |
| ADA066737 | GUIDE FOR PREPARATION OF WATERWAYS EXPERIMENT STATION TECHNICAL-<br>INFORMATION REPORTS   |
| ADA066738 | INFORMATION AND INDUSTRY  |
| ADA066739 | GENERATING SORTED LISTS OF RANDOM NUMBERS   |
| ADA066740 | OPTIMAL EXPECTED-TIME ALGORITHMS FOR CLOSEST-POINT PROBLEMS   |
| ADA066741 | SUMMARY AND EXPERIMENTAL PLAN FOR REMOTE SENSING OF SUBSURFACE TEMPERATURE AND SALINITY   |
| ADA066742 | USE OF A SECOND-MOMENT TURBULENCE CLOSURE MODEL FOR<br>COMPUTATION OF REFRACTIVE INDEX STRUCTURE COEFFICIENTS                                     |
| ADA066743 | STRUCTURAL MATHEMATICS MODELING   |
| ADA066744 | SATELLITE MEASUREMENTS OF ATMOSPHERIC AEROSOLS  |
| ADA066745 | MECHANICALLY SIMULATED RDT OF THE AN/SQS-23   |
| ADA066746 | QUARTERLY PROGRESS REPORT NUMBER 5, 1 JANUARY - 31 MARCH 1971. PART I   |
| ADA066747 | MIXTURE RESOLVING SIGNAL PROCESSING WITH APPLICATIONS IN<br>COMMUNICATIONS/RADAR/SONAR THEORY AND SYSTEMS - THEORY AND<br>EXPERIMENTAL            |
| ADA066748 | COMPATIBILITY OF THE WAVE PERIOD PROCESSOR WITH THE TRESI<br>CLASSIFICATION SYSTEM  |
| ADA066749 | INTERIM TECHNICAL PROGRESS REPORT   |
| ADA066750 | TRESI, AN AUTOMATIC ACTIVE TARGET CLASSIFICATION SYSTEM   |
| ADA066751 | SURVEY OF FLOWS WITH NUCLEATION AND CONDENSATION  |
| ADA066752 | APPLICATION OF THE PSK DIODE-CORRELATOR FOR PROGRAMMABLE<br>FREQUENCY FILTERING   |
| ADA066753 | FINITE ELEMENT ANALYSIS OF CREEP AND THREE DIMENSIONAL FRACTURE   |
| ADA066754 | COMPOSITE MATERIALS FOR STRUCTURAL DESIGN   |
| ADA066755 | LOW ENERGY X-RAY AND ELECTRON INTERACTIONS WITHIN MATTER  |
| ADA066756 | PROCESSING GAIN AS A FUNCTION OF ASPECT ANGLE   |

# © 2025 DoDreport.com. All Rights Reserved.

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 11 of 21

| ADA066757 | APPLICATION OF THE AMBIGUITY FUNCTION TO ACOUSTIC SIGNATURES  |
|-----------|---|
| ADA066758 | THE APPLICATION OF ML-SD 15 VIBRATION DAMPING MATERIAL TO TWO AN/SQS-23 SONAR DOMES   |
| ADA066759 | CABLE, ELECTRO-MECHANICAL TOW TYPE AN/SQA-13 (NEW) FOR VARIABLE DEPTH SONAR APPLICATIONS  |
| ADA066760 | APPLICATION OF COMPUTER TECHNIQUES TO THE PREDICTION OF<br>UNDERWATER SOUND PROPAGATION   |
| ADA066761 | ANALYSES OF 1963 LORAD DETECTION TESTS IN THE HAWAIIAN AREA   |
| ADA066762 | OCEANOGRAPHY FOR LONG RANGE SONAR IN ATLANTIC AREA B FOR<br>OCTOBER AND NOVEMBER  |
| ADA066763 | OCEANOGRAPHY FOR SUBMARINE LONG RANGE SONAR IN ATLANTIC AREA J<br>FOR JANUARY AND FEBRUARY  |
| ADA066764 | AN/SQS-4 TRANSDUCER MOD 3   |
| ADA066765 | SANGAMO AN/SQS-23 TRANSDUCER ELEMENTS SERIALS 223, 5426, 5636, A44-2, AND T44-1   |
| ADA066766 | GOODYEAR ELASTOMER PANELS CODE NUMBERS G265-0/1, 373-3/1, 374-2/1, 374-3/1, 374-4/1, 375-3/1, 376-3/1, 377-3/1, 4799-0/1 AND T113-0/1 |
| ADA066767 | ON THE CHOICE OF BEAM SPACING IN ROTATIONAL DIRECTIONAL TRANSMISSION  |
| ADA066768 | PRELIMINARY FORMAT AN/SQS-23 SONAR OPERATOR PERFORMANCE<br>STANDARDS GUIDE FOR DETECTION AND TRACKING                                 |
| ADA066769 | ANALYSIS OF ASW CONTACT CLASSIFICATION PROCEDURES   |
| ADA066770 | A THREE LAYER FLUID MODEL FOR ESTIMATING OCEAN BOTTOM<br>REFLECTIVITY AT VARIOUS FREQUENCIES  |
| ADA066771 | ACOUSTIC MEASUREMENTS ON GOODYEAR RUBBER PANELS   |
| ADA066772 | THE LOGARITHMIC DEPENDENCE OF SURFACE-GENERATED AMBIENT SEA<br>NOISE SPECTRUM LEVEL ON WIND SPEED                                     |
| ADA066773 | PROBLEM SUMMARY FOR SF-11-121-106/8132 FOR THE PERIOD 1 JANUARY 1969<br>TO 30 JUNE 1969   |
| ADA066774 | HYDROGRAPHIC WINCH SYSTEM   |
| ADA066775 | PHOTOCHROMICS IN OPTICAL SIGNAL PROCESSING  |
| ADA066776 | BOTTOM TOPOGRAPHY VEHICLE FEASIBILITY REPORT  |
| ADA066777 | PROPAGATION OF EXPLOSIVE SOUND IN THE BIFI RANGE  |
| ADA066778 | PROCEEDINGS OF THE ANNUAL MILITARY LIBRARIANS' WORKSHOP (21ST):<br>RESOURCE SHARING, 27-29 SEPTEMBER 1977                             |
| ADA066779 | RATER ACCURACY STUDY  |
| ADA066780 | VERY LARGE ARRAY (V.L.A.) OBSERVATIONS OF SOLAR ACTIVE REGIONS  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 12 of 21

| ADA066781 | DEVELOPMENT OF SCENARIO MATERIAL TO SUPPORT TWO-PERSON PLAY<br>WITHIN SIMTOS   |
|-----------|--|
| ADA066782 | DEVELOPMENT OF A WORKSHOP ON CONSTRUCTION AND VALIDATION OF SKILL QUALIFICATION TESTS  |
| ADA066783 | IMPROVED ARMY TRAINING AND EVALUATION PROGRAM (ARTEP) METHODS<br>FOR UNIT EVALUATION. VOLUME II. ANALYSIS  |
| ADA066784 | EFFICACY OF A TRAINING PRIORITIES MODEL IN AN ARMY ENVIRONMENT   |
| ADA066785 | DETERMINING THE DEPENDENCE OF THE VALUE OF THE EXCHANGE<br>CAPACITY OF ION-EXCHANGE FILTERS ON THE GRAIN DIAMETER OF THE ION<br>EXCHANGERS   |
| ADA066786 | SCATTERING LIGHT IN THE EARTH'S ATMOSPHERE (SELECTED ARTICLES)   |
| ADA066787 | THE SCATTERING OF LIGHT IN THE SURFACE LAYER AND ATMOSPHERIC AEROSOL   |
| ADA066788 | ELECTROAURAGRAMS OF MAN AND ANIMALS  |
| ADA066789 | POWDERED-METAL ALLOY FOR THE PACKING OF GAS TURBINES   |
| ADA066790 | AERONAUTICAL KNOWLEDGE (SELECTED ARTICLES)   |
| ADA066791 | NAVIER-STOKES SOLUTIONS FOR CHEMICAL LASER FLOWS: STEADY AND UNSTEADY FLOWS  |
| ADA066792 | REMOVAL OF TRICHLOROETHYLENE CONTAMINATION FROM DRINKING<br>WATER AT A USAF INSTALLATION   |
| ADA066793 | COMBUSTOR DESIGN CRITERIA VALIDATION. VOLUME III. USER'S MANUAL  |
| ADA066794 | HELICOPTER TRANSMISSION VIBRATION AND NOISE REDUCTION PROGRAM.<br>VOLUME III. EVALUATION OF FIBER FP METAL-MATRIX HOUSING SPECIMENS  |
| ADA066795 | THERMAL SELF-FOCUSING OF A LASER BEAM IN A DENSE, LOW<br>TEMPERATURE PLASMA  |
| ADA066796 | CLIMATIC MODELS THAT WILL PROVIDE TIMELY MISSION SUCCESS<br>INDICATORS FOR PLANNING AND SUPPORTING WEATHER SENSITIVE<br>OPERATIONS   |
| ADA066797 | TOLERANCE OF THE NECK TO INDIRECT IMPACT   |
| ADA066798 | TEST OPERATIONS PROCEDURE. TROPIC TESTING OF VEHICLES  |
| ADA066799 | THE TUNGSTEN-TUNGSTEN TRIPLE BOND. 8.(1) DINUCLEAR ALKOXIDES OF<br>TUNGSTEN (III) AND STRUCTURAL CHARACTERIZATION OF HEXAKIS-<br>(ISOPROPOXY)DIPYRIDINODITUNGSTEN. THE FIRST COMPOUND WITH FOUR-<br>COORDINATED TUNGSTEN ATOMS UNITED BY A TRIPLE BOND |
| ADA066800 | CHEMICAL AND ELECTROCHEMICAL STUDIES IN ROOM TEMPERATURE<br>ALUMINUM HALIDE-CONTAINING MELTS   |
| ADA066801 | SOVIET PERCEPTIONS OF NATO   |
|           |  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 13 of 21

| ADA066803 | HIGH VOLTAGE NANOSECOND PULSE GENERATOR  |
|-----------|--|
| ADA066804 | UNSTEADY VISCOUS THIN AIRFOIL THEORY   |
| ADA066805 | IMPLEMENTATION OF NATO GUIDELINES ON INTELLECTUAL PROPERTY<br>RIGHTS. REVISION   |
| ADA066806 | EXEMPT USERS MANUAL  |
| ADA066807 | EXEMPT PROGRAMMERS MANUAL  |
| ADA066808 | FRACTURE MECHANICS DESIGN METHODOLOGY  |
| ADA066809 | ANALYSIS OF DIGITAL FLIGHT CONTROL SYSTEMS WITH FLYING QUALITIES<br>APPLICATIONS. VOLUME I. EXECUTIVE SUMMARY                              |
| ADA066810 | SOME SPARSE MATRIX COMPUTER CODES  |
| ADA066811 | BLAST INDUCED DISTORTION EXPERIMENTS ON AN ENGINE INLET  |
| ADA066812 | WEDCOM IV. A FORTRAN CODE FOR THE CALCULATION OF ELF, VLF, AND LF<br>PROPAGATION IN A NUCLEAR ENVIRONMENT. VOLUME II. COMPUTER<br>ROUTINES |
| ADA066813 | TITANIUM COMBUSTION STUDY  |
| ADA066814 | FRACTURE TOUGHNESS AND STRESS CORROSION CHARACTERISTICS OF<br>ULTRAHIGH- STRENGTH 4340 STEEL - SUMMARY REVIEW                              |
| ADA066815 | GANN MEDI-PAC UNIT; NSAP PROJECT TH-1-78   |
| ADA066816 | TRANSONIC WIND TUNNELS TESTS ON AN OSCILLATING WING WITH EXTERNAL STORES. PART I. GENERAL DESCRIPTION                                      |
| ADA066817 | DISCRETE ALGORITHM FOR CONTROLLING THE FINAL DESCENT VELOCITY OF SPACE VEHICLES IN THE ATMOSPHERE OF MARS                                  |
| ADA066818 | SECOND-HARMONIC GENERATION OF THE NEODYMIUM OPTICAL QUANTUM<br>LASER BY CRYSTALLINE POWDERS OF ORGANIC COMPOUNDS                           |
| ADA066819 | DIGITAL TRANSMISSION IN MOBILE UHF RADIO   |
| ADA066820 | CALCULATION OF THE EFFECTIVE ARMATURE CURRENT LOAD OF THE SYNCHRONOUS MACHINE UNDER RECTIFIER LOAD   |
| ADA066821 | ASTRONAUTICS - FOR TEACHERS AND YOUTH (1)  |
| ADA066822 | THE MOTION OF A PLANE-PARALLEL HEAVY LIQUID IN A CHANNEL WITH A BOTTOM WHICH HAS A STEP  |
| ADA066823 | DISPERSION HARDENING OF SOME THERMOELECTRIC MATERIALS  |
| ADA066824 | REACTOR - THERMAL EMISSION CONVERTER   |
| ADA066825 | ARC DISCHARGER   |
| ADA066826 | HIGH-VOLTAGE THREE-ELECTRODE ELECTRON GUN  |
| ADA066827 | QUARTERLY PROGRESS REPORT NUMBER 3, 5 JULY-5 OCTOBER 1970  |
| ADA066828 | DISPLAY ANALYSIS   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 14 of 21

| ADA066829 | THE EFFECT OF ECHO LENGTH ON SSI BEARING ERROR IN THE PRESENCE OF NOISE   |
|-----------|---|
| ADA066830 | DETERMINATION OF SHIP COURSE AND SPEED FROM TRANSMITTED SIGNAL FREQUENCY. ADDENDUM  |
| ADA066831 | MEASUREMENT OF ECHO ENERGY SPLITTING OF HIGH RESOLUTION SONAR<br>TRANSMISSIONS  |
| ADA066832 | A TECHNIQUE FOR A MULTI-DOPPLER, QUADRATURE CORRELATION<br>PROCESSING SCHEME  |
| ADA066833 | QUARTERLY PROGRESS REPORT NUMBER 1, 1 JANUARY-31 MARCH 1968   |
| ADA066834 | SONAR SIGNAL PROCESSING AND SIMULATION  |
| ADA066835 | VALIDATION OF THE MULTI-DOPPLER QUADRATURE CORRELATOR (MDQC)  |
| ADA066836 | QUARTERLY PROGRESS REPORT NUMBER 1, 1 AUGUST - 31 OCTOBER 1966  |
| ADA066837 | TRANSFER OF EXCESS BARIUM IN AN OXIDE CATHODE   |
| ADA066838 | THE FUTUREIT LIES WITH ASSOCIATIONS   |
| ADA066839 | THE ROLE OF ATMOSPHERIC TIDAL WINDS IN THE PRODUCTION OF IONOSPHERIC SPORADIC-E   |
| ADA066850 | AN AT-SEA SIMULATION OF ADAPTIVE BEAMFORMING  |
| ADA066851 | A PROGRAM TO SIMULATE BUTTERWORTH FILTERS ON A DIGITAL COMPUTER   |
| ADA066852 | DOPPLER MEASUREMENT CHARACTERISTICS OF BENDIX MONOPPLER   |
| ADA066853 | ON THE FREQUENCY SCALING OF SONAR TRANSDUCER ARRAYS   |
| ADA066854 | THEORETICAL PREDICTION OF BUBBLE PATHS  |
| ADA066855 | FREE FLOODED HIGH POWER MAGNETOSTRICTIVE TRANSDUCER MODEL PROGRAM   |
| ADA066856 | INSTRUCTION MANUAL FOUR (4) CHANNEL HETERODYNE UNIT   |
| ADA066857 | FREQUENCY DEPENDENT BOTTOM LOSS AND MARINE SEDIMENT<br>ATTENUATION  |
| ADA066858 | SIMULTANEOUS MULTIBEAM PHASE COMPENSATION. VIII. DESIGN AND<br>LABORATORY EVALUATION OF A PHASE COMPENSATOR FOR THE AN/SQS-4<br>MOD 3 SONAR |
| ADA066859 | A NONMATHEMATICAL EXPLANATION OF ADAPTIVE BEAMFORMING   |
| ADA066869 | EXPERIMENTAL STATIONARY MHD-INSTALLATION, OPERATING ON RANKINE CYCLE  |
| ADA066870 | ENVIRONMENTAL OXYGEN TENSION AND ELECTRICAL ACTIVITY OF THE BRAIN IN HYPOTHERMIA  |
| ADA066871 | JSEP-EC 1032 COMPUTER   |
| ADA066872 | INTERBIURO 76 THE FOREIGN EXPOSITION  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 15 of 21

| ADA066873 | ATTACHMENT CRITERION OF THE DIFFUSE PHASE PARTICLES IN THE<br>DISPERSIVE SYSTEM, TO THE COLLISION SURFACE IN THE QUASI-ELASTIC<br>REBOUND AND ROLLING CASES  |
|-----------|--|
| ADA066874 | BETWEEN THE STRATOSPHERE AND THE COSMOS  |
| ADA066875 | EFFECT OF THE HARDENING TREATMENT ON THE DAMPING PROPERTIES OF THE TITANIUM ALLOYS   |
| ADA066876 | CONSTRUCTION AND PRELIMINARY STUDY OF TUNABLE DYE LASER  |
| ADA066877 | TECHNICAL EVALUATION REPORT ON THE AEROSPACE MEDICAL PANEL<br>LONDON SPECIALISTS' MEETING, FALL 1977 ON PROSPECTIVE MEDICINE<br>OPPORTUNITIES IN AEROSPACE MEDICINE AND SPECIFIC FINDINGS IN<br>CARDIOLOGY AND PULMONARY FUNCTION WITH SPECIAL EMPHASIS ON<br>ASSESSMENT CRITERIA FOR FLYING |
| ADA066878 | EVALUATION OF MULTIPORT SINGLE-FIBER FIBER-OPTIC COUPLERS  |
| ADA066884 | 19303A GSRS MISSILE NUMBERS 1018 AND 1017 ROUND NUMBERS V-17 AND V-<br>18 (1 FEBRUARY 1979)  |
| ADA066885 | CRITERION DEVELOPMENT FOR JOB PERFORMANCE EVALUATION:<br>PROCEEDINGS FROM SYMPOSIUM 23 AND 24 JUNE 1977  |
| ADA066886 | NEUTRON DAMAGE CORRELATION EXPERIMENTS IN SEMICONDUCTOR DEVICES  |
| ADA066887 | A FILTERABILITY STUDY OF CORROSION INHIBITED JP-4  |
| ADA066888 | HAZELTINE DT 287/BQA-8 HYDROPHONE SERIAL B70 DT 288/BQA-8<br>HYDROPHONE SERIAL A-199   |
| ADA066889 | DESIGN, CONSTRUCTION, AND CALIBRATION OF F53 TRANSDUCER SERIAL X2  |
| ADA066890 | LONG-RANGE SHALLOW-WATER BOTTOM REVERBERATION  |
| ADA066891 | SPECIFICATION FOR ACTIVE TRANSDUCER. A PARALLEL APPROACH FOR FUTURE BQQ SYSTEMS  |
| ADA066892 | SUBSYSTEM SIX - SHORE-BASED ASW TACTICAL FORECAST/DISPLAY UNIT.<br>SUBSYSTEM SEVEN - SEA-BASED ASW TACTICAL FORECAST/DISPLAY UNITS   |
| ADA066893 | VERTICAL BEAMFORMER SIMULATION   |
| ADA066894 | RECONFIGURATION OF THE HORIZONTAL BEAMFORMER   |
| ADA066895 | BACKGROUND STATIONARITY OF HIGH RESOLUTION SONAR SYSTEMS   |
| ADA066896 | DESIGN AND DEVELOPMENT OF EQUAL EMPLOYMENT OPPORTUNITY HUMAN<br>RESOURCES PLANNING MODELS  |
| ADA066897 | AN ALPHARD SPECIFICATION OF A CORRECT AND EFFICIENT<br>TRANSFORMATION ON DATA STRUCTURES   |
| ADA066898 | OPTICAL EXTINCTION PREDICTIONS FROM MEASUREMENTS ON THE OPEN SEA   |
| ADA066899 | THE USE OF POLYALKYLENE GLYCOL IN SONAR TRANSDUCERS  |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 16 of 21

| ADA066900 | THE GRAVITY-CAPILLARY WAVE INTERACTION APPLIED TO WIND-<br>GENERATED, SHORT-GRAVITY WAVES   |
|-----------|---|
| ADA066901 | LATERAL FRONTAL SLOW POTENTIAL SHIFTS PRECEDING LANGUAGE ACTS IN DEAF AND HEARING ADULTS  |
| ADA066902 | SCANNER DEVELOPMENT   |
| ADA066903 | DEVELOPMENT AND MANAGEMENT OF AVIAN HABITAT ON DREDGED<br>MATERIAL ISLANDS. SYNTHESIS OF RESEARCH RESULTS   |
| ADA066904 | HIGH ALTITUDE ALTIMETER FLIGHT TEST   |
| ADA066905 | ON THE SINGULARITY EXPANSION METHOD FOR THE SOLUTION OF<br>ELECTROMAGNETIC INTERACTION PROBLEMS   |
| ADA066906 | PETROLEUM PRODUCTS  |
| ADA066907 | EVALUATION OF THE CONDITION OF THE VESTIBULAR APPARATUS IN GUINEA<br>PIGS EXPOSED TO INDUSTRIAL NOISE DURING INTRAUTERINE LIFE  |
| ADA066908 | SYSTEMS FOR COMBATTING AIRCRAFT ICING   |
| ADA066909 | OPTIMIZATION OF SPACE TRAJECTORIES  |
| ADA066910 | THE ANTI-JAMMING ABILITY OF SIGNAL TRANSMISSION WITH PULSE-CODE<br>MODULATION OVER OPTICAL COMMUNICATION LINKS  |
| ADA066911 | AERONAUTICAL KNOWLEDGE (SELECTED ARTICLES)  |
| ADA066912 | MULTIPLE-SPAN BRIDGE  |
| ADA066913 | DIPOLE-EXCHANGE SPIN WAVES IN A CYLINDRICAL FERROMAGNET   |
| ADA066914 | CHARGED PARTICLE ACCELERATOR  |
| ADA066915 | RAW DATA AND FIRST ORDER CALCULATIONS FOR THE STUDY SILICA<br>'APPARENT' SOLUBILITIES AND RATES OF DISSOLUTION AND PRECIPITATION<br>FOR CA. 25 COMMON MINERALS AT 1-2 C, PH 7.5-8.5 IN SEAWATER |
| ADA066916 | CRITERION-REFERENCED MEASUREMENT IN THE ARMY: DEVELOPMENT OF A RESEARCH- BASED, PRACTICAL, TEST CONSTRUCTION MANUAL   |
| ADA066917 | ON THE LOUDNESS OF SONIC BOOMS AND OTHER IMPULSIVE SOUNDS   |
| ADA066918 | STUDY OF ELECTRONIC TRANSPORT AND BREAKDOWN IN THIN INSULATING FILMS  |
| ADA066919 | APPLICATION OF A COMBINED SOURCE MODEL FOR SEISMIC DISCRIMINATION   |
| ADA066920 | FIELD EVALUATION SYSTEM FOR AIR FORCE TECHNICAL TRAINING: ANALYSIS AND MODIFICATION   |
| ADA066921 | UTILIZATION OF WOMEN IN INDUSTRIAL CAREER FIELDS  |
| ADA066922 | PLASMA DIFFUSION IN A SPACE-SIMULATION BEAM-PLASMA DISCHARGE  |
| ADA066923 | COLLECTIVE RADIO-EMISSION FROM PLASMAS  |
| ADA066924 | BASIC AND APPLIED RESEARCH IN MATERIALS   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 17 of 21

| ADA066925 | COMPUTER PROGRAM FOR CALCULATION OF SEPARATED TURBULENT FLOWS<br>ON AXISYMMETRIC AFTERBODIES INCLUDING EXHAUST PLUME EFFECTS             |
|-----------|--|
| ADA066926 | APPROXIMATE TESTS OF HYPOTHESES IN REGRESSION MODELS WITH GROUPED DATA   |
| ADA066927 | FACTORS AFFECTING ELECTROSTATIC HAZARDS  |
| ADA066928 | MANPOWER PLANNING FOR NEW WEAPON SYSTEMS   |
| ADA066929 | ADVANCED ADAPTIVE OPTICS CONTROL TECHNIQUES  |
| ADA066930 | THE SOVIET PERCEPTION OF THE AMERICAN WILL   |
| ADA066931 | AUTOMATED CROWN REPLICATION USING SOLID PHOTOGRAPHY SM   |
| ADA066932 | A COMPARISION OF HEURISTIC METHODS USED IN HIERARCHICAL<br>PRODUCTION PLANNING   |
| ADA066933 | AN ACTIVE SONAR PERFORMANCE PREDICTION MODEL   |
| ADA066934 | ANALYSIS OF THE MIDWINTER TEMPERATURE REGIME AND SNOW<br>OCCURRENCE IN GERMANY   |
| ADA066935 | STUDY OF WATER DRAINAGE FROM COLUMNS OF SNOW   |
| ADA066936 | EFFECT OF WATER CONTENT ON THE COMPRESSIBILITY OF SNOW-WATER MIXTURES  |
| ADA066941 | COMPARISON OF THE RIDE AND SHOCK RESPONSES OF THE M60 STB AND M60 HSS/ ATB HYBRID TANKS  |
| ADA066942 | THE CHARACTERIZATION OF A SLURRY EXPLOSIVETELEDET  |
| ADA066943 | THERAPEUTIC EFFECTIVENESS OF HUMAN PLATELETS FREEZE-PRESERVED<br>WITH DIMETHYLSULFOXIDE AT -80 C   |
| ADA066944 | INFERENTIAL TECHNIQUES FOR SOIL DEPTH DETERMINATIONS. PART II.<br>'ARTEMISIA FILIFOLIA' TORR. (SAND SAGEBRUSH)                           |
| ADA066945 | FIELD TEST RESULTS OF A LASER DOPPLER VELOCIMETER AND AN ACOUSTIC DOPPLER WIND SOUNDER   |
| ADA066946 | MATHEMATICAL MODELS OF SKIN BURNS INDUCED BY SIMULATED<br>POSTCRASH FIRES AS AIDS IN THERMAL PROTECTIVE CLOTHING DESIGN AND<br>SELECTION |
| ADA066947 | PRODUCTION AND EVALUATION OF REFE2-NICKEL COMPOSITE<br>MAGNETOSTRICTIVE MATERIALS  |
| ADA066948 | CHANGES IN CNS METABOLISM IN HIGH PRESSURE NERVOUS SYNDROME,<br>HIGH PRESSURE NARCOSIS, AND METHODS OF PROTECTION                        |
| ADA066949 | HEMISPHERIC LATERALIZATION AND SOCIAL COMPARISON   |
| ADA066950 | EFFECT OF SEX OF SUBJECT AND EXPERIMENTER ON HEMISPHERIC BALANCE   |
| ADA066951 | ON THERMAL EFFECTS IN THE THEORY OF RODS   |
| ADA066952 | STUDIES IN MANPOWER PLANNING   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 18 of 21

| ADA066953 | RESPONSE OF COMBINED ELECTRICAL STIMULATION AND BIODEGRADABLE CERAMICS   |
|-----------|--|
| ADA066965 | RADIOTELEMETRY OF MAN-MADE SATELLITE   |
| ADA066966 | ON A DISCRETE VORTEX SCHEME FOR A FINITE SPAN WING   |
| ADA066967 | SUPERCRITICAL PROFILE  |
| ADA066968 | SUPERSONIC FLOW PAST TWO INTERSECTING AND TWO PARALLEL WINGS   |
| ADA066969 | AERONAUTICAL KNOWLEDGE (SELECTED PAGES)  |
| ADA066970 | TELEPROCESSING SYSTEMS   |
| ADA066971 | TOLERANCE OF THE NECK TO INDIRECT IMPACT   |
| ADA066972 | SYNTHESIS OF POLYESTERS CONTAINING TETRATHIAFULVALENE GROPUS IN THE BACKBONE   |
| ADA066973 | LABORATORY STUDY OF PYROLYSIS OF EXPLOSIVE CONTAMINATED WASTE  |
| ADA066974 | STATUS REPORT ON WEPH CODE MODELING - 1978   |
| ADA066975 | CIRRUS PARTICLE DISTRIBUTION STUDY. PART 3   |
| ADA066976 | RELATIVE INTENSITY OF INCOHERENT AND SEMICOHERENT SCATTERING<br>FROM TURBULENT PARTICULATE CLOUDS  |
| ADA066977 | WEDCOM IV: A FORTRAN CODE FOR THE CALCULATION OF ELF, VLF, AND LF<br>PROPAGATION IN A NUCLEAR ENVIRONMENT, VOLUME III. COMPUTATIONAL<br>MODELS   |
| ADA066978 | CHEMICAL DURABILITY IMPROVEMENT AND STATIC FATIGUE OF GLASSES  |
| ADA066979 | BLANK CORRECTIONS FOR ULTRATRACE ATOMIC ABSORPTION ANALYSIS  |
| ADA066981 | SYNOPTIC ANALYSIS CASE 3, 23 FEBRUARY 1977 - 25 FEBRUARY 1977  |
| ADA066982 | EVALUATION AND CLASSIFICATION OF THE ELECTRICAL HAZARD OF<br>CHEMICAL VAPORS DURING WATER TRANSPORTATION USING PATTERN<br>RECOGNITION TECHNIQUES |
| ADA066983 | THE IMPACT OF ALTERNATE FUELS ON AIRCRAFT CONFIGURATION CHARACTERISTICS  |
| ADA066984 | U.S. ARMY METRICATION: ANALYSIS AND RECOMMENDATIONS FOR DA<br>IMPLEMENTATION PLAN. VOLUME 2. ANNEXES   |
| ADA066985 | RELATIVE MOTION BETWEEN LCU AND MARINER MODELS IN A SEAWAY   |
| ADA066986 | AIR MOVEMENT PLANNING SYSTEM (AMPS). VOLUME I. EXECUTIVE<br>SUMMARY  |
| ADA066987 | AIR MOVEMENT PLANNING SYSTEM (AMPS). VOLUME II. USERS GUIDE  |
| ADA066988 | AIR MOVEMENT PLANNING SYSTEM (AMPS). VOLUME III.<br>SYSTEM/PROGRAMMERS GUIDE   |
| ADA066989 | QUALITY CONTROL DURING HOT AND COLD WEATHER CONCRETING   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 19 of 21

| ADA066990 | A PORCINE BIOASSAY STUDY OF THE PHYSIOLOGICAL EFFECTS OF FIBER AND<br>DYE DEGRADATION PRODUCTS (FDP) ON BURN WOUND HEALING                      |
|-----------|---|
| ADA066991 | EFFECTS OF ICE COVERS ON ALLUVIAL CHANNEL FLOW AND SEDIMENT<br>TRANSPORT PROCESSES  |
| ADA066992 | FQL A FUNCTIONAL QUERY LANGUAGE   |
| ADA066993 | A DATABASE INTERFACE TO WAND FOR THE NETWORK ALERTER SERVICE  |
| ADA066994 | Q A COMMUNICATIONS QUERY LANGUAGE FOR SEED  |
| ADA066995 | A PROCEDURE FOR OBTAINING MORE ACCURATE TIMING INFORMATION FOR<br>THE SOUND RANGING PROBLEM   |
| ADA066996 | ROBUST CONCURRENCY CONTROL FOR A DISTRIBUTED INFORMATION SYSTEM   |
| ADA066997 | EQUILIBRIUM STRATEGIES IN VOTING GAMES  |
| ADA066998 | BLAST UPGRADING OF EXISTING STRUCTURES  |
| ADA066999 | UV ABSORPTION BY HYDROGEN IN ALKALI METAL   |
| ADA067000 | PHYSICOCHEMICAL BASES OF THE USE OF HIGHLY DISPERSED AEROSOLS FOR DEALING WITH HARMFUL INSECTS  |
| ADA067001 | DETERMINING PARAMETERS OF AIRCRAFT WITH VARIABLE-SWEEP WING   |
| ADA067002 | CHEMISTRY AND BIOCHEMISTRY OF HYDROCARBONS (SELECTED PORTIONS)  |
| ADA067003 | INVESTIGATION OF POSSIBILITY OF MEASURING PARAMETERS OF DISPERSED<br>PARTICLES IN COMBUSTION PRODUCTS OF COAL BY LOW-ANGLE SCATTER OF<br>LIGHT  |
| ADA067004 | SUPERSTRUCTURE OF A PREFABRICATED TRACKED BRIDGE  |
| ADA067005 | STABILITY OF AN AXISYMMETRICAL COMPRESSIBLE INVISCID WAKE   |
| ADA067006 | THE EFFECT OF WEAK VISCOUS INTERACTION ON THE RESISTANCE OF A WING SECTION  |
| ADA067007 | EXPERIMENTAL STUDY OF THE MAGNUS EFFECT ON A FINNED BODY OF<br>REVOLUTION OF GREAT ELONGATION AT A MACH NUMBER OF M = 4                         |
| ADA067008 | AERONAUTICAL KNOWLEDGE (SELECTED ARTICLES)  |
| ADA067009 | A STUDY OF THE EMISSION CHARACTERISTICS AND EVAPORATION HEATS OF<br>THE DIRECT-HEATED CATHODES WITH A NEW EMISSION COATING                      |
| ADA067010 | THE TECHNICAL EQUIPMENT OF COMPUTERIZED CONTROL SYSTEMS (SELECTED PAGES)  |
| ADA067011 | THEORY OF TWO-DIMENSIONAL ANTENNA ARRAYS WITH RANDOM<br>ARRANGEMENT OF EMITTERS. PART I   |
| ADA067012 | NATIONAL DAM SAFETY PROGRAM. PLEASURE LAKE DAM (INVENTORY<br>NO345), DELAWARE RIVER BASIN, SULLIVAN COUNTY, NEW YORK. PHASE 1<br>SAFETY PROGRAM |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 20 of 21

| ADA067013 | NATIONAL DAM SAFETY PROGRAM. MYOSOTIS LAKE DAM (INVENTORY<br>NUMBER-670), HUDSON RIVER BASIN, ALBANY COUNTY, NEW YORK. PHASE I<br>INSPECTION REPORT            |
|-----------|--|
| ADA067014 | NATIONAL DAM SAFETY PROGRAM. TARRYTOWN WATERWORKS (DAM<br>INVENTORY NUMBER-54), HUDSON RIVER BASIN, WESTCHESTER COUNTY,<br>NEW YORK. PHASE 1 INPSECTION REPORT |
| ADA067015 | EXTENSIBLE DATA BASES  |
| ADA067017 | ASPECT DETERMINATION FOR THE AFGL INFRARED SURVEY EXPERIMENTS  |
| ADA067018 | MODELING OF THE GEOSYNCHRONOUS ORBIT PLASMA ENVIRONMENT. PART<br>2. ATS-5 AND ATS-6 STATISTICAL ATLAS  |
| ADA067019 | REQUIREMENTS FOR REDUCED DATA FROM FIELD TEST. PROBABILITY OF HIT<br>ANTIAIRCRAFT GUNS   |
| ADA067020 | COMPUTING THE ATTITUDE OF FIXED-WING AIRCRAFT FROM POSITION DATA   |
| ADA067021 | SOLUTION OF SINGLY-CONSTRAINED CONCAVE ALLOCATION PROBLEMS   |
| ADA067022 | HIGH-SPEED ELECTRO-OPTIC ANALOG-TO-DIGITAL CONVERTER   |
| ADA067023 | NUMERICAL SOLUTIONS OF UNDERWATER ACOUSTIC WAVE PROPAGATION<br>PROBLEMS  |
| ADA067024 | GAS DYNAMIC LASERS PUMPED BY COMBUSTION  |
| ADA067025 | SHOULDER FIRED MISSILE   |
| ADA067027 | THE PROBABILITY OF A SIGNAL PASSING THE SHORT-WAVE RANGE IN A PATH OF AVERAGE LENGTH   |
| ADA067028 | COMPRESSION OF A MAGNETIC FIELD BY A SHELL WITH CONSTANT<br>CONDUCTIVITY   |
| ADA067029 | THE EQUATION OF A GEODESIC LINE ON THE SURFACE OF AN OBLATE ELLIPSOID OF REVOLUTION  |
| ADA067030 | AN ANALYSIS OF A SLACK TOWLINE   |
| ADA067031 | VIBRATION MEASUREMENTS OF CW 454 SONAR DOME  |
| ADA067032 | THE DELAY-DOPPLER SPECTRAL ANALYSIS OF NONSTATIONARY TIME<br>VARIANT LINEAR CHANNELS   |
| ADA067033 | DEMONSTRATION OF FEASIBILITY OF AVCO DATA ANALYSIS AND PREDICTION<br>TECHNIQUES (ADAPT) FOR SONAR DETECTION. VOLUME I. INTRODUCTION,<br>RESULTS, APPENDICES    |
| ADA067034 | NEARFIELD AND FARFIELD RESULTS WITH INOPERATIVE STAVES AND A SONAR DOME FOR THE AN/SQS-26  |
| ADA067035 | LONG RANGE UPGRADING OF THE AN/SQS-26  |
| ADA067036 | PROCESSING PROCEDURES FOR THE VALIDATION OF A COMPUTER-AIDED DETECTION MODEL   |
| ADA067037 | DESCRIPTION VDS TOWLINE FLEXING FACILITY   |

## DoD Tech Reports | Order Form | Catalog | Part 642 of 1597 | Page 21 of 21

| SOME COMPUTED EFFECTS OF DOME SKIN AND TEMPERATURE DIFFERENTIAL ON OPERATION OF THE AN/SQS-26 SONAR EQUIPMENT            |
|--|
| INTERACTIVE SONAR FEATURE EXTRACTION   |
| HYDRODYNAMIC SLAMMING ON A LARGE SONAR DOME FITTED ON A DL-2<br>DESTROYER  |
| EXPERIMENTAL MEASUREMENTS OF LIFT AND DRAG ON AN OSCILLATING,<br>SMOOTH CIRCULAR CYLINDER IN CROSSFLOW                   |
| AN EXPERIMENT CONCERNING TOWLINE KITING  |
| VDS TOWLINE TESTER   |
| RECEIVER OPERATING CHARACTERISTICS OF CORRELATION DETECTION SYSTEMS USING 'OR' CIRCUITS                                  |
| LINEAR SIGNAL PROCESSING AND ULTRASONIC TRANSVERSAL FILTERS  |
| A COMPARISON OF THE DETECTION CAPABILITIES OF SINGLE FREQUENCY,<br>FREQUENCY MODULATED, AND NOISE PULSE SONARS FOR LORAD |
| NOTES ON OPTIMUM SIGNALS DETECTION THEORY  |
| AN IMPROVED METHOD FOR APPROXIMATING DEPTH AND POSITION OF<br>BOTTOMED MODULES   |
| EFFECT OF A PERTURBED WAVEFRONT ON THE POWER PATTERN OF AN ARRAY   |
| A METHOD OF DIGITALLY CONTROLLED FREQUENCY GENERATION  |
| DESCRIPTION OF GULTON INDUSTRIES, INCORPORATED TOWED VEHICLE<br>INSTRUMENTATION SYSTEM                                   |
|  |